// TOOLCRAFT®











CATALOG 2021



WIN - WIN

We offer our clients the best Business Plan, attractive profitability with our Benefits Program, always considering the development of their business based on a win-win relationship.

Our trade policies are clear to all our clients, thus offering confidence and ease of implementation, ensuring that they guarantee the profitability, displacement and good performance of our clients' business.

Consult your advisor, who will guide you towards the best use of the program and our trade policies.

CHECK OUT OUR SOCIAL NETWORKS







They are the result of several years of effort, and thanks to the preference of our customers, distributors and vendors, together with the quality of our products, consumers prefer these brands.



Everything for the lighting market and electrical installation, strictly complying with the national standards.



All the protection in locksmith for home and business, always looking for maximum security and confidence.



WE ARE A GLOBAL COMPANY

We are present in more than 20 countries in Central America, South America and the Caribbean, supplying through four distribution centers.



Tools for the professional market, which are characterized by their high quality in product and packaging, and by looking for the consumer to work better, smarter and faster.



The solution for plumbing installations in bathrooms and kitchens.



For basic needs, having a balance between quality and fair price, very competitive.



WEB PAGE

As of this catalog edition, we inform you about the renewal of our website. In it you can find the update of our brands, the introduction of new products, customer service, as well as the option of inquire our catalog of products.



toolcraft.mx

NETWORK OF CSA SERVICE CENTERS.

We have expanded our network of service centers, which grows every year, providing reassurance to our customers. We offer maintenance service for the entire line of power products marketed by the Toolcraft group. On our website, our final clients can have access to manuals and definitions of parts of each tool, as well as the information of the nearest service center. We also offer direct online contact, in order to answer your questions about service and warranty.



CUSTOMER SERVICE CENTER

Because we want to be closer to you, we have call center that provides personalized advice, support and care to any need of our clients and associates.

We are at your service.

Free call 01800.834.9400

Monterrey (81)81.96.26.15





STEELS AND DERIVATIVES

AUTOMOTIVE

LOAD

POWER TOOLS

GARDENING

PAINTING

SAFETY



STEEL CABLE COVERED WITH PVC

- The 7 X 7 cable is rigid
- The 7 x 19 cable is flexible
- · Made of anti-corrosive galvanized steel







*Price per roll

Code	Length	Width	Load Capacity	Inner	Master
		7 :	x 7		
TC4060	150 m	1/16" x 1/16"	218 kg	1	1
TC0990	75 m	3/32" x 3/32"	417 kg	1	1
TC0991	75 m	1/8" x 1/8"	777 kg	1	1
TC4061	75 m	3/16" x 3/16"	1,678 kg	1	1
		7 :	x 7		
TC4062	150 m	3/32" x 3/32"	453 kg	1	1
TC0992	75 m	1/8" x 1/8"	907 kg	1	1
TC0993	75 m	3/16" x 3/16"	1.905 ka	1	1


Type of packaging: Box

Never use to mu people or animals. Never use to lift

STEEL CABLE

- The 7 X 7 cable is rigid
- The 7 x 19 cable is flexible
- Made of anti-corrosive galvanized steel





consumable for the electric hoists TC3501 and TC3502





2 THIMBLE INCLUDED



people or animals

people people	or animals				*Pri	ce per roll
Code	Length	Width	Load capacity	Thimble	Inner	Master
			7 x 7			
TC5443	150 m	1/16"	218 kg	Included	1	1
TC5444	450 m	1/16"	218 kg	Included	1	1
TC5445	150 m	3/32"	417 kg	Included	1	1
TC5446	150 m	1/8"	777 kg	Included	1	1
TC5447	450 m	1/8"	777 kg	Included	1	1
			7 x 7			
TC0988	75 m	3/16"	1,905 kg	Not included	1	1
TC0989	75 m	1/4"	3,175 kg	Not included	1	1

Type of packaging: Box

GALVANIZED CHAIN

- · Made of high carbon tempered steel
- Chain grade 30
- Electrowelded links



Bucket 25 Kg *Price per bucket

Code	Measure	Maximum load	Approx. length	Inner	Master
TC1103	1/8"	180 kg	115 m	1	1
TC1104	5/32"	300 kg	86 m	1	1
TC1105	3/16"	210 kg	60 m	1	1
*TC1108	1/4"	420 kg	32 m	1	1
TC1109	5/16"	850 kg	18 m	1	1
TC1106	3/8"	1200 kg	12 m	1	1
TC1107	1/2"	2030 ka	6 m	1	1

Type of packaging: Bucket

POLISHED CHAIN

- Made of high carbon tempered steel
- Chain grade 30
- Electrowelded links



Bucket 25 Kg
*Price per bucket

Code	Measure	Maximum load	Approx. length	Inner	Master
TC0899	1/8"	180 kg	115 m	1	1
TC0900	5/32"	300 kg	86 m	1	1
TC0901	3/16"	210 kg	60 m	1	1
*TC0905	1/4"	420 kg	32 m	1	1
TC0902	5/16"	850 kg	18 m	1	1
TC0903	3/8"	1200 kg	12 m	1	1
TC0904	1/2"	2030 kg	6 m	1	1

Type of packaging: Bucket

CHAIN

· Made of galvanized steel



Code	Diameter	Length	Maximum load	Inner	Master
		Reel			
TC1083	mm	30 m	40 kg	1	4
TC1084	2.5 mm	30 m	70 kg	1	4
TC1085	3.0 mm	30 m	120 kg	1	4
TC1086	3.5 mm	30 m	140 kg	1	2
TC1087	4.0 mm	30 m	160 kg	1	2
		Bucke	t		
TC1088	2.0 mm	250 m	40 kg	1	1
TC1089	2.5 mm	192 m	70 kg	1	1
TC1090	3.0 mm	122 m	120 kg	1	1
TC1091	3.5 mm	100 m	140 kg	1	1
TC1092	4.0 mm	64.9 m	160 kg	1	1

Type of packaging: Reel, Bucket

WING NUT

· Steel body Standard screw



*Price per piece

Code	Measure	Inner	Master	
TC0911	1/8"	200	7200	
TC0912	5/32"	200	7200	
TC0913	3/16"	200	7200	
TC0914	1/4"	100	3600	
TC0915	5/16"	60	2160	
TC0916	3/8"	30	1080	
TC0917	1/2"	20	720	
Type of packaging: Bulk				

GALVANIZED NAIL FOR CONCRETE

· Striated body for greater holding power.





Packed in bags of 1 kg



Box

*Price per bag 1 Kg

Code	Measure	Gauge	Nails approx. per kg	Inner	Master
TC5499	1"	8	335	1	1
TC5500	1"	8	232	1	1
TC5501	2"	8	177	1	1
TC5502	2"	8	143	1	1
TC5503	3"	8	120	1	1

Type of packaging: Box

STANDARD FLAT HEAD NAIL

- Striated body for greater holding power.
- Bulk packing





Box 25 Kg *Price per box

Code	Measure	Gauge	Nails approx. per kg	Inner	Master
TC2498	2"	12.5	460	1	1
TC2499	2"	11	260	1	1
TC2500	3"	10.5	190	1	1
TC2501	3"	8	105	1	1
TC2502	4"	7	77	1	1

Type of packaging: Box

BLACK NAIL FOR CONCRETE

· Striated body for greater holding power.





20 Kg

Packed in bags of 1 kg

*Price per bag 1 Kg Nails approx. Measure per kg TC5504 335 TC5505 232 TC5506 2" 177 TC5507 2' 143 8

120

3" Type of packaging: Box

LOST HEAD STANDARD NAIL

8

- Striated body for greater holding power.
- Bulk packing

TC5508







Code	Measure	Gauge	Nails approx. per kg	Inner	Master
TC3527	1"	16	2,341	1	1
TC3528	1"	14.5	1,114	1	1
TC3529	2"	13	514	1	1
TC2520	2"	12	325	- 1	- 1

Type of packaging: Box

CLOSED PLASTIC PACKAGES

- · It has arms that ensure the anchorage
- Thick spikes
- Base without brow







Box 25 Kg

*Price per box

*Price per bag

Code	Measure	Inner	Master
TC2872	1/4"	20	100
TC2873	5/16"	20	100
TC2874	3/8"	20	100

Type of packaging: Bag

SCREW FOR METAL ROUNDED HEAD

- · Cross input
- Standard cord
- Galvanized finishing

Box 100 pieces

*Price per box

Code	Length	Inner	Master		
	Gauge 8				
TC2884	1/2"	10	102		
TC2885	5/8"	10	102		
TC2886	3/4"	10	102		
TC2887	1"	10	48		
TC2888	1"	10	48		
TC2889	1"	10	48		
TC2890	2"	10	24		
Gauge 10					
TC2892	1/2"	10	102		
TC2893	5/8"	10	48		
TC2894	3/4"	10	48		
TC2895	1"	10	48		
TC2896	1"	10	48		
TC2897	1"	10	24		
TC2898	2"	10	24		

Type of packaging: Box

SCREWS FOR WOOD CONICAL HEAD

- Cross input
- Standard cord
- Galvanized finishing



Box 100 pieces

*Price per box

Code	Length	Inner	Master				
	Gauge 8						
TC2907	1/2"	10	125				
TC2908	3/4"	10	125				
TC2909	1"	10	100				
TC2910	1"	10	75				
TC2911	1"	10	60				
TC2912	2"	10	48				
	Gauge 10						
TC2915	3/4"	10	100				
TC2916	1"	10	60				
TC2917	1"	10	48				
TC2918	1"	10	48				
TC2919	2"	10	40				

Type of packaging: Box

SCREW FOR DRY WALL CONICAL HEAD

- · Cross input
- Open rope for wood
- Bluing
- Multipurpose



*Price per box

Code	Length	Pieces / Box	Inner	Master
		Gauge 6		
TC2931	1"	1,000	5	12
TC2932	1"	1,000	5	12
TC2933	1"	1,000	5	8
TC2934	1"	1,000	5	8
TC2935	1"	500	5	12
TC2936	2"	500	5	12
		Gauge 8		
TC2937	1"	1,000	5	12
TC2938	1"	1,000	5	8
TC2939	1"	500	5	12
TC2940	1"	500	5	12
TC2941	2"	500	5	8

Type of packaging: Box

STEELS | CLAMPS | ROPE SLINGS

NAIL

- Grooved body for greater resistance
- For installation of asphalt shingle and insulation panels



Packaged in a 1 kg box to facilitate its commercialization

Code	Measure	Gauge	Nails approx. per Kg	Inner	Master
TC2035	1" x 3.5 mm	10.5	457	1	1
TC2036	1 1/4" x 3.5 mm	10.5	383	1	1
	–				

Type of packaging: Box

ENDLESS CLAMP, 1/2" (12.5 MM) STRAP

Strap and frame of stainless steel



Bag 10 pieces TC4691 - TC4693 TC4678 - TC4683

5 pieces TC4684 - TC4690

Minimum opening. Maximum opening. Code Inner Master 3/8" (10 mm) TC4691 #4 5/8" (16 mm) 10 100 TC4692 #6 1/2" (11 mm) 3/4" (20 mm) 10 100 1/2" (12 mm) 7/8" (23 mm) TC4693 #8 10 100 TC4678 #10 5/8" (16 mm) 1" (25 mm) 10 100 TC4679 #12 9/16" (14 mm) 1 1/4" (32 mm) 10 100 TC4680 #16 5/8" (17 mm) 1 1/2" (38 mm) 10 100 TC4681 1 3/4" (44 mm) #20 3/4" (19 mm) 10 100 TC4682 #24 1" (27 mm) 2" (51 mm) 10 50 1 1/4" (33 mm) 2 1/4" (57 mm) TC4683 #28 5 50 TC4684 #32 1 1/2" (40 mm) 2 1/2" (63 mm) 50 TC4685 1 3/4" (46 mm) 2 3/4" (70 mm) 50 2" (52 mm) TC4686 #40 3" (76 mm) 50 TC4687 2 1/4" (59 mm) 3 1/4" (83 mm) #44 50 TC4688 #52 2 3/4" (71 mm) 3 3/4" (95 mm) 50 TC4689 #60 3 1/4" (84 mm) 4 1/4" (108 mm) 50 TC4690 #72 3" (76 mm) 5" (127 mm)

Type of packaging: Bag

MINI ENDLESS CLAMP, 5/16" (8 MM) STRAP

· Stainless steel band and frame





10 pieces

*Price per bag

Code	#	Minimum opening	Maximum opening	Inner	Master
TC4675	#4	1/4" (6 mm)	5/8" (16 mm)	10	200
TC4676	#6	1/2" (11 mm)	3/4" (20 mm)	10	200
TC4677	#8	1/2" (12 mm)	7/8" (23 mm)	10	200

Type of packaging: Bag

STEEL SPRING SNAP LINK

- Spring latch
- Quick attachment
- Light duty







Code	Thickness	Length	Inner	Master		
TC2544	7 mm	70 mm	12	72		
TC2545	8 mm	80 mm	12	72		
2-piece set						
TC2542	5 mm	50 mm	12	72		
TC2543	6 mm	60 mm	12	72		

Type of packaging: Bag

ALUMINUM SNAP LINK

- Spring latch
- Quick attachment
- Light duty



*Price per bag

50



Code	Thickness	Length	Inner	Master
TC2549	7 mm	70 mm	12	72
TC2550	8 mm	80 mm	12	72
		2-piece set		
TC2547	5 mm	50 mm	12	72
TC2548	6 mm	60 mm	12	72

Type of packaging: Bag

STEEL QUICK LINK

- · With lock
- Galvanized carbon steel body
- Repairs broken chains
- · Heavy duty





Code	Diameter of axis	Maximum load	Inner	Master
TC2605	5/16"	700 kg	12	72
TC2606	3/8"	1,000 kg	12	72
TC2607	1/2"	1,360 kg	12	72
		2-piece set		
TC2602	1/8"	100 kg	12	72
TC2603	3/16"	300 kg	12	72
TC2604	1/4"	400 kg	12	72
Type of p	ackaging: Ba	g		

Ideal for quick attachment

STEEL SPRING SNAP LINK

- Galvanized carbon steel body
- Medium duty





Code	Diameter of axis	Maximum load	Inner	Master			
TC2610	5/16"	115 kg	12	72			
TC2611	3/8"	180 kg	12	72			
TC2612	1/2"	270 kg	12	72			
	2-piece set						
TC2608	3/16"	50 kg	12	72			
TC2609	1/4"	65 kg	12	72			
_	–						

Type of packaging: Bag

SWIVEL HALTER BOLT SNAP

- Metal body
- Light duty



Code	Length	Maximum load	Inner	Master
TC2552	2"	15 kg	12	72
TC2553	3"	20 kg	12	72
TC2554	3 1/2"	40 kg	12	72
TC2555	4"	40 kg	12	72
TC2556	4 1/4"	40 kg	12	72

Type of packaging: Bag

METAL SWIVEL BOLT SNAP

- Metal body





Code	Length	Maximum load	Diameter of axis	Inner	Master
TC2557	2"	25 kg	12 mm	12	72
TC2558	3"	35 kg	13 mm	12	72
TC2559	3"	45 kg	14 mm	12	72
TC2560	4"	45 kg	20 mm	12	72
TC2561	4"	75 kg	22 mm	12	72

Type of packaging: Bag

BRASS-PLATED SWIVEL BOLT SNAP

- Spring latch
- With bolt snap Light duty





Code	Length	Maximum load	Diameter of axis	Inner	Master
TC2562	3"	95 kg	16 mm	6	72
TC2563	3"	95 kg	19 mm	6	72
TC2564	3"	105 kg	25 mm	6	72
TC2565	4"	135 kg	28 mm	6	72
TC2566	4"	150 kg	32 mm	6	72

Type of packaging: Bag

DOUBLE BRASS-PLATED BOLT SNAP

- Spring latch
- Light duty



Barrer	
Onde	

Code	Maximum load	Length	Inner	Master
TC2567	75 kg	3"	12	72
TC2568	105 kg	4"	12	72
TC2569	120 kg	4"	12	72

Type of packaging: Bag

METAL DOUBLE END SWIVEL

- Nickel-plated metal bodySpin chain without tangle
- Light duty





Code	Measure	Maximum load	Inner	Master
TC2587	1/8"	25 kg	12	72
TC2588	5/32"	45 kg	12	72
TC2589	3/16"	50 kg	12	72
TC2590	1/4"	50 kg	12	72
TC2591	5/16"	50 kg	12	72

Type of packaging: Bag

SHACKLE

- · Forging and hardened
- Galvanized by immersion
- With locking post
- Heavy duty



Code	Measure	Maximum load	Inner	Master
TC3312	3/16"	300 kg	12	960
TC3313	1/4"	450 kg	12	360
TC3314	5/16"	680 kg	12	240
TC3315	3/8"	910 kg	12	120
TC3316	7/16"	1,360 kg	12	120
TC3317	1/2"	1,810 kg	12	48
TC3318	5/8"	2,950 kg	4	32
TC3319	3/4"	4,310 kg	4	16
TC3320	7/8"	6,400 kg	4	8
TC3321	1"	8,300 kg	3	8
TC3322	1"	9,400 kg	1	6
TC3323	1"	12,000 kg	1	4
TC3324	1"	13,450 kg	1	4
TC3325	1"	16,900 kg	1	2

Type of packaging: Bulk

CLEVIS GRAB HOOK

- · Made of galvanized tempered steel Grade 30
- Assembly to link with bolt and lock
- Heavy duty



	_				
Code	Measure	Type	Maximum load	Inner	Master
TC1146	1/4"	Width	1,248 kg	10	100
TC1147	5/16"	Width	1,952 kg	10	80
TC1148	3/8"	Width	2,383 kg	10	50
TC1149	1/4"	Short	1,589 kg	10	100
TC1150	5/16"	Short	2,133 kg	10	80
TC1151	3/8"	Short	3.223 kg	10	50

Type of packaging: Bulk

METAL DOUBLE END SWIVEL **IN GALVANIZED STEEL**

- Galvanized steel body
- Spin chain without tangle
- Heavy duty



Code	Measure	Maximum load	Inner	Master
TC2593	1/4"	385 kg	4	72
TC2594	5/16"	565 kg	4	72
TC2595	3/8"	1010 kg	4	72
TC2596	1/2"	1630 kg	4	36

Type of packaging: Bag

STEEL WIRE ROPE THIMBLE

- · Steel sheet body
- Light duty





		Price per bag
Measure	Inner	Master

Code	Content	Measure	Inner	Master
TC2613	10 pieces	1/8"	12	72
TC2614	10 pieces	3/16"	12	72
TC2615	10 pieces	1/4"	12	72
TC2616	5 pieces	5/16"	12	72
TC2617	5 pieces	3/8"	12	72
TC2618	5 pieces	7/16"	12	72

Type of packaging: Bag

WIRE ROPE CLAMP

- · 1 piece body made of malleable iron
- Fork and steel nut
- Galvanized for higher weather resistance



Code	Thickness	Inner	Master
TC0951	1/8"	50	1000
TC0952	3/16"	50	500
TC0953	1/4"	50	500
TC0954	5/16"	50	250
TC0955	3/8"	25	250
TC0956	7/16"	25	250
TC0957	1/2"	25	100
TC0958	5/8"	25	100
TC0959	3/4"	10	50
TC0960	7/8"	10	50
TC0961	1"	10	20
Time of no	okonina Pulk		

Type of packaging: Bulk

SWIVEL EYE PULLEY

- · Steel sheet body
- · Light duty



Code	Diameter	Maximum load	Inner	Master
TC2582	3/4"	40 kg	25	72
TC2583	1"	50 kg	6	72
TC2584	11/2"	75 kg	10	72
TC2585	2"	90 kg	1	72

Type of packaging: Bag

S-HOOK

- · Made of
- galvanized steel
- Light duty





Code	Content	Measure	Maximum load	Inner	Master
TC2597	2 pieces	3/16"	13 kg	12	72
TC2598	2 pieces	1/4"	38 kg	12	72
TC2599	1 piece	5/16"	75 kg	12	72

Type of packaging: Bag

EYE SNAP HOOK WITH LOCK

- · Made of carbon steel
- Spring latch
- Quick attachment
- Heavy duty



Code	Measure	Maximum load	Inner	Master		
TC2620	5/8"	1,000 kg	10	160		
TC2621	5/8"	1,500 kg	10	160		
TC2622	5/8"	2,000 kg	10	160		
Type of packaging: Bulk						

HOOK-HOOK TURNBUCKLE

- Metal body
- Carbon steel hook and hoop
- · Light duty



Code	Measure	Maximum load	Inner	Master
TC2577	3/16"	41 kg	12	72
TC2578	1/4"	50 kg	12	72
TC2579	5/16"	100 kg	12	72
TC2580	3/8"	204 kg	12	72

STEELS | TURNBUCKLES | SCREENS | MESH

Master

6

6

6

Inner

2

FORGED STEEL HOOK-HOOP TURNBUCKLE

- · Made of forged steel Galvanized coated
- Heavy duty



Maximum load

680 kg

1,000 kg

1,300 kg

1,800 kg

2,250 kg

HOOK-HOOP TURNBUCKLE

- Metal body Carbon steel hook and hoop
- Light duty



LOAD BINDER

- · Made of steel
- Ball and socket swivel joint sat hock assemblies



Code	Measure	Maximum load	Inner	Master	Code	Measure	Maximum load	Inner	Master
TC2572	3/16"	41 kg	12	72	TC3340	5/16" - 3/8"	2,450 kg	1	5
TC2573	1/4"	50 kg	12	72	TC3341	3/8" - 1/2"	4,175 kg	1	4
TC2575	3/8"	204 kg	12	72	TC3342	1/2" - 5/8"	4,990 kg	1	2

Type of packaging: Bulk

· Made of galvanized steel

Corrosion resistant Twisted tips 55mm x 55mm opening

11-GAUGE CHAIN LINK WIRE MESH

REINFORCED GALVANIZED MESH

Measure

1/2" x 1/2"

5/8" x 5/8"

3/4" x 3/4"

7/8" x 7/8"

1" x 1" Type of packaging: Bulk

TC2624

TC2625

TC2626

TC2627

TC2628

· Heavy gauge for heavy duty · 91 cm wide



Length 30 m

*Price per roll

Code	Opening	Inner	Master
TC2451	2 x 2 mm	1	1
TC2452	3 x 3 mm	1	1
TC2453	4 x 4 mm	1	1
TC2454	5 x 5 mm	1	1
TC2455	6 x 6 mm	1	1
TC2640	8 x 8 mm	1	1
Type of pa	ckaging: Roll		

GALVANIZED MESH

Type of packaging: Bulk

91 cm wide



Length 10 m

*Price per roll

Code	Opening	Inner	Master
TC2456	2 x 2 mm	1	1
TC2457	3 x 3 mm	1	1
TC2458	4 x 4 mm	1	1
TC2459	5 x 5 mm	1	1
TC2460	6 x 6 mm	1	1
TC2641	8 x 8 mm	1	1
Type of pack	aging: Roll		

Height Inner Master 1.50 m


2.00 m

Length 20 m *Price per roll

TC2470 Type of packaging: Roll

12.5-GAUGE CHAIN LINK WIRE MESH

- Made of galvanized steel
- Corrosion resistant Twisted tips
- 55mm x 55mm opening




Code	Height	Inner	Master
TC2473	1.50 m	1	1
TC2475	2.00 m	1	1

Type of packaging: Roll

12.5-GAUGE CHAIN LINK WIRE MESH

- Made of galvanized steel
- Corrosion resistant
- Twisted tips
- 63mm x 63mm opening



*Price per roll

Code	Height	Inner	Master
TC2478	1.50 m	1	1
TC2480	2.00 m	1	1

Type of packaging: Roll


13-GAUGE CHAIN LINK WIRE MESH

- Made of galvanized steel Corrosion resistant
- Twisted tips

Code

TC2468

69mm x 69mm opening



Height TC2483 1.50 m

TC2485 2.00 m Type of packaging: Roll

STEELS | MESH | WIRES

HEXAGONAL WIRE MESH



	45	m
*Price	e pe	r roll

Code	Height	Opening	Gauge	Inner	Master
TC1860	0.90 m	13 mm	23	1	1
TC1861	1.00 m	25 mm	22	1	1
TC1862	1.20 m	25 mm	22	1	1
TC1863	1.50 m	25 mm	22	1	1
TC1864	1.75 m	25 mm	22	1	1
TC1865	1.50 m	38 mm	22	1	1
TC1866	1.75 m	38 mm	22	1	1
TC1867	1.50 m	50 mm	22	1	1
TC1869	1.75 m	50 mm	20	1	1
Type of p	ackaging: F	Roll			

14-GAUGE MULTI WIRE MESH

- Made of galvanized steelCorrosion resistant
- For the fabrication of

medium-sized animal cages · 1.22 m wide



Model: 500

Used to make construction

work easier.

· 0.91 m wide



Length 20 m

*Price per roll

Co	de	Opening	Inner	Master
TC2	486	5 cm x 5 cm	1	1
TC2	487	5 cm x 5 cm	1	1
_				

Type of packaging: Roll



Length 22 m

			*Price per roll		
Code	Height	Length	Inner	Master	
TC2488	0.91 m	22 m	1	1	
Type of packaging: Roll					

MONTANA BARBED WIRE

- Wire gauge 12.5Barb gauge 14.5Approx. weight per meter 92.3 g
- Double twist
- Pre tightened roll for easy installation





TEXAS BARBED WIRE

- Wire gauge 15.5Barb gauge 16.5Approx. weight per meter 46.6 g
 - Single twist
- Pre tightened roll for easy installation





*Price per roll

Code	Weight	Approx. length	Inner	Master
TC2495	30 kg	m	1	1
There are a section with	DII			

Type of packaging: Roll


CONCERTINA MAXIMUM SECURITY, 8M

- Made of steel
- Galvanized finishing
- · 33 spirals



Long 8-point jackknife with hook effect

- Blade spacing: 100 mm (1) Length of blades: 60 mm (2) Diameter of wire: 2.5 mm (3)



_			*Prio	e per roll
Code	Installation coverage	Weight	Inner	Master
TC5267	8 m	5.1 kg	1	1

Type of packaging: Box

				*Price per roll
Code	Weight	Approx. length	Inner	Master
TC2497	13.97 kg	300 m	1	1
Type of packaging: I	Roll			

GALVANIZED WIRE

- For ties, repairs, etc.
- Each master box contains 20 rolls of 1 kg



Roll 1 Kg *Price per roll

Code	Gauge	Diameter	Approx. length	Inner	Master
TC5509	12.5	2.44 mm	27 m	1	1
TC5510	14.5	1.85 mm	46 m	1	1
TC5511	16	1.57 mm	61 m	1	1
TC5512	18	1.22 mm	119 m	1	1
TC5513	20	0.84 mm	279 m	1	1
TC5514	22	0.71 mm	340 m	1	1

Type of packaging: Bulk

OIL CANS | OILS | GREASES

MULTI PURPOSE LITHIUM GREASE

- · Protects premature wear, corrosion and oxidation
- · Great resistance to washing with water
- SPECIFICATIONS Grade NLGI2 Penetration to 60 @ 25 °C Strikes (1/10 mm): 265 to 295 Drip point: 180 ° C



Code	Content	Inner	Master
TC5404	450 g	6	12
Type of packaging	ng: Can		

CARBURETTOR CLEANER

- · Cleans the interior and exterior of carburetors without disassembling
- For 2 and 4 stroke engines
- Cleans and removes grease, oil, dust and dirt
- Does not damage the oxygen sensor or the catalytic converter
- · It has an applicator for places of difficult access.



Code	Content	Inner	Master
TC5406	470 ml (16 oz)	1	12

Type of packaging: Tin

GREASE FOR 2-STROKE ENGINE

- · Viscosity index greater than 140, ISO 68 degree
- Extends the life of the engine up to 80% · For use on motorcycles, chainsaws,
- trimmers and hedge trimmers, among others.





Proportion: Mix 20 ml of grease

-	-		
Code	Content	Inner	Master
TC5407	118 ml (4 oz)	6	24
Type of packaging	ng: Can		

NOZZLE FOR GREASE INJECTOR

- Standard spare parts for
- conventional grease fitting Compatible with models:
- TC1615, TC1298 y TC1299
- Made of stainless steel
- Ball check valve





Code	Specification	Inner	Master
TC1981	Standard screw	10	400

Type of packaging: Blister

BEARING GREASE

- Lubricates and prevents corrosion
- Made of basic high viscosity grease and stearic calcium soap.
- Good performance under temperatures up to 180°C.
- Do not use on mechanisms containing water



Code	Presentation	Inner	Master
TC2631	Can 400 g	12	12
TC2632	Cartridge 400 g	6	12

Type of packaging: Can (TC2631), Cartridge (TC2632)

CHASSIS GREASE

- Lubricates and prevents corrosion
- Made of basic high viscosity grease and stearic calcium soap.
- Good performance under temperatures up to 130°C. Water repellent and has mechanical stability



Code	Presentation	Inner	Master
TC2629	Can 400 g	12	12
TC2630	Cartridge 400 g	6	12

Type of packaging: Can (TC2629), Cartridge (TC2630)

OIL CAN FLEXIBLE TUBE

- · Brass nozzle
- Internal metallic mechanism
- Stainless steel rack



	Capacity	Inner	Master
TC1440	180 ml (6 oz)	10	50
TC1441	300 ml (10 oz)	10	50
TC1442	500 ml (16 oz)	10	50

FLEXIBLE HOSE FOR GREASE INJECTOR

- · Standard spare parts for
- conventional grease fitting Compatible with models: TC1615, TC1298 y TC1299
- Nvlon hose
- Maximum pressure capacity: 10,000 PSI



Code	Measure	Inner	Master
TC1423	12"	4	200
TC1424	18"	5	200

GREASE GUN HEAVY DUTY

- · Steel body · Extension and coupler of
- stainless steel
- Capacity of 500 cc (16.9 oz)
- Rigid nozzle
- Three grease loading methods:
- bulk, cartridge and dispatcher.
- · Aluminum head



	-	

	Code	Capacity	Inner	Master
	TC1615	500 cc	2	16
Type of packaging: Box				

GREASE GUN

- Steel body
- · Extension and coupler of stainless steel
 Capacity of 500 cc (16.9 oz)
- Rigid and flexible nozzle
- Three grease loading methods: bulk, cartridge and dispatcher.
- 5,000 lb/pulg²





Code	Capacity	Inner	Master	
TC1298	500 cc	2	16	
Type of packaging: Box				

MINI GREASE GUN WITH ACCESSORIES

- · Steel body
- Extension and coupler of stainless steel
- · Capacity of 120 cc (4 oz) Uses standard cartridges of 85 g
- · Three grease loading methods: bulk, cartridge and



51/2 "rigid extension with coupler of 1 1/2" Flexible 7" extension with 1 1/2" coupler 4" rigid extension with connector



Type of packaging: Blister

GREASE INJECTION PUMP

- Output pressure: 4000 PSI
- Flow: 8 a x pump
- Hose length: 2 m Hose diameter: 1/4'
- Sealing plate to prevent air leaks
- Pump and lid assembled in 1
- single piece to easy filling.



Code	Capacity	Inner	Master
TC4367	10 kg	1	1

Type of packaging: Box

CLOCK TYPE PUMP

Contains an adapter of 3/4"(19mm)

Weight

- Has a lock inside the suction tube
- To use with gasoline, oil, kerosene, diesel, etc.

Flow capacity 0.3 L / Pumping Tube length 100 cm Diameter of the tube



3.25 kg

GREASE INJECTION PUMP

- Output pressure: 4000 PSI
- Flow: 8 a x pump
- Hose length: 2 m
- Hose diameter: 1/4' Sealing plate to prevent
- Pump and lid assembled in 1 single piece to easy filling.



Code	Capacity	Inner	Master		
TC4366	6 kg	1	1		
Type of packaging: Box					

LEVER PUMP

- Galvanized steel propeller Equipped with a telescopic suction tube
- Tip with thread to adjust hoses with connection
- Ideal for lubricants and oils







Type of packaging: Box

ARCS | HACKSAWS

ALUMINUM HACKSAW FRAME

- High-tension hacksaw frame for 2 positions of
- blade 90° and 45° One piece injected aluminum body
- TPR Handle, provides greater comfort
- 12" Bimetal blade included



Code	For blades of	Inner	Master	
TC0247	12"	4	36	
Torrest and a selection of the selection				

Type of packaging: Cover

STEEL HACKSAW FRAME

- High-tension hacksaw frame for 2 positions of
- blade 90° and 45°
- Steel bar
- Aluminum handle with TPR
- 12" Bi-metal blade included



Code	For blades of	Inner	Master	
TC0252	12"	4	36	
Type of packaging: Cover				

TUBULAR HACKSAW

HACKSAW FRAME

Reinforced steel frame and

PVC coated metal handle

- Steel bar in polished finish
- · 12" blade included

Wolfox

Wolfox

Wolfox



ADJUSTABLE PROFESSIONAL METAL

Code	For blades of	Inner	Master
TC0582	10" and 12"	4	36

Type of packaging: Cover

METAL HACKSAW FRAME

- Steel frame and ABS
- coated metal handle
- 12" Bi-metal blade included



Wolfox

Code	For blades of	Inner	Master	
TC1919	10" and 12"	4	36	
Type of packaging: Cover				

STEEL HACKSAW FRAME

- High-tension hand saw through leverage
- High impact rigid frame
- 12" blade included



Code	For blades of	Inner	Master		
WF0532	12"	4	36		
Type of packaging: Cover					

- Aluminum die-cast handle



Wolfox

Wolfox

Code	roi biades di	IIIIIei	Master		
WF0531	12"	4	36		
Type of packaging: Cover					

METAL HACKSAW FRAME

- ABS handle
- Steel body 12" blade included



Code	For blades of	Inner	Master	
WF9662	12"	4	36	
Type of packaging: Cover				

METAL HACKSAW FRAME

- Aluminum handle and chromed steel hacksaw
- 12" blade included



Code	For blades of	Inner	Master		
WF0533	10" and 12"	4	36		
Type of packaging: Cover					

COPING SAW

- · Wooden handle
- 4 additional blades included:
- Thick: all type of metals
- Medium: all types of wood Thin: for thick metals
- and hardwood
- Extra thin: for thin metals and thin wood.



Code	Specification	Inner	Master		
WF0540	4 blades	4	72		
Type of packaging: Cover					

ALUMINUM MINIHACKSAW

- 12" Bi-metal blade included
- For cutting in small spaces



Type of packaging: Cover

PLASTIC MINI HACKSAW

- 12" blade included
- For cutting in small spaces



Type of packaging: Cover

BI-METAL BLADE

- Made of hardened steel
- High durability
- High flexibility
- Available in 18dpp and 24 dpp



Code	DPP	Inner	Master		
TC1977	18	50	500		
TC1979	24	50	500		
Blister of 2 pieces					
TC1978	18	20	120		
TC1980	24	20	120		

Type of packaging: Bulk / Blister

14" FOLDING CROSS WRENCH

- Arm thickness: 5/8"
- Hexagonal openings
- Opening sizes: (3/4", 13/16", 7/8"y 17 mm)
- Polished chrome finish





Code	Measure	Inner	Master		
TC4054	14"	3	12		
Type of packaging: Plastic cover					

14" CROSS WRENCH

- Arm thickness: 5/8"
- Hexagonal openings
- Opening sizes: (3/4", 13/16", 7/8" y 17 mm) Galvanized finishing
- Electrowelded arms for better resistance



Code	Measure	Inner	Master
WF4650	14"	6	18

Type of packaging: Bulk

L WRENCH WITH **TELESCOPIC HANDLE**

- Extensible telescopic handle with slip-resistant grip of 35 cm to 52 cm
- Two size sockets:
- 17 mm and 19 mm (1/2" drive)
- Two size sockets: 21 mm and 23 mm (1/2" drive)





Code	Specification	Inner	Master
WF0289	L WRENCH	1	20T

Type of packaging: Blister

CHROMED CROSS WRENCH

- Arm thickness: 5/8
- Hexagonal openings Opening sizes:
- (3/4", 13/16", 7/8" and 17 mm)
- Polished chrome finish Electrowelded arms
- for better resistance



Code	Measure	Inner	Master
TC0242	18"	6	12
TC0241	20"	6	12
Type of packaging: Bulk			

DOUBLE-END TRUCK WRENCH

- · Helps remove wheel studs and nuts
- on freight vehicles
- · Hexagonal opening · Dark finish

Wolfox

Wolfox



Code	Measure	Inner	Master
TC3372	7/8" - 15/16"	1	6
TC3373	1" - 1 1/16"	1	6
TC3374	1 1/16" - 1 1/4"	1	6
TC3375	1 1/8" - 7/8"	1	6
TC3376	30 mm - 33 mm	1	6

Type of packaging: Bulk

WHEEL RIM SEALANT

- Pressurizes and vulcanizes the wheel rim
- Easy to use, no need to use jack or tools
- Compatible with any wheel rim
- rim 13-17
- * Note: You must consume completely.
 After using it can not be stored.



Code	Content	Inner	Master
TC5405	475 ml	4	12

Type of packaging: Tin

AUTOMOBILE | HYDRAULIC JACKS | HYDRAULIC BOOM

HYDRAULIC CLUTCH JACK, **FAST LIFTING 3.5 TONS**



Length Weight Inner Master TC5152 790 mm 44 kg 3.5 tons 1

Type of packaging: Box

HYDRAULIC CLUTCH JACK, **PROFESSIONAL 3 TONS**

Made of steel Work height Minimum: 5 1/2" (140 mm) Maximum: 20 1/2" (520 mm)



720 mm

36.7 kg



TC5151

HYDRAULIC CLUTCH JACK, **FAST LIFTING 2.5 TONS**



Code	Maximu	ım loa	d	Length	Weight	Inner	Master
C5150	2.5 t	ons		560 mm	13.5 kg	1	1
_			_				

Type of packaging: Box


HYDRAULIC CLUTCH JACK

Made of steel Capacity 2 TON Work height: Minimum: 5 1/4" (133 mm) Maximum: 13 1/2" (343 mm) Compact design Do not exceed the maximum recommended load









VEHICLE STAND

- · High carbon steel body, pyramid shape.
- Welded and reinforced for better support and resistance



Code	Maximum load	Inner	Master
TC3359	3 tons	1	1
TC3360	6 tons	1	1

Type of packaging: Box / 2 pieces

2 TON ENGINE HOIST

- Capacity of 2 tons
- Lifting length of 2ton / 179 cm

Elevation capacity of 2.30m Width 76 cm

- Foldable body
- Handle for lift and lower control

PORTO POWER HYDRAULIC 10 TON

- Use in tinsmithery for chassis straightening
- Capacity: 10 tons

6.3 kg

- Maximum lift: 135 mm
- Minimum cylinder height: 356 mm



Code	Capacity	Inner	Master
TC3363	2 tons	1	1
Time of most coinci	Day		

Type of packaging: Box

hydraulic boom.

Included: V-Base

- Connector
- Rubber head
- 10-ton pump Separator wedge
- Piston unit Hydraulic hose
- Extensions of: 520 mm, 362 mm,
- Piston pointer
- Plunger pointer
- Top of the crack





Code	Capacity	Inner	Master
TC3371	10 tons	1	1

Type of packaging: Plastic case

Wolfox

PLASTIC MECHANIC CREEPER 40" / 101.6 CM

- · Headrest cushion
- for more comfort
- Made of high density polyethylene Load capacity: 140kg
- 6 turning wheels of polypropylene - pvc





Code	Measures	Inner	Master
TC3355	40" x 40"	1	1

Type of packaging: Box

BOOSTER CABLES

- Rubber and copper coated clamps
- to prevent short circuits.
- Copper cable





Code	Gauge	Current maximum	Length	Inner	Master
TC2079	8 AWG	280 A	3.5 m	2	10
TC4399	6 AWG	360 A	3.5 m	2	10
Towns of markets of	DI4'				

Type of packaging: Plastic cover

OIL FILTER WRENCH

- Ideal for installing or replacing filters Carbon steel strap
- Strap with three holding points
- Vinyl coated handle for better grip.





Code	For filters of	Inner	Master
TC3356	2 3/4" a 2 1/4"	6	36
TC3357	3 7/16" a 3 3/4"	6	36

Type of packaging: Blister

CUSHIONED MECHANIC CREEPER 36" / 91.44 CM

- Headrest cushion for more comfort
- Made of highly
- steel frame
- Load capacity: 150kg
- Heavy duty tubular
- steel frame 6 turning wheels of polypropylene





Code	Measures	Inner	Master
TC3354	36" x 36"	1	1
Type of packaging: Box			

BOOSTER CABLES

- · Rubber and copper coated clamps
- to prevent short circuits.
- Copper cable





Code	Gauge	Maximum Current	Length	Inner	Master
WF0564	10 AWG	190 A	2 m	5	20
WF1110	10 AWG	120 A	3 m	5	20

Type of packaging: Cover

BAND WRENCH FOR OIL FILTER

- · Ideal for installing or replacing filters up to 6" Polyester anti-slip band
- Metal body with plastic lid
- 1/2" Drive





Code	For filters of	Inner	Master
TC3358	up to 6"	4	36

Type of packaging: Blister

AUTOMOBILE | GAUGES | INVERTERS

1,000 W CURRENT INVERTER

- · Replaceable fuse
- Power cord included for connecting to the battery.
- 1 USB port
- 2 grounded contacts 115V~
- Turns off automatically with low battery, peak voltage, or power failures



G-LW	1	
(iii)	0	
H		





IOM	NYCE		

Code	Power	Inner	Master
TC4347	1000 W	1	6

Type of packaging: Box

100 2 CURRENT INVERTER

- Replaceable fuse
- Car adapter adjustable to 45°
- 1 USB port
- 1 grounded contact 115V~
- Turns off automatically with low battery, peak voltage or power failure



		Input V.	
		Output USB V	
Tender St		Output V.	
		Frequency	
	NOV	Power	
	<u>NUM</u>	Current / USB	Output
Code	Power	Inner	M
TC4345	100 W	1	

SINGLE HEAD TIRE PRESSURE GAUGE

Brass body

Type of packaging: Box

- Zamac head
- Aluminum ruler





Code	Capacity	Inner	Master
TC2015	Simple 50 lbs	12	72
TC2016	Simple 120 lbs	12	72T

Type of packaging: Blister

400 W CURRENT INVERTER

- Replaceable fuse
- Car adapter Alligator clip cables included to connect a battery
- 1 USB port
- 2 grounded contacts 115V~ Turns off automatically with low battery, peak voltage or power failure









TC4346

SPECIFICATIONS

Current / USB Output 2,100 mA

SPECIFICATIONS

12.8 Vcc

5 Vcc 115 V~

60 Hz

100 W

2,100 mA Master

12.8 Vcc

5 Vcc

115 V~ 60 Hz

1000 W

Input V.

Output V.

Frequency Power

Output USB V.





Inner

Input V.	12.8 Vcc
Output USB V.	5 Vcc
Output V.	115 V~
Frequency	60 Hz
Power	400 W
Current / USB Output	2,100 mA

Master

10

Type of	f packaging:	Boy
Type of	i packagilig.	DUX

DOUBLE HEAD TIRE PRESSURE GAUGE

Power

400 W

- · Brass body
- Zamac head
- Aluminum ruler





Code	Capacity	Inner	Master		
TC2019	Double 120 lbs	12	72		
TC2020	Double 160 lbs	12	72T		
Type of packaging: Blister					

FEELER GAUGE SET 32 BLADES

- Tempered steel blades
- One brass blade for measurements.
- Engraved in inches and millimeters.
- Range: 0.0015 0.035"





Code	Page number	Size	Inner	Master	
TC3366	32	3 5/16" x 1/2"	6	36	

Type of packaging: Blister

AUTOMOBILE | PRY BARS | B

FEELER GAUGE SET 26 BLADES

- Tempered steel bladesEngraved in inches and millimeters.
- Range: 0.038 0.635"

FEELER GAUGE SET 22 BLADES

- · Tempered steel blades · Engraved in inches and millimeters.
- Range: 0.004 "-0.027"

FEELER GAUGE SET 12 BLADES

- Tempered steel bladesEngraved in inches and millimeters.
- Range: 0.203 "-0.660"





Code	Page number	Size	Inner	Master
TC3367	26	3" x 3"	6	36

Type of packaging: Blister





Code	Page number	Size	Inner	Master
TC3369	22	3 5/16" x 1/2"	6	36
Type of	packaging: Bliste	r		



-			÷	
	п	7		
н				
		ı	J	
		ø	и	
	•	ı		

Code	Page number	Size	Inner	Master
TC3368	12	3" X 1/2"	6	36

Type of packaging: Blister

PRY BAR

- Made of carbon steel
- Double heat treatment
- Beveled palette

CHISEL

- · Made of carbon steel
- Double heat treatment



Code	Diameter	Length	Weight	Inner	Master
TC1205	7/8"	1.00 m	3.0 kg	2	3
TC1206	7/8"	1.25 m	3.9 kg	2	3
TC1207	1"	1.50 m	5.7 kg	2	3
TC1208	1"	1.75 m	6.9 kg	2	3
TC5176	1"	1.75 m	11 kg	2	3

Type of packaging: Bulk

Code	Wedge	Inner	Master
	Length of 5 "		
TC1931	1/4" x 1/4"	6	36
	Length of 6 "		
TC1932	5/16" x 5/16"	6	36
TC1933	3/8" x 3/8"	6	36
TC1936	1/2" x 1/2"	6	36
TC1940	5/8" x 5/8"	6	36
TC1944	3/4" x 3/4"	6	36
	Length of 8 "		
TC1934	3/8" x 3/8"	6	36
TC1937	1/2" x 1/2"	6	36
TC1941	5/8" x 5/8"	6	36
TC1945	3/4" x 3/4"	6	36
TC1948	7/8" x 7/8"	6	36
TC1951	1" x 1"	6	36
	Length of 10 "		
TC1935	3/8" x 3/8"	6	36
TC1938	1/2" x 1/2"	6	36
TC1942	5/8" x 5/8"	6	36
TC1946	3/4" x 3/4"	6	36
TC1949	7/8" x 7/8"	6	36
TC1952	1" x 1"	6	36
	Length of 12 "		
TC1939	1/2" x 1/2"	6	36
TC1943	5/8" x 5/8"	6	36
TC1947	3/4" x 3/4"	6	36
TC1950	7/8" x 7/8"	6	36
TC1953	1" x 1"	6	36

Type of packaging: Plastic hanger

PRY BAR

- · Made of carbon steel
- Double heat treatment
- Beveled palette



Code	Diameter	Length	Weight	Inner	Master
TC0871	1/2"	12" (30 cm)	0.44 kg	3	12
TC0799	5/8"	18" (46 cm)	0.89 kg	3	12
TC0800	3/4"	24" (60 cm)	1.63 kg	3	12
TC0801	3/4"	30" (76 cm)	2.00 kg	3	12
TC0802	3/4"	36" (92 cm)	2.37 kg	3	12

Type of packaging: Bulk

DOUBLE-SIDED BAR BENDING KEY 1/2" AND 5/8"

- Made of carbon steel
- 5/8" side: ideal to bend and straighten steel-rods
- of 1/2" · 1/2" side: ideal to bend and straighten



Code	Sides	Inner	Master
TC2055	Sides 1/2" and 5/8"	3	24

SCALES | PUMPS TO INFLATE вΙ

KITCHEN SCALE

- · Made of plastic
- Removable trav Needle indicator
- Easy to read display
- · 2 measuring scales: kg / lb





Code	Capacity	Inner	Master
WF9538	1 kg	4	24
WF9539	3 kg	4	24
WF9540	5 kg	4	24

Type of packaging: Box

Wolfox:

- **DYNAMOMETER** · Pull type spring scale
- · 2 engraved measuring scales: kg and lb



Wolfox

Wolfox

Code	Capacity	Inner	Master
WF9871	12 kg	12	12
WF9872	25 kg	12	12
WF9873	50 kg	6	6
WF9874	100 kg	6	6

Type of packaging: Bulk

INFLATING HAND PUMP

- · Made of steel
- Two hand pumping
- Flat base for better support
- 60 cm hose
- Valves included



Code	Length	Pressure	Inner	Master
TC4276	22"	130 PSI	6	12

Type	٥f	packaging: Bulk
Type	υı	packaging, bulk

INFLATING MINI PUMP

- · Made of metal
- One hand pumping
- · Includes manometer



Code	Length	Pressure	Inner	Master
TC4275	10"	10 PSI	8	48

INFLATING HAND PUMP

- · Metal body
- Ergonomic plastic handle
- Two-hand pumping
- · 60 cm hose







Wolfox*

Code	Length	Pressure	Inner	Master
WF1005	15"	70 PSI	10	20
WF1006	20"	70 PSI	6	12
	_			

Type of packaging: Bag

INFLATING FOOT PUMP WITH MANOMETER

- · Pedal with slip resistant rubber protection
- 60 cm reinforced hose
- with nylon cover
- Analog manometer · Valves included





Code	Pressure	Inner	Master
WF1001	70 PSI	12	24
	_		

Type of packaging: Box

BICYCLE PATCH KIT

- · Content:
- 1 Glue tube 6 Patches
- 2 Rubber tubes
- 1 Plastic case
- 1 Sandpaper



Code	Content	Inner	Master
WF5901	11 pieces	25	500

Type of packaging: Plastic case

BIT BRACE

- Chrome steel body
- Steering wheel and knob on hickory wood 12 point reversible ratchet
- Grip with double clamp in hardened carbon steel.





Code	Measure	Inner	Master
TC0009	12"	2	24

Type of packaging: Bulk

DRILL BITS | HIGH SPEED | FOR CONCRETE | B


HIGH-PERFORMANCE DRILL BIT **HSS M-35**

- · Made of HSS M-35 steel with 5% cobalt
- Tip angle: 118°
- For use in iron, wood and plastic
- Straight shank









Type of packaging: Bulk

· Manufactured in HSS steel

Black oxide finish

To be used in iron

Straight shank

Type of Tip

WF0205

WF0206

WF0207

WF0208

WF0209

WF0210

*WF0211

WF0212

WF0213

WF0214

*WF0215

WF0216

WF0217

WF0218

WF0219

WF0220

WF0221

WF0222

WF0223

WF0224

WF0225

HSS DRILL BIT FOR IRON

Measure

1/32

3/64"

1/16'

5/64"

3/32

7/64

1/8"

9/64"

5/32"

11/64

3/16"

13/64"

7/32"

15/64'

1/4"

9/32"

5/16"

11/32'

3/8"

7/16

1/2"

Type of packaging: Bulk

Length

2"

2"

2"

2"

2"

3"

3"

3"

3"

3"

4"

4"

4"

5"

5"

HIGH-PERFORMANCE DRILL BIT **HSS M-35**

- Made of HSS M-35 steel with 5% cobalt
- Tip angle: 118°
- To be used in iron,
- wood and plastic Straight shank







ectified drill	Type of Tip

Code	Measure	Length	Inner	Master
TC4320	3/32"	2"	10	100
TC4321	7/64"	2"	10	100
TC4322	1/8"	2"	10	100
TC4323	9/64"	2"	10	100
TC4324	5/32"	3"	10	100
TC4325	11/64"	3"	10	100
TC4326	3/16"	3"	10	100
TC4327	7/32"	3"	10	100
TC4328	1/4"	4"	10	100
TC4329	5/16"	4"	10	100
TC4330	3/8"	5"	10	100
TC4331	7/16"	5"	4	50
TC4332	1/2"	6"	4	50

Type of packaging: Blister

MASONRY DRILL BIT

- Tungsten carbide tip
- For use in concrete, marble, brick and stone
- Straight shank



Wolfox

Master

800

800

800

800

800

800

800

600

600

600

400

400

200

200

200

200

50

50

50

50

50

Inner

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

5

5

SAE 5140 steel with lead content that provides wear resistance



Code	Measure	Length	Inner	Master
TC0461	1/8"	3"	10	500
TC0462	3/16"	4"	10	500
TC0463	3/16"	6"	10	500
TC0464	1/4"	4"	10	500
TC0465	1/4"	6"	10	500
TC0466	1/4"	12"	10	500
TC0467	5/16"	4"	10	500
TC0468	5/16"	6"	10	500
TC0469	5/16"	12"	10	200
TC0470	3/8"	4"	5	250
TC0471	3/8"	6"	5	250
TC0472	3/8"	12"	5	100
TC0474	7/16"	6"	5	200
TC0475	1/2"	6"	5	200
TC0476	1/2"	12"	5	100
TC0477	5/8"	6"	5	100
TC0478	5/8"	12"	5	50
TC0479	3/4"	6"	6	50
	Reduc	ed shank to 1	/2"	
TC0480	3/4"	12"	6	50
TC0481	7/8"	6"	6	50
TC0482	7/8"	12"	6	50
TC0483	1"	6"	6	50
TC0484	1"	12"	5	40

Type of packaging: Bulk

MASONRY DRILL BIT SDS

· Tungsten carbide tips For use in concrete, marble, brick, stone, drywall, etc.





Length Inner Master

TC0522 3/16" 6" TC0523 3/16" 8" TC0524 1/4" 4"	5 5 5	100
TO0F04 1/4" 4"	5	050
100024 1/4" 4"		250
TC0525 1/4" 6"	5	250
TC0526 1/4" 8"	5	100
TC0527 1/4" 10"	5	100
TC0528 5/16" 6"	5	50
TC0529 5/16" 8"	5	50
TC0530 5/16" 12"	5	50
TC0531 3/8" 6"	5	50
TC0532 3/8" 8"	5	50
TC0533 3/8" 12"	5	50
TC0534 3/8" 18"	5	25
TC0535 7/16" 6"	5	50
TC0536 7/16" 12"	5	50
TC0537 1/2" 6"	5	50
TC0538 1/2" 8"	5	50
TC0539 1/2" 12"	5	50
TC0540 1/2" 16"	5	25
TC0541 1/2" 18"	5	25
TC0542 9/16" 6"	5	50
TC0543 9/16" 12"	5	50
TC0544 5/8" 6"	5	50
TC0545 5/8" 8"	5	50
TC0546 5/8" 12"	5	50
TC0547 5/8" 18"	5	20
TC0548 5/8" 24"	5	20
TC0549 3/4" 8"	5	20
TC0550 3/4" 12"	5	20
TC0551 3/4" 18"	3	20
TC0552 7/8" 8"	5	20
TC0553 7/8" 12"	5	20
TC0554 7/8" 18"	2	20
TC0555 1" 10"	4	20
TC0556 1" 12"	4	20
TC0557 1" 18"	2	10

Type of packaging: Bulk

MASONRY DRILL BIT

- · Tungsten carbide tip
- To use in concrete,
- marble, brick and stone







Code	Measure	Length	Inner	Master
TC4312	3/16"	4"	10	100
TC4313	1/4"	4"	10	100
TC4314	1/4"	6"	10	100
TC4315	5/16"	4"	10	100
TC4316	5/16"	6"	10	100
TC4318	3/8"	6"	10	100
TC4319	1/2"	6"	10	100

Type of packaging: Blister

вΙ DRILL BITS | HSS | FOR CONCRETE

MASONRY DRILL BIT

- · Tungsten carbide tips
- To be used in stone, marble, panel, concrete, brick, etc.
- Straight shank





Type of packaging: Bulk

7-PIECE HSS DRILL BIT SET

- Made of molybdenum steel M2 / M7 high speed (HSS)
- Black oxide finish
- To be used in iron
- · Straight shank

Contains:

Measure	Length
1/16"	1 3/4"
3/32"	2 1/4"
1/8"	2 1/2"
5/32"	3"
3/16"	3 1/2"
7/32"	3 3/4"
1/4"	4"



Code	Content	Inner	Master		
TC0446	7 pieces	6	48		
Type of page	Type of packaging: Blister				

5-PIECE HSS DRILL **BIT SET**

- Manufactured in HSS steel
- Tip angle: 118°
- To be used in iron, wood and plastic
- Straight shank

Contains:

Measure	Length		
1/16"	1"		
3/32"	2"		
1/8"	2"		
3/16"	3"		
1//2"	4"		







Type of packaging: Blister

Wolfox[®] **HSS 13 PIECE DRILL BIT KIT**

- Made of molybdenum steel
- M2 / M7 high speed (HSS)
- Black oxide finish
- To be used in iron
- Straight shank

Contains:

Oontains	•		
Measure	Length	Measure	Length
1/16"	1 3/4"	19/64"	4 1/2"
5/64"	2"	5/16"	4 1/2"
3/32"	2 1/4"	21/64"	4 1/2"
7/64"	2 1/2"	11/32"	5"
1/8"	2 1/2"	23/64"	5"
9/64"	2 3/4"	3/8"	5"
5/32"	3"	25/64"	5 1/4"
11/64"	3 1/4"	13/32"	5 1/4"
3/16"	3 1/2"	27/64"	5 1/2"
13/64"	3 1/2"	7/16"	5 1/2"
7/32"	3 3/4"	29/64"	5 1/2"
15/64"	3 3/4"	15/32"	6"
1/4"	4"	31/64"	6"
17/64"	4 1/4"	1/2"	6"
9/32"	4 1/4"		

100485	29 pieces
Type of pac	kaging: Metallic Case

5-PIECE HSS DRILL BIT SET

- Made of molybdenum steel

- To be used in iron

M2 / M7 high speed (HSS)

- Black oxide finish
- Straight shank

Contains:

Measure	Length
1/16"	1 3/4"
3/32"	2 1/4"
1/8"	2 1/2"
3/16"	3 1/2"
1/4"	4"



Code	Content	Inner	Master	
TC0445	5 pieces	12	48	
Type of packaging, Blister				

13-PIECE HSS DRILL **BIT SET**

- · Manufactured in HSS steel
- Tip angle: 118°

Wolfox


- For use in iron, wood and plastic
- Straight shank

Contains: 5/64" 2" 3/32 7/64 1/8" 2" 9/64" 5/32" 3" 11/64" 3"

3"

3/16" 13/64" 7/32"

15/64' 1/4



Code	Content	Inner	Master
WF9717	13 pieces	4	48

Type of packaging: Blister

HSS 13 PIECE DRILL BIT KIT

- · Made of molybdenum steel
- M2 / M7 high speed (HSS)
- Black oxide finish
- · To be used in iron
- · Straight shank

Contains:

Measure	Length
1/16"	1 3/4"
5/64"	2"
3/32"	2 1/4"
7/64"	2 1/2"
1/8"	2 1/2"
9/64"	2 3/4"
5/32"	3"
11/64"	3 1/4"
3/16"	3 1/2"
13/64"	3 1/2"
7/32"	3 3/4"
15/64"	3 3/4"
1/4"	4"



	Code		Content	Inner	Master
	TC0448		13 pieces	4	48
_			_		

Type of packaging: Case

4-PIECE CONCRETE DRILL BIT SET

- · Tungsten carbide tips
- To be used in concrete, brick marble, stone and panel
- Straight shank

Contains:

Measure	Length
3/16"	4"
1/4"	4"
5/16"	4"
3/8"	4"



Wolfox

Code	Content	Inner	Master	
TC0460	4 pieces	6	60	
Type of packaging, Blister				

4-PIECE CONCRETE DRILL BIT SET

- · Tungsten carbide tips
- To be used in stone, marble, panel, concrete, brick, etc.
- Straight shank

Wolfox*

Type of Tip





Code	Content	Inner	Master
WF1119	4 pieces	10	60

Type of packaging: Blister

ROMAN

- · Tungsten carbide blade
- Rectified
- Ball bealing for softer and faster cutting.
- · 1/4" shank



TC2389	1 3/8" x 7/8"	
Type of pack	caging: Blister	

CLASSICAL MOLDING

- · Tungsten carbide blade
- Rectified
- Ball bealing for softer



1 1/8" x 1/2"

Type of packaging: E	3lister
----------------------	---------

RABBETING

- · Tungsten carbide blade · Rectified
- Ball bealing for softer
- and faster cutting. · 1/4" shank





Code	Measure	Inner	Master
TC2390	1 1/4" x 1/2"	6	36
Type of pa	ckaging: Blister		

CORE BOX

- · Tungsten carbide blade
- · Rectified
- · 1/4" shank





Code	Measure	Inner	Master
TC2408	1/4" x 1/4"	6	36
TC2409	3/8" x 3/8"	6	36
TC2410	1/2" x 1/2"	6	36
TC2411	3/4" x 3/4"	6	36
TC2412	1/2" x 7/32" with ball bearing	6	36

Type of packaging: Blister

CLASSIC

- · Tungsten carbide blade
- Rectified
- Ball bealing for softer
- and faster cutting. · 1/4" shank



6

36

1 3/8" x 1 1/16"

Type of packaging: Blister

ROUND OVER MOLDING

- Tungsten carbide blade
- Rectified

TC2394

36

- Ball bealing for softer and faster cutting.
- 1/4" shank





time to			2 -
Code	Measure	Inner	Master
TC2403	1" x 1"	6	36
TC2404	1 1/4" x 5/8"	6	36
TC2405	1 1/2" x 3/4"	6	36

Type of packaging: Blister

CHAMFER

- · Tungsten carbide blade
- Rectified
- Ball bealing for softer and faster cutting.
- 1/4" shank



COST 10		V//N/	
Code	Measure	Inner	Master
TC2406	1 1/4" x 1/2"	6	36
Type of pac	kaging: Blister		

V-GROOVE

- · Tungsten carbide blade
- Rectified
- 1/4" shank





Code	Measure	Inner	Master
TC2413	3/8" x 3/8"	6	36
TC2414	1/2" x 1/2"	6	36
TC2415	7/8" x 7/8"	6	36

Type of packaging: Blister

OGEE

- · Tungsten carbide blade
- Rectified
- Ball bealing for softer
- and faster cutting.
- · 1/4" shank



Code	Measure	Inner	Master
TC2387	1 1/8" x 1/2"	6	36
TC2388	1 3/8" x 9/16"	6	36

Type of packaging: Blister

CORNER ROUND

- · Tungsten carbide blade
- Rectified
- Ball bealing for softer
- and faster cutting.
- 1/4" shank





	Code	Measure	Inner	Master
1	TC2391	1" x 1"	6	36
1	TC2392	1 1/4" x 5/8"	6	36
1	TC2393	1 1/2" x 3/4"	6	36

Type of packaging: Blister

COVE

- · Tungsten carbide blade · Rectified
- Ball bealing for softer
- and faster cutting. 1/4" shank



Code	Measure	Inner	Master
TC2407	1 1/8" x 1/2"	6	36
Type of page			

2-FLUTE STRAIGHT

- · Tungsten carbide blade Rectified
- 1/4" shank







Code	Measure	Inner	Master
TC2396	1/4" x 1/4"	6	36
TC2397	1/4" x 1/4"	6	36
TC2398	5/16" x 5/16"	6	36
TC2399	3/8" x 3/8"	6	36
TC2400	1/2" x 1/2"	6	36
TC2401	5/8" x 5/8"	6	72
TC2402	3/4" × 3/4"	6	70

Type of packaging: Blister

DRILL BITS | FOR ROUTER вΙ

DOVETAIL

- · Tungsten carbide blade
- Rectified
- 1/4" shank




Code	Measure	Inner	Master
TC2416	1/2" x 1/2"	6	36
Type of pac	kaging: Blister		

15-PIECE ROUTER BIT SET

- · Tungsten carbide blade
- Rectified
- Ball bealing for softer
- and faster cutting.
- 1/4" shank

TOOLCRAFT




	V222V =-	2220 .	(222)	•	VZZM	"-"		
Code					Conter	nt	Inner	Master
TC3455				1	15 drill	bit	1	24

Type of packaging: Wood-Acrylic Case

8-PIECE ROUTER BIT SET

- · Tungsten carbide blade
- Rectified
- Ball bearing for softer and faster cutting
- · 1/4" shank



		•	 			
Cod	de		Content	Inner	Maste	er
TC34	154		8 drill bit	2	24	

5-PIECE ROUTER BIT SET

- Tungsten carbide blade
- Ball bearing for softer and faster cutting
- 1/4" shank





1/4

Code	Content	Inner	Master
TC3453	5 drill bit	2	16

Type of packaging: Wood-Acrylic Case


WOOD DRILL BIT SPADE-SHAPED

· Made of and treated in carbon steel

Type of packaging: Wood-Acrylic Case

- Sharp tip and blades
- Hexagonal shank prevents spinning in drill chuck or extension
- · 1/4" Straight Shank





Code	Measure	Inner	Master
TC0803	1/4"	6	72
TC0804	5/16"	6	72
TC0805	3/8"	6	72
TC0806	7/16"	6	72
TC0807	1/2"	6	72
TC0808	9/16"	6	72
TC0809	5/8"	6	72
TC0810	3/4"	6	72
TC0811	7/8"	6	72
TC0812	1"	6	72
TC0813	1"	6	72
TC0814	1"	6	72

Type of packaging: Blister

6 PIECES SPADE-SHAPED WOOD DRILL

- · Made of and treated in carbon steel
- in drill chuck or extension
- 1/4" Straight Shank

Contains

O O I I COI I COI
Measure
3/8"
1/2"
5/8"
3/4"
7/8"
1"



BIT SET

- Sharp tip and blades Hexagonal shank prevents spinning

Code	Content	Inner	Master		
TC4311	6 pieces	4	20		
Type of packaging: Blister					

TOOLCRAFT LARGE DISPLAY RACK DRILL BITS

- Made with mdf 1/2" with matte white laminate and band covers edges of the same tone
- Measures Height: 30 cm Width: 42 cm Depth: 32 cm




Inner Master Code Capacity TC5437 24 drill bits models

GLASS AND TILE DRILL BIT

- · Tungsten carbide tip
- Steel body
- Spade-shaped tip for easy drilling
- · 1/4" Straight Shank





Type of packaging: Blister

TOOLCRAFT SMALL DISPLAY RACK DRILL BITS

- Made with MDF 1/2" with matte white laminate and band covers edges of the same tone
- Measures:

Cod

Height: 17 cm Width: 24 cm Depth: 22 cm



	*Product not included			
de	Capacity	Inner	Master	
441	12 drill bits models	1	1	



25" 2-IN-1 ROLLING **TOOLBOX**

- Made of polypropylene
- Plastic latches
- Includes tray Includes organizer
- Detachable box





Nested design to optimize shipment and storage

Length						
Code	Length	Width	Height	Weight	Inner	Master
TC4046	18"	10"	25"	5.0 kg	1	2
Type of packaging: Bulk						

3-PIECE PROFESSIONAL TOOLBOX SET

- Stainless steel case with lid and polypropylene base
- Metal latches
- Each box includes tray Includes hasp
- 3 pieces in one single box





Nested design to optimize shipment and storage

Code	Contains	Inner	Master		
TC4042	TC4043, TC4044, TC4045	1	1		
Type of	Type of packaging: Bulk				

PROFESSIONAL TOOLBOX

- Stainless steel case with lid and polypropylene base
- Metal latches
- Includes tray Includes hasp





Code	Length	Width	Height	Weight	Inner	Master
TC4043	15"	6"	7"	1.7 kg	2	12
TC4044	20"	9"	9"	3.2 kg	2	6
TC4045	23"	11"	11"	4.3 kg	1	4

Type of packaging: Bulk

Wolfox

METAL TOOLBOX

- High-gloss red paint finish metal box
- Metal latches
- Includes tray Includes hasp







Code	Length	Width	Height	Weight	Inner	Master
TC3301	20"	7"	6"	2.3 kg	2	6
TC3303	24"	10"	8"	4.0 kg	2	4

Type of packaging: Bulk

TITAN TOOLBOX

- Made of polypropylene
- Plastic latches
- Includes tray Includes hasp
- Ergonomic handle





Nested design to optimize shipment and storage

Code	Length	Width	Height	Weight	Inner	Master
WF3272	16"	7"	7"	1.0 kg	4	14
WF3270	19"	8"	8"	1.5 kg	4	12
WF3271	22"	10"	10"	2.2 kg	4	10

C **LOAD** | ROLLERBLADES | PLATFORMS

3-TON PALLET TRUCK

- · Steel body
- Recommended for outdoor use
- For heavy loads
- Does not scratches the surfaces



Code	Arms length	Minimum elevation	Maximum elevation	Total width	Inner	Master
TC4392	1.22 m	75 mm	190 mm	68 cm	1	1
Type of pa	ckaging: Bulk					

FOLDING PLATFORM CART

- · Made of steel
- Solid polypropylene wheels 5 "
- Brake on wheels to immobilize platform
- Platform height: 16.5 cm Total height with tubular support: 90 cm Weight: 11.8 kg



Code	Measure	Inner	Master
TC5329	91 x 61 cm	1	1

Type of packaging: Box

2.5-TON PALLET TRUCK

- Steel body
- Recommended for indoor use For heavy loads
- Does not scratches the surfaces



Code	Arms length	Minimum elevation	Maximum elevation	Total width	Inner	Master		
TC4391	1.22 m	75 mm	185 mm	68 cm	1	1		
Type of packaging: Bulk								

SQUARE PLATFORM WITH WHEELS

- Made of polypropyleneSolid polypropylene wheels 3 "
- Brake on 2 wheels to immobilize platform
- · Height: 9 cm





Load Capacity 500 kg

Measure Base: 46 x 77 cm TC5330

THREE-CORNERED PLATFORM WITH WHEELS

- Solid polyethylene wheels 1 1/8" Height: 4.5 cm

Type of packaging: Box







Load Capacity 300 kg

Load	Capacity
6	60 kg

Code	Measure	Inner	Master
TC5331	Base: 15 cm x side	4	36

HOIST

- · Made of high-carbon steel
- Triple gear
- Maximum lifting: 3 m
- Forged hook with security latch and 360° turn.







For your safety never exceed the indicated weight limit

Code	Maximum load capacity	Weight	Chain length	Link thickness	Hanger opening	Inner	Master
TC4400	1/2 ton	11 kg	3 m	6 mm	23 mm	1	1
TC4401	1 ton	11 kg	3 m	6 mm	26 mm	1	1
TC4403	2 tons	15.5 kg	3 m	6 mm	33 mm	1	1
TC4404	3 tons	22 kg	5.8 m	8 mm	37 mm	1	1
TC4405	5 tons	36 kg	5.8 m	10 mm	40 mm	1	1
TC4406	10 tons	68 kg	11.8 mm	10 mm	52 mm	1	1
Type of	packaging: Box						

WINCH

- · Solid construction gear, 4:1 relation
- Double gear Forged steel hook
- Soft handle (prevents fatigue)



Code	Maximum load pacity	ca- W	eight	Cable diameter	Cable length	Inner	Master
TC0847	544 kg	3.	45 kg	4.1 mm	9.5 m	1	6
TC0848	907 kg	5	.6 kg	5 mm	9.5 m	1	6

Type of packaging: Box

CABLE WINCH / TIRFOR

- Aluminum body
- 20 m steel cable
- Steel plate and extension



For your safety never exceed the indicated weight limit

Code	Maximum load capacity	Tube length	Cable diameter	Cable length	Inner	Master
TC4407	1.6 tons	70 + 120 cm	11 mm	20 m	1	1
TC4408	3.2 tons	70 + 120 cm	16mm	20 m	1	1

Type of packaging: Box

LEVER HOIST

- · Made of steel · Maximum lifting: 1.5 m
- · Forged hook with security latch and 360° turn.
- · Lever that minimizes the effort when lifting the load





For your safety never exceed the indicated weight limit

Code	Maximum load capacity	Standard elevation	Weight	Chain length	Hanger opening	Inner	Master
TC4543	3/4 ton	1.5 m	7 kg	1.63 m	27 mm	1	1
TC4544	1 ton	1.5 m	7 kg	1.63 m	27 mm	1	1
TC4545	1 1/2 ton	1.5 m	10 kg	1.62 m	34 mm	1	1
TC4546	3 tons	1.5 m	17.5 kg	1.77 m	38 mm	1	1
TC4547	6 tons	1.5 m	28.5 kg	3.51 m	48 mm	1	1

Type of packaging: Box



Code	Maximum capacity	Weight	Cable diameter	Cable length	Inner	Master
TC0844	1 ton	2.05 kg	4.5 mm	2.2 m	2	6
TC0845	2 tons	2.8 kg	5 mm	3 m	1	6
TC0846	4 tons	4.95 kg	5 mm	3.5 m	1	3

Type of packaging: Box

TROLLEY

- Made of forged steel
- Electrostatic paint
- Maintenance-free sealed ball sealed ball bearings
- · Used for moving loads
- on a rail







For your safety never exceed the indicated weight limit

Code	Load	Beam width	Minimum curve radius	Wheel size	Inner	Master
TC4409	1 ton	70-110 mm	1m	91 mm	1	1
TC4410	2 ton	90-125 mm	1.3 m	102 mm	1	1
TC4411	3 ton	100-150 mm	1.5 m	122 mm	1	1

Type of packaging: Box

C | LOAD | DEVILS | RIMS FOR DEVIL | WEDGES



385 kg vertical position 200 kg horizontal position

Vertical use: base at ground level for easy lifting and moving objects. Horizontal use: to load higher volume items.

Code	Specification	Inner	Master
TC5332	2 positions	1	1
Type of	packaging: Bulk		

SOFT DRINK DELIVERY HAND TRUCK

- Made of tubular steel
- 8" solid tire
- Varnished in blue color
- Steel plate on base and shaft
- Height: 1.27 m
- Base: 27 cm x 42 cm



Load Capacity 300 kg

Inclined base to move items easier reclined to body.

Code	Specification	Inner	Master
TC3463	8" solid tire	1	1
Type of packaging: Bulk			

WAREHOUSE HAND TRUCK

- · Made of tubular steel
- 8" solid tire
- Varnished in blue color
- Steel plate on base and shaft
- Height: 1.40 m
- Base: 26 cm x 43 m



Load Capacity 300 kg

Base at floor level ideal for easy lifting and moving objects.

Code	Specification	Inner	Master
TC3462	8" solid tire	1	1
Type of packaging: Bulk			

SEMI-SQUARE HAND TRUCK

- · Made of tubular steel
- Pneumatic tire 10 '
- Designed to handled with one hand
- Varnished in blue color
- Steel plate on base and shaft Height: 1.30 m





Code	Specification	Inner	Master
TC0679	Pneumatic tire 10 "	1	1
Type of r	ackaging: Bulk		

FOLDING HAND TRUCK

Made of aluminium. Inserts in ABS and TPR

Nylon wheels 5 1/2 ' Height 1 m Base: 28 x 38.5 cm



Load Capacity 90 kg

Wolfox

Code	Specification	Inner	Master	
WF0724	Solid tire 5 1/2"	1	4	
Type of packaging: Bulk				

8" SOLID TIRE

Ball bearings for a better resistance to load and constant use



Code	Measure	Inner	Master
TC2517	8"	4	6
Type of pa	ackaging: Bulk		

PNEUMATIC TIRE

- · Pneumatic tire with tube
- for better driving and comfort · Ball bearings for
- a better resistance to load and constant use
- This tire is compatible with item TC0679



Code	Measure	Inner	Master
TC3571	8"	6	10
TC0880	10"	4	10

Type of packaging: Bulk

PNEUMATIC RIGID TOP PLATE CASTER

- Industrial use
- Workload: 30psi
- Working temperature range: -50° a 50°C
- Galvanized rim
- Ball bearing Indoor and outdoor use



Load Capacity

TC5321 - 140 kg TC5322 - 150 kg

Code	Diameter wheel	Plate size	Inner	Master
TC5321	8" (203 mm)	115 mm x 115 mm	2	5
TC5322	10" (254 mm)	115 mm x 115 mm	2	5

Type of packaging: Bulk

PNEUMATIC SWIVEL TOP PLATE CASTER

- Industrial use
- Workload: 30psi
- Working temperature range: -50° a 50°C
- Galvanized rim
- Ball bearing
- Indoor and outdoor use



Load Capacity TC5323 - 140 kg TC5324 - 150 kg

Code	Diameter wheel	Plate size	Inner	Master
TC5323	8" (203 mm)	115 mm x 115 mm	2	5
TC5324	10" (254 mm)	115 mm x 115 mm	2	5

IRON SWIVEL TOP PLATE CASTER

- · Industrial use
- · For concrete smooth surfaces



Load Capacity

TC5046 - 30 kg TC5047 - 35 kg TC5048 - 45 kg TC5049 - 70 kg

Code	Wheel diameter	Plate size	Inner	Master
TC5046	2" (50 mm)	59 mm x 59 mm	4	80
TC5047	2 1/2" (63 mm)	70 mm x 70 mm	4	48
TC5048	3" (75 mm)	70 mm x 70 mm	4	36
TC5049	4" (100 mm)	84 mm x 84 mm	2	24

Type of packaging: Bulk

RUBBER RIGID TOP PLATE CASTER

- · General Use
- · For indoors and outdoors



Load Capacity

TC5034 - 30 kg TC5035 - 35 kg TC5036 - 45 kg TC5037 - 55 kg

Code	Diameter wheel	Plate size	Inner	Master
TC5034	2" (50 mm)	59 mm x 59 mm	4	120
TC5035	2 1/2" (63 mm)	70 mm x 70 mm	4	80
TC5036	3" (75 mm)	70 mm x 70 mm	4	60
TC5037	4" (100 mm)	84 mm x 84 mm	2	32

Type of packaging: Bulk

PVC RIGID TOP PLATE CASTER

- · General Use
- · For indoors and outdoors



Load Capacity

TC5028 - 35 kg TC5029 - 45 kg

Code	Wheel diameter	Plate size	Inner	Master
TC5028	2" (50 mm)	65 mm x 65 mm	4	120
TC5029	3" (75 mm)	100 mm x 100 mm	4	60
Type of	packaging: Bulk			

NYLON TWIN-WHEEL CASTER

- · General Use
- · 20mm threaded pin



Load Capacity

TC3090 - 20 kg TC3091 - 35 kg

Code	Wheel diameter	Inner	Master
TC3090	1 1/2" (40 mm)	4	240
TC3091	2" (50 mm)	4	160

Type of packaging: Bulk

IRON RIGID TOP PLATE CASTER

- · Industrial use
- · For concrete smooth surfaces



Load Capacity

TC5042 - 30 kg TC5043 - 35 kg TC5044 - 45 kg TC5045 - 70 kg

Code	Wheel diameter	Plate size	Inner	Master
TC5042	2" (50 mm)	59 mm x 59 mm	4	80
TC5043	2 1/2" (63 mm)	70 mm x 70 mm	4	48
TC5044	3" (75 mm)	70 mm x 70 mm	4	36
TC5045	4" (100 mm)	84 mm x 84 mm	2	24

Type of packaging: Bulk

PVC SWIVEL TOP PLATE CASTER WITH BRAKE

- General Use
- · For indoors and outdoors



Load Capacity TC5032 - 35 kg TC5033 - 45 kg

Code	Wheel diameter	Plate size	Inner	Master
TC5032	2" (50 mm)	50 mm x 50 mm	4	100
TC5033	3" (75 mm)	65 mm x 65 mm	4	60

Type of packaging: Bulk

RUBBER BALL CASTER

- · General Use · Pin with socket



Load Capacity 50 kg

Code	Wheel diameter	Inner	Master
TC3864	1 1/2" (40 mm)	4	160
TC3865	2" (50 mm)	4	120
Type of packaging: Bulk			

NYLON TWIN-WHEEL SWIVEL TOP PLATE CASTER WITH BRAKE

· General Use



Load Capacity

TC3088 - 20 kg TC3089 - 25 kg

Code	Wheel diameter	Plate size	Inner	Master
TC3088	1 1/2" (40 mm)	38 mm x 38 mm	4	240
TC3089	2" (50 mm)	38 mm x 38 mm	4	160

Type of packaging: Bulk

RUBBER SWIVEL TOP PLATE CASTER

- · General Use
- · For indoors and outdoors



Load Capacity

TC5038 - 30 kg TC5039 - 35 kg TC5040 - 45 kg TC5041 - 55 kg

Code	Wheel diameter	Plate size	Inner	Master
TC5038	2" (50 mm)	59 mm x 59 mm	4	120
TC5039	2 1/2" (63 mm)	70 mm x 70 mm	4	80
TC5040	3" (75 mm)	70 mm x 70 mm	4	60
TC5041	4" (100 mm)	84 mm x 84 mm	2	32

Type of packaging: Bulk

PVC SWIVEL TOP PLATE CASTER

- · General Use
- · For indoors and outdoors



Load Capacity TC5030 - 35 kg TC5031 - 45 kg

Code	Wheel diameter	Plate size	Inner	Master
TC5030	2" (50 mm)	50 mm x 50 mm	4	120
TC5031	3" (75 mm)	65 mm x 65 mm	4	60
Type of packaging: Bulk				

RUBBER SWIVEL TOP PLATE BALL CASTER

· General Use



Load Capacity

TC5026 - 25 kg TC5027 - 25 kg TC3866 - 50 kg TC3867 - 50 kg

Code	Wheel diameter	Plate size	Inner	Master
TC5026	1 1/2" (40 mm)	38 mm x 38 mm	4	240
TC5027	2" (50 mm)	38 mm x 38 mm	4	160
TC3866	1 1/2" (40 mm)	38 mm x 38 mm	4	160
TC3867	2" (50 mm)	38 mm x 38 mm	4	120

NYLON TWIN-WHEEL CASTER

Type of packaging: Bulk

· General Use



Load Capacity TC3086 - 20 kg TC3087 - 25 kg

Code	Wheel diameter	Plate size	Inner	Master
TC3086	1 1/2" (40 mm)	38 mm x 38 mm	4	240
TC3087	2" (50 mm)	38 mm x 38 mm	4	160

C | LOAD | TRAWL EQUIPMENT | FASTENERS

LATCH FOR TOWING 1.5 TON

- · Drag capacity 1.5 tons (3,500 lb)
- Made with 4 mm thick steel





AL PROPERTY OF THE PARTY OF THE	
Code	

Code	Measure	Inner	Master
TC0870	2" x 2 1/2"	2	6

Type of packaging: Box

BALL FOR TOWING 1.5 TON

- Drag capacity 1.5 tons (3,500 lb)
- Screw diameter 3/41
- Screw length 2 1/8"





	Code	Ball measurement	Inner	Master
	TC0869	2"	6	24
_				

Type of packaging: Blister

BELT FOR RECOVERY OF VEHICLE

- Reinforced polyester strap
- Heavy duty drop-forged hooks with lock that prevents unhooking
- Supports a tension of 4.5 tons (10,000 lb)





Code	Width	Length	Inner	Master
TC0874	50 mm	4.6 m	1	12

Type of packaging: Blister

RATCHET TIE-DOWN

- It has 2 hardened metal hooks
- Varnished ratchet body
- Double gear for higher resistance Ideal for use in trailers and trucks



Market III	
Denmey'	
*	
3	г
1500 TO	

Code	Minimum fitting	Maximum fitting
TC5262	55 cm	9 m
TC5263	55 cm	9 m

Code	Measure	Workload	Max. load capacity	Inner	Master
TC5262	3" x 9m	1,800 kg	5,400 kg	1	2
TC5263	4" x 9m	2,000 kg	6,000 kg	1	2

Type of packaging: Cover

RATCHET TIE-DOWN

- They have 2 hardened metal hooks
- Varnished ratchet body
- Double gear for higher resistance

Code	Minimum fitting	Maximum fitting
TC0887	35 cm	5 m
TC0888	40 cm	6 m
TC0889	38 cm	9 m
TC0890	38 cm	9 m



Type of packaging: Plastic case

RATCHET TIE-DOWN STRAPS 4-PIECE SET

- It adjusts from 35 cm to 5m
- Steel hooks with heat treatment
- covered in vinyl.
- Ratchet that facilitates its adjustment





Code	Measure	Workload	Maximum load capacity	Inner	Master
TC0882	1" x 5 m	165 kg	500 kg	2	8

Type of packaging: Plastic case

FASTENERS, **4-PIECE SET**

- It adjusts from 26 cm to 2m
- Steel hooks with heat treatment covered in vinyl.





Code	Measure	Workload	Maximum load capacity	Inner	Master
TC0881	1" x 2 m	100 kg	300 kg	2	10

Type of packaging: Plastic case

BUNGEE CORDS, 13-PIECE SET

- Ideal for securing baggage Highly resistant varnished metal S-hooks.
- Content:
- 2 pieces of 3/8" x 10" 3/8 pieces of 3/8" x 18"
- 2 pieces of 2" x 3/8" 2 pieces of 2" x 3/8"
- 2 pieces of 2" x 3/8"
- 2 pieces of 2" x 3/8"
- 1 piece of 5/32" x 24'





Code	Load Capacity	Inner	Master
TC0883	20 kg	3	12

Type of packaging: Blister

CARPENTER PLANE

· Grooved base

· Steel fine grade blade



Wolfox

Code	Number	Cutting width	Inner	Master
WF1428	#4	2"	1	10
WF1429	#5	2"	1	10

Type of packaging: Box

TWIST WIRE CUP BRUSH

- Made of carbon steel
- For heavy duty and roughing
- in metals
- Useful on flat and irregular surfaces and large areas









For your safety never surpass

Code	Diameter	Gauge	Input	Wire length	RPM	Wire type	Inner	Master
*TC1277	2 1/2"	0.35 mm	5/8"	22 mm	12,500	Thin	6	60
TC5107	4"	0.35 mm	5/8"	22 mm	8,500	Thin	4	24
TC1278	5"	0.35 mm	5/8"	25 mm	6,500	Thin	4	24
TC1279	5"	0.35 mm	14 mm	25 mm	6,500	Thin	4	24
TC1301	5"	0.51 mm	5/8"	25 mm	6,500	Thick	4	24

Type of packaging: Blister

TWIST WIRE WHEEL BRUSH

- Made of carbon steel
- For heavy duty and roughing in metals
- Useful in small spaces and small areas







For your safety never surpass the number of rpm set

Code	Diameter	Gauge	Axis	Wire length	Thick- ness	RPM	Wire type	Inner	Master
TC1284	6"	0.35 mm	5/8"	32 mm	7/8"	9,000	Thin	4	24
TC1285	6"	0.51 mm	5/8"	32 mm	7/8"	9,000	Thick	6	24

Type of packaging: Blister

CRIMPED WIRE CUP BRUSH WITH SHANK

- Made of carbon steel
- To remove paint residue and polish in metal
- Useful on flat surfaces and large areas
- 1/4" stem





For your safety never surpass the number of rpm set

Code	Diameter	Gauge	Wire type	Wire length	RPM	Inner	Master
TC1286	3/4"	0.30 mm	Thick	27 mm	4,500	6	60
TC1287	1"	0.30 mm	Thick	27 mm	4,500	6	60
TC1288	2"	0.30 mm	Thick	16 mm	4,500	6	60
TC1289	3"	0.30 mm	Thick	22 mm	4,500	6	60
TC1304	1 3/4"	0.20 mm	Thin	16 mm	4,500	6	60
TC1305	2 3/4"	0.20 mm	Thin	22 mm	4,500	6	60

Type of packaging: Blister

CRIMPED WIRE CUP BRUSH WITH SHANK

For your safety never surpass

the number of rpm set

- Made of brass steel
- To remove paint residue and polish metal Useful on flat surfaces and large areas
- 1/4" stem





Code	Diameter	Gauge	Wire type	Wire length	RPM	Inner	Master
TC5110	1 3/4"	0.30 mm	Thick	16 mm	4,500	6	60
TC5111	2 3/4"	0.30 mm	Thick	22 mm	4,500	6	60

Type of packaging: Blister

CRIMPED WIRE CUP BRUSH

- Made of carbon steel
- For light roughing and cleaning in metals
- Useful on flat and irregular surfaces and large areas





For your safety never surpass

Code	Diameter	Gauge	Input	Wire length	RPM	Wire type	Inner	Master
*TC1271	3"	0.30 mm	5/8"	22 mm	12,500	Thin	6	60
TC1273	4"	0.35 mm	5/8"	28 mm	6,500	Thin	4	40
TC1275	5"	0.35 mm	5/8"	32 mm	6,500	Thin	4	24
TC1276	5"	0.35 mm	14 mm	32 mm	6,500	Thin	4	24
TC1300	5"	0.51 mm	5/8"	32 mm	6,500	Thick	4	24

Type of packaging: Blister

CRIMPED WIRE WHEEL BRUSH

- Made of carbon steel
- For light roughing and cleaning in metals
- Useful in small spaces and small areas
- TC1280 has 5 adapters:
- 1/2",5/8", 3/4", 7/8" y 1"





For your safety never surpass the number of rpm set

Wire length Thickness RPM Master Code Diameter Gauge Input Inner TC1280 6" 0.35 mm 1 1/4" 30 mm 3/4" 6,000 24 TC1281 0.35 mm 1/2" 3/4" 24 30 mm 6,000 6 TC1282 0.35 mm 13/16 6.000 24 6" 1/2" 30 mm 6 TC1283 6" 0.35 mm 1/2" 30 mm 1/18" 6.000 6 24 TC1303 6" 0.20 mm 1/2" 30 mm 3/4" 6,000 6 24

Type of packaging: Blister

CRIMPED WIRE WHEEL BRUSH WITH SHANK

- · Made of carbon steel
- To remove paint residue and polish in metal
- · Useful in small spaces and small areas
- 1/4" stem





For your safety never surpass





Hammer drill

Wire type Wire length Code Diamete Gauge RPM Master 0.30 mm TC1306 1 1/2 Thick 9 mm 6,000 60 6 TC1290 2" 0.30 mm 4 500 Thick 10 mm 6 60 TC1291 3" 0.30 mm Thick 15 mm 4,500 6 60 TC1307 1 1/2" 0.20 mm Thin 9 mm 6,000 6 60 TC1308 0.20 mm Thin 10 mm 4,500 6 60 TC1309 3" 0.20 mm Thin 15 mm 4.500 6 60


Type of packaging: Blister

CRIMPED WIRE WHEEL BRUSH WITH SHANK

- Made of brass steel
- To remove paint residue and polish metal
- Useful in small spaces and small areas
- 1/4" stem









Code	Diameter	Gauge	Wire type	Wire length	RPM	Inner	Master
TC5108	2"	0.30 mm	Thick	9.5 mm	4,500	6	60
TC5109	3"	0.30 mm	Thick	16 mm	4,500	6	60

Type of packaging: Blister

BRUSHES | WIRE BRUSHES

3-PIECE WIRE BRUSH SET

- · Made of carbon steel
- To remove paint residue, roughing job
- 5/8" arbor









Contents	Diameter	Bristle Length
Twist wire wheel brush	3"	22 mm
Grinding Brush	4"	-
Crimped Wire Cup Brush	4"	22 mm

Code	Gauge	Input	RPM	Inner	Master
TC5113	0.30 mm	Thick	12,500	3	50

Type of packaging: Blister

4-PIECE WIRE BRUSH SET

- · Made of carbon steel
- To remove paint residue
- 1/4" stem







Contents	Diameter	Bristle Length
Flap Wheel Wire Brush	3"	16 mm
Grinding Brush	3"	-
Crimped Wire Cup Brush	2"	16 mm
Crimped Wire Cup Brush	3/4"	28 mm

Code	Gauge	Wire type	RPM	Inner	Master
TC5112	0.30 mm	Thick	4,500	3	40

Type of packaging: Blister

WIRE BRUSH SQUARE HANDLE

- Ideal for scraping and cleaning ferrous materials
- High resistant plastic handle
- High-carbon steel smooth and tempered wire
- Gauge: 0.35 mm



Code	Rows	Exposed sow	Inner	Master
TC3267	6 x 19 rows (114 brushes)	30 mm	6	36
TC3268	9 x 20 rows (180 brushes)	30 mm	6	36
Type of packaging: Bulk				

WIRE BRUSH 64 STAINLESS STEEL BRUSHES

- For cleaning stainless steel, aluminum or special alloys
- without polluting
 High resistant plastic handle
- Stainless steel wire
- Gauge: 0.35 mm



Code	Rows	Exposed sow	Inner	Master
TC4670	4 x 16 rows	28 mm	6	36
Type of packaging: Bulk				

WIRE BRUSH CURVED HANDLE 64 BRUSHES

- Ideal for scraping and cleaning ferrous materials
- High resistant plastic handle
- High-carbon steel smooth and tempered wire
- Gauge: 0.35 mm



Code	Rows	Exposed sow	Inner	Master
TC3264	4 x 16 rows	30 mm	6	36
Type of p	oackaging: Bu	lk		

ROW STRAIGHT HANDLE WIRE WITH SCRAPER 51 BRUSHES

- Ideal for scraping and cleaning ferrous materials
- High resistant plastic handle
- tempered wire



Code	Rows	Exposed sow	Inner	Master
TC3266	3 x 17 rows	30 mm	6	36
Type of pa	ckaging: Bulk			

ROW STRAIGHT HANDLE WIRE 51 BRUSHES

- Ideal for scraping and cleaning ferrous materials
- High resistant plastic handle
- High-carbon steel smooth and tempered wire
- Gauge: 0.35 mm



Code	Rows	Exposed sow	Inner	Master
TC3265	3 x 17 rows	30 mm	6	36
Type of packaging: Bulk				

CURVED HANDLE WIRE HAND BRUSH

- · For cleaning soft metals and objects of irregular shape
- Polypropylene handle
- Brass wavy wire



Code	Characteristics	Exposed sow	Inner	Master
TC4671	Spark-proof	30 mm	6	72
Type of p	ackaging: Bulk			

Wolfox

4-PIECE WIRE BRUSH SET

- Made of brass plated steel To remove paint residue
- 1/4" stem





Gauge



Wire type

Thick





4,500





For your safety never surpass the number of rpm set

Contents	Diameter	Bristle Length
Flap Wheel Wire Brush	3"	16 mm
Crimped Wire Cup Brush	2"	16 mm
Crimped Wire Cup Brush	1"	28 mm
Crimped Curved Hand Brush	-	30 mm
RPM In	ner	Master

0.30 mm Type of packaging: Blister

3 MINI BRUSH SET

- For cleaning hard to
- reach areas and doing detailed work Polypropylene handle
- Includes:
- Brush with brass bristle,
- gauge 0.4 mm
- gauge 0.15 mm





Code	Characteristics	Exposed sow	Inner	Master
WF0086	20 brushes	13 mm	6	72

Type of packaging: Blister



SEMI-DEEP WHEELBARROW, 4.5 CUBIC FEET (65 LITERS)

- Reinforced frame, ergonomic design
- Die cast in 1 single
- Electrostatic painting



Code	Characteristics	Shell caliber	Inner	Master
TC0601	16" x 4" reinforced pneumatic tire	22	1	1
TC0602	16" x 4" Pneumatic block tire	22	1	1
TC3188	14" x 3" solid tire	22	1	1
TC0609	Shell 4.5 cubic feet	22	1	1
Type of packaging: Bulk				

DEEP WHEELBARROW, 5 CUBIC FEET (70 LITERS)

- Reinforced frame,
- ergonomic design
- Die cut one single piece
 Electrostatic painting

Code	Characteristics	Shell caliber	Inner	Master
*TC0828	16" x 4" reinforced pneumatic tire	22	1	1
TC0829	16" x 4" Pneumatic block tire	22	1	1
TC3189	14" x 3" solid tire	22	1	1
TC5238	16" x 4" pneumatic block tire	22	1	1
TC0604	Concha 5 pies cúbicos	22	1	1
Type of pack	kaging: Bulk			

EXTRA DEEP WHEELBARROW, 6 CUBIC FIT (100 LITERS)

- Reinforced frame, ergonomic design
- Die cast in 1 single Electrostatic painting



Code	Characteristics	Shell caliber	Inner	Master
TC0603	16" x 4" reinforced pneumatic tire	20	1	1
TC0610	Shell 6 cubic feet	20	1	1

Type of packaging: Bulk

EXTRA DEEP WHEELBARROW, 6 CUBIC FEET (100 LITERS)

- Reinforced frame,
- ergonomic design Die cast in 1 single piece
- Electrostatic painting



Code	Wheel rim	Shell thickness	Inner	Master
TC5336	16" x 4" reinforced pneumatic tire	3.9 mm	1	1
TC4533	Plastic shell 6 cubic feet	3.9 mm	1	1

WHEELBARROWS | WHEELBARROW TIRES

SEMI-DEEP WHEELBARROW, 4.5 CUBIC FEET (65 LITERS)

- Reinforced frame, ergonomic design Die cast in 1 single
- Electrostatic painting



Code	Characteristics	Shell caliber	Inner	Master
TC0601M	16" x 4" reinforced pneumatic tire	22	1	1
TC0602M	16" x 4" Pneumatic block tire	22	1	1
TC3188M	14" x 3" solid tire	22	1	1
TC0609	Shell 4.5 cubic feet	22	1	1
Type of pa	ackaging: Bulk			

DEEP WHEELBARROW, 5 CUBIC FEET (70 LITERS)

- Reinforced frame, ergonomic design
- Die cut one single piece
- Electrostatic painting



Code	Characteristics	Shell caliber	Inner	Master
TC0828M	16" x 4" reinforced pneumatic tire	22	1	1
TC0829M	16" x 4" Pneumatic block tire	22	1	1
TC3189M	14" x 3" solid tire	22	1	1
TC0604	Shell 5 cubic feet	22	1	1
Type of	packaging: Bulk			

EXTRA DEEP WHEELBARROW, 6 CUBIC FIT (100 LITERS)

- Reinforced frame, ergonomic design
- Die cast in 1 single
- Electrostatic painting



Code	Characteristics	Shell caliber	Inner	Master	
TC0603M	16" x 4" reinforced pneumatic tire	20	1	1	
TC0610	Shell 6 cubic feet	20	1	1	
Type of pa	Type of packaging: Bulk				

PLASTIC EXTRA DEEP WHEELBARROW, 6 CUBIC FIT 6 CUBIC FEET

- Reinforced frame,
- ergonomic design Die cast in 1 single piece
- Electrostatic painting



Code	Wheel rim	Shell thickness	Inner	Master
TC4815M	16" x 4" reinforced pneumatic tire	3.9 mm	1	1
TC4533	Plastic shell 6 cubic feet	3.9 mm	1	1

Type of packaging: Bulk

SEMI-DEEP WHEELBARROW, 4 CUBIC FEET (58 LITERS)

- Reinforced frame ergonomic design
- Die cast in 1 single piece
- Electrostatic painting



Code	Wheel rim	Shell caliber	Inner	Master
WF9779	14" x 3" reinforced pneumatic tire	24	1	1

Type of packaging: Bulk

DEEP WHEELBARROW, 5 CUBIC FEET (70 LITERS)

- Reinforced frame ergonomic design
- Die cast in 1 single piece
- Electrostatic painting

Wolfox



Wolfox*

Code	Wheel rim	Shell caliber	Inner	Master
*WF9708	14" x 3" reinforced pneumatic tire	24	1	1

WHEELBARROWS | TIRES | SPARE PARTS

REPLACEMENT PARTS

Code	Description	Inner	Master			
TC0611	Tubular replacement handle for wheelbarrow	1	5			
TC0612	Tubular wheelbarrow holder set (2)	1	1			
TC0613	Brace set	1	10			
TC0614	Leg brace set (1)	1	1			
TC0616	Axle bracket set for wheelbarrow (2)	1	1			
TC0617	Axle for wheelbarrow (1)	1	50			
TC0618	Bearing set (2)	10	100			
TC0620	Screw set	6	6			
TC2867	Rim for wheelbarrow	2	7			
Type of pa	Type of packaging: Box, bag (TC0618, TC0620) and bulk (TC2867)					

WOOD HANDLE AND ACCESSORIES







Description Inner TC3963 Srew set (replaces TC0620) TC3964 Wooden handle TC3965 Plastic wedge TC3966 Front protector Type of packaging: Box, bag (TC3963)

16" X 4" FLAT FREE TIRE FOR **WHEELBARROW**

- Made of high resistance rubber
- Solid tire with rim Loading capacity:
- 198 kg (435 lb)



100			
Code	Description	Inner	Master
TC4059	Solid tire and rim	1	1
Type of pa	ackaging: Box		

16" x 4" COMPLETE PNEUMATIC TIRES FOR WHEELBARROW

- Tires made of high quality rubber
- Rolled of great resistance





Code	Description	Inner	Master	
TC0402	Reinforced tire, camera and rim	2	5	
TC0605	Light tire, camera and rim	2	20	
Type of packaging: Bulk				

COMPLETE SOLID TIRE FOR WHEELBARROW 14" X 3"

- Made of high resistant rubber
- Load capacity: 200 kg (440 lb)



Code	Description	Inner	Master		
TC2869	Solid tire and rim	1	1		
Type of packaging: Bulk					

16" X 4" PNEUMATIC TIRES FOR WHEELBARROW

· Tires made of high quality rubber

REPLACEMENT TIRES

Rolled of great resistance







TC0608

Wolfox

Code	Description	Inner	Master	
*TC0606	Reinforced tire and camera	2	20	
TC0607	Light tire and camera	2	20	
TC5535	Reinforced tire	4	20	
TC0608	Spare camera	10	100	
Type of packaging: Bulk, Bag (TC0608)				

TOOLCRAFT DISPLAY RACK FOR WHEELBARROWS

- Structure manufactured with ptr
- Electrostatic paint blue color Art: digital printing on vinyl white
 - labeled on styrene Measures:
 - Height: 200 cm Width: 82 cm Bottom: 70 cm



WF9782 WF9783

Code	Description	Inner	Master
WF9783	Full reinforced tire, 14 "x 3"	1	5
WF9848	Full solid rim 13 "x 3"	1	1
WF9782	Tire and reinforced camera 14 "x 3"	2	20
WF0782	Reinforced tire 14 "x 3"	4	20
WF9781	Spare camera	10	100
T 6 1			

WF9848

Type of packaging: Bulk, Box (TC9848)

		Does not include product		
Code	Capacity	Inner	Master	
TC5438	3 wheelbarrows	1	1	

SOLDERING IRON | TAPES

SOLDERING IRON

- For electrical and electronic work
- Can weld a variety of metals
- Copper tip
- Nvlon handle Includes: 2 tips and base

Work cycle: 10 min of use x 15 min of rest







TC5522

TC5523



Power

30 W


45 W



5 mm

	Page 208		
erature	Tip diameter	Inner	Master
	3.6 mm	4	24
	4	4	0.4

TC5523



SOLDERING IRON WITH ACCESSORIES

30 W

- For electrical and electronic work
- Can weld a variety of metals
- Copper tip
- Light use
- Includes:
- 1 spare tip
- 1 welding paste
- 1 welding 1 screwdriver





. 490 200		HOM
Tip diameter	Inner	Master
3 mm	8	48

Type of packaging: Blister

SOLDERING IRON

- For electrical and electronic work
- Can weld a variety of metals
- Copper tip

WF1681

Light use





NOM

Wolfox

NOM

Will F	Specifica	tions		
I.	Voltage	120 V		More soldering iron
Y	Frequency	60 Hz		in section fulgion
1	Power	30W		Page 208
С	ode	Po	wer	Tip diamete

Code	Power	Tip diameter	Inner	Master	
WF9894	30 W	3 mm	8	48	
Type of packaging: Blister					

THREAD SEAL TAPE FOR GAS LINE

Maximum temp

320°C

400°C

450°C

- Made of resistant PTFE. 0.075 mm thick
- Temperature range
- of -190 °C ~ + 230 °C Recommended for gas
- Density: 1 g / cm3 Elongation: 50%
- Dispatch box with 10 thread seal tapes





Dispatcher box

Code	Size	Inner	Master
TC1078	1/2" x 6.60 m	10	240

Type of packaging: Dispatch box

THREAD SEAL TAPE, GENERAL USE

NOM

- Made of resistant PTFE, 0.075 mm thick
- Temperature range of -190 °C ~ + 230 °C
- Density: 0.3 g/cm³
- Elongation: 25%
- Dispatch box with 10 thread seal tapes





Dispatcher box

Wolfox*

Code	Size	Inner	Master
TC1072	1/2" x 6.60 m	10	240
TC1073	3/4" x 6.60 m	10	240
TC1074	1/2" x 13.20 m	10	1200
*TC1075	3/4" x 13.20 m	10	1200
TC5085	1" x 13 m	10	240

Type of packaging: Dispatch box

SET OF 2 THREAD SEAL TAPES GENERAL USE

- · Made of resistant 0.075 mm PTFE
- Resists temperatures of:
- -190 °C ~ + 230 °C
- Elongation: 25%
- Density: 0.3 g / cm3



Code	Capacity	Inner	Master
TC1465	1/2" x 6.60 m	12	72
Type of page	ckaging: Blister		

LEAK COVER TAPE

- Made with butyl glue
- It can be used on all types of surfaces (concrete, metal, wood, etc.)
- Thick: 1 mm
- Temperature range: -40°C 90°C
- Elongation: 70%



Code	Size	Color	Inner	Master
TC5381	4" x 1 m	Black	6	144
TC5380	4" x 10 m	Black	1	12

Type of packing: TC5381 carton - TC5380 bulk or roll

LEAK COVER TAPE

- Made with bituminous glue
- It can be used on all types of surfaces
- (cement, metal, wood, etc.)
- Thick: 1 mm
- Temperature range: 5 $^{\circ}$ C 40 $^{\circ}$ C Elongation: 100%



Code	Size	Color	Inner	Master
WF0728	4" x 10 m	Black	1	12

Type of packaging: Bulk or roll

THREAD SEAL TAPE, **GENERAL USE**

- · Tape thickness 0.075 mm
- Resists temperatures of:
- -230°C ~ + 260°C
- Density: 0.25 g / cm³ Elongation: 20%
- Dispatch box with 10 thread





Wolfox

Dispatcher box

Code	Size	Inner	Master
WF2250	1/2" x 6 m	100	1000
WF9790	3/4" x 6 m	100	1000

Type of packaging: Dispatch box

ALUMINUM FOIL TAPE

- · Made of 0.9 mm thick aluminum foil
- Hot melt adhesive
- For HVAC ducts



Code	Code Size		Master
TC1076 50 mm x 45 m		3	36
Type of pa	ackaging: Bulk		

TAPE DISPENSER

- Plastic gun grip tape dispenser with blade
- Includes 2 transparent tapes of 50 m each one





O			
Code	Size	Inner	Master
TC1098	48 mm x 50 m	2	20
Type of pa	ckaging: Blister		

BARRICADE TAPES

- Made of polyethylene 3 "wide
- Thick: 0.04 mm
- Length: 1000' / 300 m Great resistance
- Legend printed in Spanish and English



NΩ	N-SI	IP	TΔ	PF

- · Made of polyurethane with 0.75 mm thick
- Large acrylic adhesive
- with pressure sensibility
- Weather resistant
- High friction texture
- Special for steps and bath tub



Type of packaging: Box

DUCT TAPE

- · 0.18 mm thick tape made of 80% cotton and 20% polyethylene coated polyester
- Hot melt adhesive





Code	Size	Color	Inner	Master
*TC1064	48 mm x 9 m	Gray	24	48
TC1062	48 mm x 27 m	Gray	12	48
TC1063	48 mm x 45 m	Gray	6	48
TC5100	48 mm x 9 m	Black	24	48
TC5101	48 mm x 45 m	Black	6	48

Type of packaging: Bulk

TAN PACKING TAPE

- Made of polypropylene 0.045 mm thick
- Acrylic adhesive





Code	Size	Color	Inner	Master
TC3877	48 mm x 35 m	Cinnamon	6	36
*TC1070	48 mm x 50 m	Cinnamon	6	36
TC3879	48 mm x 150 m	Cinnamon	6	36
TC3878	48 mm x 35 m	Transparent	6	36
*TC1071	48 mm x 50 m	Transparent	6	36
TC3880	48 mm x 150 m	Transparent	12	36

Type of packaging: Bulk

BARRICADE TAPE

- Made of 3" width poly
- Thick: 0.03 mm Length: 300' / 90 m
- Legend printed in





Code Characteristics		Inner	Master
WF0725 "Precaución" / "Caution"		6	36
Type of pa	ckaging: Bulk		

POLYPROPYLENE ROPE

- Made of polypropylene 100% virgin
- Blue rope yarn
- High resistance
- Reel presentation for safety handling



Code	Diameter	m x kg approx.	Approx. weight with without reel	Inner	Master
TC1154	3/16" (4 mm)	112	15 kg 14.0 kg	1	1
TC1155	1/4" (6 mm)	55	25 kg 23.3 kg	1	1
TC1156	5/16" (8 mm)	35	25 kg 23.3 kg	1	1
TC1157	3/8" (10 mm)	20	25 kg 23.3 kg	1	1
TC1158	1/2" (13 mm)	12	32 kg 30.2 kg	1	1
TC5069	3/4" (19 mm)	6	32 kg 30.2 kg	1	1

Type of packaging: Reel

MASKING TAPE

- Made with semi-corrugated paper 0.14 mm thick
- Rubber Adhesive



Code	Size	Inner	Master
TC1069	1/2" x 50 m	12	144
TC1065	3/4" x 50 m	12	96
*TC1066	1" x 50 m	12	72
TC1067	1 1/2" x 50 m	12	48
TC1068	2" x 50 m	12	48

Type of packaging: Bulk

INDUSTRIAL THREAD SEAL TAPE

- Made of resistant PTFE, 0.1 mm thick
- Temperature range
- of -190 °C ~ + 230 °C Recommended for gas
- Density: 0.95 g / cm³ Elongation: 50%



Code	Size	Inner	Master
TC5092	1/2" x 6.60 m	10	240
TC5086	3/4" x 6.60 m	10	240

Type of packaging: Bulk

SELF-STICK SAFETY STRIPE TAPE

- Made of polyethylene
- Thick: 0.130 mm

Wolfox

Lenath: 30 m Acrylic adhesive







Code	Color	Inner	Master
TC5098	Yellow / Black	6	36
TC5099	Red / white	6	36

Type of packaging: Bulk

WHITE TWINE YARN

- White color
- Polypropylene 100% virgin



Code	Gauge	Roll weight	Inner	Master
*TC1159	2.2 g/m	0.9 kg	6	24
TC3883	2.2 g/m	4.4 kg	1	4
TC3884	4 g/m	4.4 kg	1	4

Type of packaging: Roll

TILE CUTTERS

MASON LINE REEL

- Multi-strand polypropylene thread
- Load resistance:

2.1

6.5 kg Gauge 18



Code	Color	Length	Inner	Master
TC3868	White	65 m	10	100
TC3869	Yellow	65 m	10	100
TC3870	Orange	65 m	10	100
TC3871	Pink	65 m	10	100
TC3872	Green	65 m	10	100
TC3873	White	165 m	10	100

Type of packaging: Bag

PLUMMET

- Made of bronze Rectified tip
- of tempered steel



Code	Weight	Inner	Master	
TC0383	227 g	3	60	
TC0384	340 g	3	40	
TC0385	454 g	3	40	
TC0386	680 g	3	20	
Type of packaging: Blister				

ZAMAC PLUMMET WITH CENTER

Made with zamac



Code	Number	Weight	Inner	Master
WF1690	1	200 g	6	36
WF1691	2	310 g	6	36
WF1692	3	340 g	6	36
WF1693	4	675 g	4	24
Type of packaging: Bulk				

HEAVY DUTY TILE CUTTER

- Weer-resistant chrome plated steel bars
- High precision metal powder bushings
- Includes 3 blades:
- 8 mm, 10 mm,18 mm
- Titanium-coated tungsten blades Base and steel crank





E. S.
Spare part





- · Weer-resistant chrome plated steel bars
- Titanium coated tungsten blade, 1,000 m quality

Wolfox

- Anti-impact stops
- Graduated metallic ruler and conveyor





Wolfox

Wolfox

Size	Inner	Master
17" (430 mm)	1	2
22" (550 mm)	1	2
26" (660 mm)	1	2
Replacement blades		
8 mm (stem and 1 blade)	3	200
10 mm (stem and 1 blade)	3	200
18 mm (stem and 2 blades)	3	200
	17" (430 mm) 22" (550 mm) 26" (660 mm) Replacement blades 8 mm (stem and 1 blade) 10 mm (stem and 1 blade)	17" (430 mm) 1 22" (550 mm) 1 26" (660 mm) 1 Replacement blades 8 mm (stem and 1 blade) 3 10 mm (stem and 1 blade) 3

Spare blade


Type of packaging: Box, case (TC4217), shrink (TC4299, TC4298, TC3882)

Size Master Inner TC1768 16" (400 mm) 3 TC4213 20" (500 mm) 3 TC1769 24" (600 mm) 3 TC4214 27" (700 mm) 3 Replacement blades TC0699 16 mm (2 blades) 200 TC1770 22 mm (2 blades) 240

Type of packaging: Box (TC1768, TC4213, TC1769, TC4214), shrink (TC0699 TC1770)

PROFESSIONAL TILE CUTTER

- Weer-resistant chrome plated steel bars



	-		
Code	Size	Inner	Master
TC0231	17" (430 mm)	1	4
TC4215	20" (500 mm)	1	4
TC0380	24" (600 mm)	1	4
	Replacement b	olades	
TC0232	15 mm (2 blades)	3	200
TC0699	16 mm (2 blades)	3	200

Type of packaging: Box (TC0231, TC4215, TC0380), shrink (TC0232 TC0699)

Wear-resistant chrome plated steel bars

4-IN-1 TILE CUTTER

- High precision bushings
- Tungsten carbide blades
- Steel base and handle





	9		
Code	Size	Inner	Master
WF0144	16" (400 mm)	1	4
*WF0145	24" (600 mm)	1	4
	Spare blad	de	
TC0222	15 mm (2 blades)	2	200

Type of packaging: Box (WF0144, WF0145), shrink (TC0232)

TILE CUTTER

- Wear-resistant chrome plated bars
- High precision bushings
- Tungsten carbide blades Steel base and handle







Spare blade

Code	Size	Inner	Master
WF0142	16" (400 mm)	1	6
WF0143	24" (600 mm)	1	3
	Spare bla	ade	
TC0232	15 mm (2 blades)	3	200

Type of packaging: Box (WF0142, WF0143), shrink (TC0232)

BOLT CUTTER | PIPE CUTTER

TUBULAR BOLT CUTTER

- · CR Steel Knife Molybdenum
- Hardness 60 HRC
- Handles designed for greater leverage

with the samea effort





Code	Length	Diameter bolt cut	Inner	Master
TC1610	12"	3/16"	2	18
TC0038	14"	1/4"	2	20
TC0039	18"	3/8"	2	20
TC0040	24"	7/16"	2	10
TC0041	30"	1/2"	1	6
TC0042	36"	9/16"	1	5

Type of packaging: Box

SPARE BLADE FOR BOLT CUTTER

· Material: Chrome Molybdenum

Cutting edge hardness: 60 HRC



Code	Measure	Diameter bolt cut	Inner	Master
TC1611	12" (305 mm)	3/16"	1	6
TC0043	14" (350 mm)	1/4"	1	6
TC0044	18" (450 mm)	3/8"	1	6
TC0045	24" (600 mm)	7/16"	1	6
TC0046	30" (750 mm)	1/2"	1	6
TC0047	36" (900 mm)	9/16"	1	4

Type of packaging: Box

TUBULAR BOLT CUTTER

- · T8 steel blade
- · Grip handle



Code	Length	Diameter bolt cut	Inner	Master
WF1623	18"	3/8"	2	16
WF1624	24"	7/16"	2	8
WF1625	30"	1/2"	1	4
WF9811	36"	9/16"	1	4

Type of packaging: Bulk

Wolfox PLASTIC PIPE CUTTER

- Stainless steel blade
- Cuts pvc, cpvc, ppr, pex, poly
- Aluminum body
- Soft and progressive cut
- Ratchet system



Code	Maximum opening	Inner	Master
TC3326	1 5/8"	6	48

Type of packaging: Blister

2" STEEL PIPE CUTTER

- Steel blade
- To cut pipes made of steel, copper, bronze, aluminum and conduit tube
- Cutting capacity 1/2 "to 2



Code	Maximum opening	Inner	Master
TC4612	2"	1	9

Type of packaging: Box

PIPE CUTTER 2"

- · Steel blade
- For cutting brass, aluminium-covered
- plastic tube and conduit tube
- Cutting capacity 1/8 "to 2" With burrs remover
- Includes spare blade







Code	Maximum opening	Inner	Master
TC0348	2"	1	48
	Spare part		
TC0349	2 blades of 3 mm	5	500

Type of packaging: Blister (TC0348), shrink (TC0349)

1-1/8" PIPE CUTTER

- Steel blade
- For cutting brass, aluminized plastic tube and conduit tube
- Cutting capacity 1/8 "to 1 1/8" With burrs remover
- Includes spare blade





Code	Maximum opening	Inner	Master
TC0341	1 1/8"	2	60
	Spare p	part	
TC0349	2 blades of 3 mm	5	500

Type of packaging: Blister (TC0341), shrink (TC0349)

1- 1/8" MINI PIPE CUTTER

- Steel blade
- To cut copper, bronze and aluminum pipes
- Cutting capacity 1/8" to 1 1/8"
- · For areas hard to reach





Code	Maximum opening	Inner	Master
TC4613	1 1/8"	3	72

Type of packaging: Blister (TC4613)

1-1/8" PIPE CUTTER

- Cutting capacity from 1/8 "to 1 1/8" With burrs remover







Wolfox

Code	Maximum opening	Inner	Master
WF1801	1 1/8"	4	60
Spare blade			
WF0601	Blade set / 2 pcs	10	500

Type of packaging: Blister (WF1801), shrink (WF0601)

GLASS CUTTER | BRICK TROWELS

PIPE CUTTER AND FLARING TOOL SET

*Pipe cutter

- Forged steel blade
- To cut copper, bronze and aluminum pipes
- Cutting capacity 1/8 "to 1 1/8"
- Aluminum alloy body
- With burrs remover
- Includes spare blade

*Flaring tool

- Made of steel
- Measures from 3/16 "to 5/8"
- Double clamps for quick release



PROFESSIONAL FLARING TOOL

- Made of forged steel
- Double clamps for quick release
- For soft materials like brass,
- aluminum and copper
- For 45° flaring

TC0344

Type of packaging: Blister



Capacity
3/16"
1/4"
5/16"
3/8"
7/16"
1/2"
5/8"

Master

24

Code	Countersunk	Inner	Master
TC4614	3/16" a 5/8"	1	12

Type of packaging: Plastic case

6-BLADE GLASS CUTTER

Made of steel

FLARING TOOL

- Double clamps for quick release
- For soft materials like brass, aluminum and copper
- For 45° flaring



3/16" a 5/8"

Type of packaging: Blister

- Wooden handle
- German type
- Rotating blade: 6.5 mm



Type of packaging: Blister

1-BLADE GLASS CUTTER

· Made of zinc

Countersunk 3/16" a 5/8"

Rotating blade: 6.5 mm



Type of packaging: Blister	
----------------------------	--

GUADALAJARA PATTERN BRICK TROWEL

- Made of hardened steel
- Forged in one piece
- Polished finish
- Metal cap bonding pin with

epoxy resin Hardness: 48 - 52 HRC



Code	Size	Inner	Master
TC4222	9"	4	48
Type of packaging: Bulk			

PHILADELPHIA PATTERN BRICK **TROWEL**

- Made of hardened steel
- Forged in one piece
- Polished finish
- Metal cap bonding pin with epoxy resin
- Hardness: 48 52 HRC



Wolfox*

Code	Size	Inner	Master
TC4223	6"	6	48
TC4219	9"	6	48
TC4220	10"	6	48
TC4221	11"	4	48

Type of packaging: Bulk

MARGIN BRICK TROWEL



Wolfox

- Made of carbon steel
- Electrowelded



Code	Size	Inner	Master
WF0141	9"	6	48
Type of pag	kaging: Bulk		

GUADALAJARA PATTERN BRICK TROWEL

- Made of carbon steel
- Electrowelded



Code	Size	Inner	Master
WF1929	9"	6	36

Type of packaging: Bulk

PHILADELPHIA PATTERN **BRICK TROWEL**

Made of carbon steel

Wolfox*

Wooden handle with cap



Code	Size	Inner	Master
WF9812	6"	6	72
WF1909	9"	6	48
WF1910	10"	6	48
WF1911	11"	6	36


Type of packaging: Bulk

MÉRIDA PATTERN BRICK **TROWEL**

Made of carbon steel Electrowelded


Wooden handle with cap





BRICK TROWELS | GROUT FLOATS

FINISHING TROWEL WITH WOOD HANDLE **6 RIVETS**





Code	Edge	Number of rivets	Inner	Master
TC4254	Smooth	6	6	48
TC4260	Grooved	6	6	48
TC4257	Square grooved	6	6	48

Type of packaging: Bulk

FINISHING TROWEL WITH WOOD HANDLE 10 RIVETS

Aluminum blade Measures: 11" x 5"

Polished finish



Code	Edge	Number of rivets	Inner	Master
TC4253	Smooth	10	6	48
TC4259	Grooved	10	6	48
TC4256	Square grooved	10	6	48

Type of packaging: Bulk

TROWEL WITH PLASTIC HANDLE

- Aluminum blade
- Measures: 11" x 5"







Code	Edge	Number of rivets	Inner	Master
TC4255	Smooth	6	6	48
TC4261	Grooved	6	6	48
TC4258	Square grooved	6	6	48

Type of packaging: Bulk

SKIMMER

- · High resistance wooden handle
- Creates a groove on the sidewalk



Code	Capacity	Inner	Master
TC3124	Skimmer / Aluminum Blade	6	36

Type of packaging: Bulk

RUBBER GROUT FLOAT

- Wooden handle
- Aluminum blade Ideal for nozzle clean finish



Code	Size	Thickness	Finishing	Inner	Master
TC0256	4" x 9"	3/4"	Rough	10	50
TC0359 4" x 12" 1/2" Rough 5 50					
Type of packaging: Bulk					

GUM RUBBER GROUT FLOAT

- Wooden handle Aluminum blade
- Special for tile grouting, polishing

and cement surfacing.



Code	Size	Thickness	Finishing	Inner	Master
TC4262	4" x 9"	5/8"	Smooth	6	50
Type of packaging: Bulk					

TURNER

- · High resistance wooden handle
- Creates edge with smooth finish on sidewalks, slab, stairs, etc



Code	Capacity	Inner	Master		
TC3125	Turner / Aluminum foil	6	36		
Type of packaging: Bulk					

GUM RUBBER GROUT FLOAT

- Wooden handle
- Aluminum blade Special for paste and
- cement smooth finish.



Code	Size	Thickness	Finishing	Inner	Master
TC4263	4" x 9"	5/8"	Thin	6	50

Type of packaging: Bulk

RUBBER GROUT FLOAT

- Plastic handle
- Aluminum blade Ideal for nozzle clean finish



Code	Size	Thickness	Finishing	Inner	Master
WF0035	4" x 9"	3/4"	Rough	10	50
Type of packaging: Bulk					

FLOAT · Plastic handle

Wolfox

Aluminum blade

Ideal for nozzle clean finish

GUM RUBBER GROUT



Code	Size	Thickness	Finishing	Inner	Master
WF1697	4" x 9"	7 / 16"	Smooth	6	36

Type of packaging: Bulk

Wolfox

SOCKETS

6-POINT, STANDARD AND METRIC SOCKET, 1/4" DRIVE

- · Made of Cr-V steel
- · Finishing: polished mirror







Code	Size	Inner	Master			
	Standa	ard				
TC3628	3/16"	6	72			
TC3629	1/4"	6	72			
TC3630	5/16"	6	72			
TC3631	3/8"	6	72			
TC3632	7/16"	6	72			
TC3633	1/2"	6	72			
	Millimetric					
TC3634	6 mm	6	72			
TC3635	8 mm	6	72			
TC3636	9 mm	6	72			
TC3637	10 mm	6	72			
TC3638	11 mm	6	72			
TC3639	12 mm	6	72			
TC3640	13 mm	6	72			
Type of pack	kaging: Plastic ha	nger				

6-POINT, STANDARD AND METRIC SOCKET, 1/2" DRIVE

- · Made of Cr-V steel
- · Finishing: polished mirror







Code	Size	Inner	Master	
	Standard			
TC3711	3/8"	6	72	
TC3712	7/16"	6	72	
TC3713	1/2"	6	72	
TC3714	9/16"	6	72	
TC3715	5/8"	6	72	
TC3716	11/16"	6	72	
TC3717	3/4"	6	72	
TC3718	13/16"	6	72	
TC3719	7/8"	6	72	
TC3720	15/16"	6	72	
TC3721	1"	6	72	
	Millime	tric		
TC3722	10 mm	6	72	
TC3723	11 mm	6	72	
TC3724	12 mm	6	72	
TC3725	13 mm	6	72	
TC3726	14 mm	6	72	
TC3727	15 mm	6	72	
TC3728	16 mm	6	72	
TC3729	17 mm	6	72	
TC3730	18 mm	6	72	
TC3731	19 mm	6	72	

Type of packaging: Plastic hanger

6-POINT, STANDARD AND METRIC SOCKET, 3/8" DRIVE

- · Made of Cr-V steel
- Finishing: polished mirror





Code	Size	Inner	Master		
	Standard				
TC3641	1/4"	6	72		
TC3642	5/16"	6	72		
TC3643	3/8"	6	72		
TC3644	7/16"	6	72		
TC3645	1/2"	6	72		
TC3646	9/16"	6	72		
TC3647	5/8"	6	72		
TC3648	11/16"	6	72		
TC3649	3/4"	6	72		
TC3650	13/16"	6	72		
TC3651	7/8"	6	72		
	Millim	etric			
TC3652	6 mm	6	72		
TC3653	7 mm	6	72		
TC3654	8 mm	6	72		
TC3655	9 mm	6	72		
TC3656	10 mm	6	72		
TC3657	11 mm	6	72		
TC3658	12 mm	6	72		
TC3659	13 mm	6	72		
TC3660	14 mm	6	72		
TC3661	15 mm	6	72		
TC3662	16 mm	6	72		
TC3663	17 mm	6	72		
TC3664	18 mm	6	72		
TC3665	19 mm	6	72		

Type of packaging: Plastic hanger

6-POINT, LONG STANDARD AND METRIC SOCKET, 1/2" DRIVE

- · Made of Cr-V steel
- Finishing: polished mirror





Code	Size	Inner	Master
	Standar	d	
TC3732	3/8"	6	72
TC3733	7/16"	6	72
TC3734	1/2"	6	72
TC3735	9/16"	6	72
TC3736	5/8"	6	72
TC3737	11/16"	6	72
TC3738	3/4"	6	72
TC3739	13/16"	6	72
TC3740	7/8"	6	72
TC3741	15/16"	6	72
TC3742	1"	6	72
	Millimetr	ic	
TC3743	10 mm	6	72
TC3744	11 mm	6	72
TC3745	12 mm	6	72
TC3746	13 mm	6	72
TC3747	14 mm	6	72
TC3748	15 mm	6	72
TC3749	16 mm	6	72
TC3750	17 mm	6	72
TC3751	18 mm	6	72
TC3752	19 mm	6	72

Type of packaging: Plastic hanger

6-POINT, LONG STANDARD AND METRIC **SOCKET, 3/8"**

- Made of Cr-V steel
 Finishing: polished mirror







Code	Size	Inner	Master			
	Standard					
TC3666	3/8"	6	72			
TC3667	7/16"	6	72			
TC3668	1/2"	6	72			
TC3669	9/16"	6	72			
TC3670	5/8"	6	72			
TC3671	11/16"	6	72			
TC3672	3/4"	6	72			
TC3673	13/16"	6	72			
TC3674	7/8"	6	72			
	Millimetric					
TC3675	10 mm	6	72			
TC3676	11 mm	6	72			
TC3677	12 mm	6	72			
TC3678	13 mm	6	72			
TC3679	14 mm	6	72			
TC3680	15 mm	6	72			
TC3681	16 mm	6	72			
TC3682	17 mm	6	72			
TC3683	18 mm	6	72			
TC3684	19 mm	6	72			
Type of packagin	a: Diactic bango		Type of packaging: Plastic hanger			

Type of packaging: Plastic hanger

6-POINT, SPARK PLUG SOCKET, 3/8" **DRIVE**

· Made of Cr-V steel







6-POINT, SPARK PLUG SOCKET, 1/2" DRIVE

- Made of Cr-V steel
- Finishing: polished mirror
- 6 point
- With neoprene insert that facilitates the placement of the spark plugs





TC3788

	Q2.55	03.00
5/8"	13/1	6"
	Inner	Master
	6	72

6

72

TC3789 13/16" Type of packaging: Plastic hanger

Size

5/8"

12-POINT LONG STANDARD AND METRIC SOCKET, 1/2" DRIVE

- Made of Cr-V steel
 Finishing: polished mirror







Code	Size	Inner	Master		
	Standard				
TC3685	1/4"	6	72		
TC3686	5/16"	6	72		
TC3687	3/8"	6	72		
TC3688	7/16"	6	72		
TC3689	1/2"	6	72		
TC3690	9/16"	6	72		
TC3691	5/8"	6	72		
TC3692	11/16"	6	72		
TC3693	3/4"	6	72		
TC3694	13/16"	6	72		
TC3695	7/8"	6	72		
TC3696	15/16"	6	72		
TC3697	1"	6	72		
	Millimete	er			
TC3698	7 mm	6	72		
TC3699	8 mm	6	72		
TC3700	9 mm	6	72		
TC3701	10 mm	6	72		
TC3702	11 mm	6	72		
TC3703	12 mm	6	72		
TC3704	13 mm	6	72		
TC3705	14 mm	6	72		
TC3706	15 mm	6	72		
TC3707	16 mm	6	72		
TC3708	17 mm	6	72		
TC3709	18 mm	6	72		
TC3710	19 mm	6	72		

Type of packaging: Plastic hanger

TORX BIT SOCKET, 3/8" DRIVE

- · Made of Cr-V steel
- · Finishing: polished mirror

12-POINT, STANDARD AND METRIC SOCKET, 1/2" DRIVE

- · Made of Cr-V steel · Finishing: polished mirror







Code	Size	Inner	Master
	Standard		
TC3753	5/16"	6	72
TC3754	3/8"	6	72
TC3755	7/16"	6	72
TC3756	1/2"	6	72
TC3757	9/16"	6	72
TC3758	5/8"	6	72
TC3759	11/16"	6	72
TC3760	3/4"	6	72
TC3761	13/16"	6	72
TC3762	7/8"	6	72
TC3763	15/16"	6	72
TC3764	1"	6	72
	Millimetric		
TC3765	9 mm	6	72
TC3766	10 mm	6	72
TC3767	11 mm	6	72
TC3768	12 mm	6	72
TC3769	13 mm	6	72
TC3770	14 mm	6	72
TC3771	15 mm	6	72
TC3772	16 mm	6	72
TC3773	17 mm	6	72
TC3774	18 mm	6	72
TC3775	19 mm	6	72
TC3776	20 mm	6	72
Type of p	ackaging: Plastic hanger		

TORX BIT SOCKET, 1/2" DRIVE

- Made of Cr-V steel
 Finishing: polished mirror

12-POINT LONG STANDARD AND METRIC SOCKET, 1/2" DRIVE

- · Made of Cr-V steel · Finishing: polished mirror







Code	Size	Inner	Master
	Standard		
TC3777	1/2"	6	72
TC3778	9/16"	6	72
TC3779	5/8"	6	72
TC3780	11/16"	6	72
TC3781	3/4"	6	72
TC3782	13/16"	6	72
TC3783	7/8"	6	72
TC3784	15/16"	6	72
TC3785	1"	6	72

Type of packaging: Plastic hanger

SOCKET ADAPTER

- · Made of Cr-V steel
- · Finishing: polished mirror











Code	Size	Inner	Master
TC3790	T20	6	72
TC3791	T25	6	72
TC3792	T30	6	72
TC3793	T40	6	72
TC3794	T45	6	72
TC3795	T50	6	72
TC3796	T55	6	72

Type of packaging: Plastic hanger

T			
Code	Size	Inner	Master
TC3797	T20	6	72
TC3798	T25	6	72
TC3799	T30	6	72
TC3800	T40	6	72
TC3801	T45	6	72
TC3802	T50	6	72
		_	

Type of packaging: Plastic hanger



Code	Size	Inner	Master
TC3804	From 1/4 "to 3/8"	6	72
TC3805	From 3/8 "to 1/4"	6	72
TC3807	From 3/8 "to 1/2"	6	72
TC3806	From 1/2 "to 3/8"	6	72

Type of packaging: Plastic hanger

SOCKETS | RATCHETS

UNIVERSAL JOINT

- Made of Cr-V steel
- Finishing: polished mirror Allows angled turns up to 65°
- Special for hard to reach places





Code	Drive	Inner	Master
TC3808	1/4"	6	72
TC3809	3/8"	6	72
TC3810	1/2"	6	72

Type of packaging: Bulk

3/8" EXTENSION

- Made of Cr-V steel
- Finishing: polished mirror



Code	Length	Inner	Master
TC3811	3"	6	72
TC3812	6"	6	72
TC3813	10"	6	72

Type of packaging: Bulk

BREAKER BAR

•	Made of Cr-V steel
	Frame manufactured in chrome
	molybdenum steel



4 (011
11/2"

Code	Drive	Length	Inner	Master
TC3814	3/8"	7 1/2"	2	72
TC3815	1/2"	17"	2	36

Type of packaging: Bulk

SPEED HANDLE 1/2" DRIVE

- Made in Cr-v steel
- Chrome finish



Code	Drive	Length	Inner	Master
TC4500	1/2"	16"	2	24



Code	Drive	Length	Inner	Master	
TC4500	1/2"	16"	2	24	
Type of packaging: Bulk					

"L" HANDLE, 1/2" DRIVE

- Made in Cr-v steel



Code	Drive	Length	Inner	Master	
TC4499	1/2"	10"	4	24	
Type of packaging: Bulk					

SLIDING "T" HANDLE, 1/2" DRIVE

- · Made in Cr-v steel
- Chrome finish

1/2"



Code	Drive	Length	Inner	Master
TC4501	1/2"	10"	6	24
Type of packaging: Bulk				

TEAR DROP FLEX HEAD RATCHET

- Made of Cr-V steel
- Chrome finish
- Chromium molybdenum gear
- 45 teeth gear system
- Knurled handle



Code	Drive	Length	Inner	Master	
TC3816	3/8"	8"	2	36	
TC4502	1/4"	6"	2	36	
TC3817	1/2"	10"	2	36	
Type of packaging: Plastic hanger					

TRIPLE DRIVE RATCHET, 1/4", 3/8" AND 1/2" DRIVE

- · Made of Cr-V steel
- Chrome finish
- Chromium molybdenum gear
- 45 teeth gear system Knurled handle





Code	Length	Inner	Master	
TC4503	7"	3	36	
The state of the s				

Type of packaging: Plastic hanger

Wolfox[®]

ROUND HEAD RATCHET

- Made of Cr-V steel
- Chrome finish
- Chromium molybdenum gear
- 45 teeth gear system
- · Knurled handle




Oode	DIIVE	Lengui	IIIIICI	IVIGOL
TC3818	3/8"	8"	2	36
TC3819	1/2"	10"	2	36

Type of packaging: Plastic hanger

TEARDROPFLEXHEAD RATCHET

- Forged in carbon steel
- Chrome finish corrosion resistant
- Reversible
- Knurled handle
- of 24 teeth






Type of packaging: Blister

ROUND HEAD RATCHET

- Forged in carbon steel
- Chrome finish corrosion resistant
- Reversible
- Knurled handle
- Gear system of 24 teeth







Wolfox[®]

Type of packaging: Blister

SOCKETS | TORQUE WRENCHES

CLICK-TYPE TORQUE WRENCH

- Made of steel
- Drive: 1/2"
- Torsion capacity: 10- 150 - 10 ft/lb
- 1.4 20.7 m- kg Click-type system that reduces
- the chance of error
- Knurled handle
- 24 teeth per ratchet





Code	Torque range	Inner	Master
TC3365	1/2" 10-150 ft/lb	1	12

Type of packaging: Plastic case

SOCKET SET WITH RATCHET 3/8" DRIVE





Standard	Metric
3/8"	10 mm
7/16"	11 mm
1/2"	12 mm
9/16"	13 mm
5/8"	14 mm
11/16"	15 mm
3/4"	16 mm
13/16"	17 mm
7/8"	
1"	
Professiona Teardrop 7' 1 articulate 7 1/2"	
1 extension	of 3"
1 extension 1 metallic b	
Total: 26 Pi	eces

Code	Characteristics	Inner	Master
TC0260	Set of 26 pieces	1	8

Type of packaging: Metallic Case

SOCKET SET WITH RATCHET 3/8" DRIVE

- Sockets and ratchet made of Cr-V Steel The cam-blocking system removes
- damaged screws
- 6-point short sockets
- Chrome finish



ic
m
m
m
m
m
m
m
m
m

_	
2/2"	۱
JJ/ U	ı

Code	Characteristics	Inner	Master
TC1429	Set of 20 pieces	1	12
Type of packa	ging: Plastic case		

STANDARD SOCKET SET 1/2" **DRIVE**

- Made of Cr-V steel
- · 12 point short sockets



Contents
Standard
3/8"
5/8"
7/16"
11/16"
1/2"
3/4"
9/16"
13/16"

1/2"

	Code	Characteristics	Inner	Master
ſ	TC0375	8 pieces	2	20

Type of packaging: Plastic case

DEFLECTING BEAM TORQUE WRENCH


- Made of Cr-V steel
- Drive: 1/2"
- Torsion capacity: 0 140 ft/lb
- 0 19.35 m-kg
- With dual measurement scale that allows

to apply torque in both directions



Code	Torque range	Inner	Master
TC3364	1/2" 0-140 ft/lb	1	6

Type of packaging: Card



Code	Characteristics	Inner	Master
TC0261	Set of 26 pieces	1	4

Type of packaging: Metallic Case

SOCKET SET WITH RATCHET 1/2" DRIVE

- · Socket and ratchet made of Cr-V steel The cam-blocking system
- removes damaged screws
- 6-point short sockets
- · Chrome finish



Cont	ents
Standard	Metric
3/8"	10 mm
7/16"	11 mm
1/2"	13 mm
9/16"	14 mm
5/8"	15 mm
11/16"	17 mm
3/4"	19 mm
13/16"	21 mm
7/8"	22 mm
1 Ratchet	of 1/2"
1 Case	
Total: 20 P	ieces

1/2"

Code	Characteristics	Inner	Master
TC1428	Set of 20 pieces	1	8

Type of packaging: Plastic case

METRIC SOCKET SET 1/2" **DRIVE**

- Made of Cr-V steel
- · 12 point short sockets



Contents
10 mm
11 mm
12 mm
13 mm
14 mm
15 mm
17 mm
19 mm



Code	Characteristics	Inner	Master
TC0376	8 pieces	2	20

Type of packaging: Plastic case

25-PIECE BIT AND SOCKET SET

- Made of steel carbon steel
- 1 1/2" reversible ratchet
- 1 1/2" x 10" extension
- 1 1/2" x 5" extension · 1 1/2" x 16 x 1/2" bit brace
- · 1 1/2" disc
- 1 1/2" and 5/8" spark plug socket
- 18 standard sockets of 6 points
- 1 plastic case



40-PIECE BIT AND SOCKET SET

- Made of carbon steel
- 1 3/8" reversible ratchet
- 1 3/8" x 3" extension bar
- 1 3/8" a 1/4" adapter
- 1 3/8" long socket 1 plastic disc for 3/8" socket adjustment
- 1 screwdriver for 1/4" socket
- 3 1/4" 8-point standards sockets
- 12 1/4" 6-point standard sockets 3 3/8" 6-point standard sockets
- 3 3/8" 6-point sockets
- 12 1/4" 6-point sockets
- 1 plastic case



Code	Characteristics	Inner	Master
WF2040	40 pieces	2	12
Type of pack	Type of packaging: Case		

Characteristics Master WF2025 25 pieces 5 Type of packaging: Case

STANDARD SOCKET SET

- 3/8" **DRIVE** Made of Cr-V steel
- 12 point short sockets



Code	Characteristics	Inner	Master
TC0373	8 pieces	2	20
T (I I DI II			

Type of packaging: Plastic case

METRIC SOCKET SET 3/8" **DRIVE**

Wolfox

- Made of Cr-V steel
- 12 point short sockets



Cor	ntents
10	mm (
11	mm
12	mm
13	mm
14	mm
15	mm
17	mm
19	mm (

Wolfox

	19 mm
Inner	Master
2	20

Type of packaging: Plastic case

STANDARD SOCKET SET

Characteristics 8 pieces

STANDARD SOCKET SET 1/2" **DRIVE**

- Made of steel carbon steel
- Chrome finish corrosion resistant



Contents
1/2"
9/16"
5/8"
11/16"
3/4"
13/16"
7/8"
15/16"

Wolfox

Wolfox

Wolfox

Code	Characteristics	Inner	Master	
WF2019	8 pieces	6	18	
Type of packaging, Back				

METRIC SOCKET SET 1/2" **DRIVE**

- Made in carbon steel
- Chrome finish corrosion resistant
- 6 point socket

3/8"



Code Characteristics		Inner	Master
WF2029 8 pieces		6	18
Type of packaging: Back			

Wolfox

- 3/8" **DRIVE** Made in carbon steel
- Chrome finish corrosion resistant
- 6 point socket

3/8" Code



Type of packaging: Rack

METRIC SOCKET SET 3/8" **DRIVE**

- · Made of steel carbon steel
- Chrome finish corrosion resistant
- 6 point socket



Code	Characteristics	Inner	Master
WF2009	9 pieces	6	24
Type of	packaging: Rack		

SCREWDRIVER SET TYPE RATCHET AND TIPS

- Sockets Made of carbon steel The cam-blocking system removes damaged screws
- Tips manufactured in Cr-V Included:
- 1 adapter of 9 sockets 1 handle with ratchet
- 1 case





y	4	₹}	
	Screwdriver tips Phillips	Screwdriver tips Pozi driv	Slotted Demolition Screwdriver tips
	PH0	PZ0	SL4
	PH1	PZ1	SL5
	PH2	PZ2	SL6
	PH3	PZ3	SL7
	Inner		Master

Characteristics 32 pieces set

Type of packaging: Blister

PRECISION SCREWDRIVER SET

Cr-V steel points

For use in electronics, jewelry, etc.


· 3.00 mm, 2.40 mm y 1.40 mm

Phillips: #1, #0 y #00






SCREWDRIVERS



Code	Size	Inner	Master	
Flat				
TC4206	3/16" x 4"	6	36	
TC4204	1/4" x 4"	6	36	
TC4203	1/4" x 6"	6	36	
TC4205	5/16" x 6"	6	36	
	Phillips	S		
TC4200	1/8" x 4"	6	36	
TC4201	1/8" x 6"	6	36	
TC4198	3/16" x 3"	6	36	
TC4197	3/16" x 6"	6	36	
TC4199	3/16" x 8"	6	36	
TC4196	1/4" x 4"	6	36	
TC4195	1/4" x 6"	6	36	
TC4202	1/4" x 8"	6	36	
	Cabine	t		
TC4207	1/8" x 4"	6	36	
TC4210	1/8" x 6"	6	36	
TC4211	1/8" x 8"	6	36	
TC4208	3/16" x 4"	6	36	
TC4209	3/16" x 6"	6	36	
TC4212	3/16" x 8"	6	36	











Type of packaging: Plastic hanger

			_	
Code	Size	Inner	Master	
TC0731	T10	6	48	
TC0732	T15	6	48	
TC0733	T20	6	48	
TC0734	T25	6	48	
TC0735	T27	6	48	
TC0736	T30	6	48	
Type of packaging: Plastic hanger				





Code	Size	Inner	Master			
TC1824	3/16" x 3"	6	36			
TC1825	1/4" x 3"	6	36			
TC1826	5/16" x 3	6	36			
TC1827	3/8" x 3"	6	36			
TC1828	7/16" x 3	6	36			
TC1829	1/2" x 3	6	36			
Type of packaging: Plastic hanger						

TORX SCREWDRIVER SET **DUAL-MATERIAL HANDLE**

- Magnetized tip
- Cr-V steel bar
- Contains: T-10, T-15, T-20, T-25, T-27, T-30
- · Length: 4 "(100 mm)

Code	Capacity	Inner	Master
TC1425	6 pieces	3	48
Type of pack	kaging: Blister		

SLOTTED	DEMOLI	TION	SCREWDRIVERS,
ΠΙΙΔΙ -ΜΔ	TERIAL F	IAND	l F



Code	Size	Inner	Master
TC2683	1/4" X 4"	6	36
TC2684	1/4" X 6"	6	36
TC2685	3/16" X 3"	6	36
TC2686	3/8" X 10"	6	36
TC2687	3/8" X 8"	6	36
TC2688	5/16" X 6"	6	36
TC2689	5/16" X 8"	6	36

Type of packaging: Plastic hanger

PHILLIPS DEMOLITION SCREWDRIVERS **DUAL-MATERIAL HANDLE**

- Magnetized tips
- Steel bar Cr-V steel Hexagonal bar
- One-piece body that runs through the handle



36

TC2682 3/8" x 8" Type of packaging: Plastic hanger

DEMOLITION SCREWDRIVER SET DUAL-MATERIAL HANDLE

- Magnetized tips
- One-piece Cr-V steel bar
- Tip with treatment that increases resistance and prevents slips
- Impact head type nut to increase torque force
- ☐ Standard 3/16" x 4": 3/16" x 6' and 5/16" x 6"
- ♣ Phillips: #1 x 3" and #2 x 4





SCREWDRIVERS

SCREWDRIVER SET DUAL-MATERIAL HANDLE



Code	Characteristics	Inner	Maste
TC1426	8 pieces	3	24
Type of pa	ckaging: Blister		

SCREWDRIVER SET DUAL-MATERIAL HANDLE

- Magnetized tip
- Cr-V steel bar Includes screwdrivers holder



Characteristics

TC3304		5	piece
Type of pa	ackaging:	Bli	ster

FOR ELECTRONICS · Magnetic peaked tips Cr-V steel bar Dual-material handle Plastic cover to prevent electric sh · Maximum capacity 1,000V ☐ Standard: 3/32" x 3"; 1/8" x 4"; 7/32" x 5" y 1/4" x 6" ♣ Phillips #0 x 3"; #1 x 3" y #2 x 4"

Code	Characteristics	Inner	Master
TC0240	7 pieces	2	24
Type of p	ackaging: Blister		

SLOTTED SCREWDRIVER

Magnetized tip

Steel bar



Code	Size	Inner	Master
WF2102	3/16 X 4"	6	96
WF2104	1/4" X 4"	6	96
WF2106	1/4" X 6"	6	96



PHILLIPS SCREWDRIVER

Magnetized tip





Inner Master

48

Wolfox

Code	Size	Inner	Master
WF2113	3/16" x 3"	6	96
WF2116	3/16" x 6"	6	96
WF2118	3/16" x 8"	6	96
WF2124	1/4" x 4"	6	96
WF2126	1/4" x 6"	6	96
WF2128	1/4" x 8"	6	96
	1 1 B II		

Type of packaging: Bulk

CABINET SCREWDRIVER

SCREWDRIVER SET

Magnetized tip

Steel bar



Code	Size	Inner	Master
WF2134	1/8" x 4"	6	96
WF2136	1/8" x 6"	6	96
WF2138	1/8" x 8"	6	96
WF2144	3/16 x 4"	6	96
WF2146	3/16" x 6"	6	96
WF2148	3/16" x 8"	6	96

Type of packaging: Bulk

IMPACT SCREWDRIVER SET

Made of Cr-V steel Acrylic acetate handle



			A 10. O		
Code	Characteristics	Inner	Master		
WF2187	7 pieces	4	24		
Type of packaging: Blister					

Wolfox* **SCREWDRIVER SET**

Wolfox*

DUAL-MATERIAL HANDLE Dual-material handle

Steel bar

Magnetized tip

WF2184 - 4 pieces

♣ Phillips: 3/16" x 6", 3/16" x 4" - Flat: 1/4" x 4"

- Cabinet: 1/4" x 4"

WF2186 - 6 pieces

♣ Phillips: 3/16" x 3", 3/16" x 6", 1/4" x 4"

Flat: 1/4" x 4", 1/4" x 6" Cabinet: 1/4" x 4"

ı	W	All	IX.	
	۱			ì
i	V	H	h	
1	Ш	Ш	Ų	į

Wolfox

Wolfox

Code	Characteristics	Inner	Master			
WF2184	4 pieces	3	48			
WF2186	6 pieces	3	24			
Type of packaging: Blictor						

Type of packaging: Blister

PVC SCREWDRIVER SET

Wolfox

Wolfox

Wolfox

Steel bar

WF9350 - 4 pieces Phillips:

3/16" x 4", 1/4" x 4" - Flat:

3/16" x 4", 1/4" x 4" WF9351 - 6 pieces

Phillips:

3/164" x 1/4", 4" x 1/4" Flat:

3/16" x 3", 3/16" x 6". 1/4" x 4" , 1/4" x 6"



Code	Characteristics	Inner	Master			
WF9350	4 pieces	6	36			
WF9351	6 pieces	6	24			
T () DE 1						

Type of packaging: Blister

PRECISION SCREWDRIVERS

Carbon steel tips For use in electronics, jewelry, etc.

Flat: 1.4 mm, 2 mm, 2.4 mm, 3 mm





Code	Characteristics	Inner	Master		
WF2190	6 pieces	6	60		
Type of packaging: Case					

Wolfox RATCHET SCREWDRIVER SET, 53 PIECES



Code	Characteristics	Inner	Master		
WF1687	53 pieces	3	24		
Type of packaging: Blister					

RATCHET SCREWDRIVER SET, 34 PIECES

· Carbon steel tips





Code	Characteristics	Inner	Master
WF1686	34 pieces	3	24

Type of packaging: Blister

SCREWDRIVERS | SCREWDRIVERS TIPS

RATCHET SCREWDRIVER SET, 6 TIPS

- · Carbon steel tips
- Grip handle
- Contents
- Flat tips: 1/4 and 3/16
- Phillips tip: # 3 and # 1
 Pozi-driv tip: Pz2 and Pz1





Code	Characteristics	Inner	Master
WF1685	6 points	6	72
Type of pac	kaging: Blister		

Wolfox

1" BIT SET, 29 PIECES

- · Made of S2 steel
- To be used with electric drill or screwdriver
- Drive: 1/4"
- · Plastic organizer included



Contents				
Tip	Size			
Pozi-driv	#1, #2, #3			
Elet	6-8, 8-10,			
ridi	10-12			
Square	S1, S2, S3			
Phillips	#1,#2(2),#3			
Hexagonal	3/32"			
	1/8"			
	5/32"			
Box	3/16"			
	1/4"			
	5/16"			
	11/32"			
	3/8"			
Torx	T-15, T20, T-25			
	T-30			
1 magnet	tic adapter			
	organizers			
	Tip Pozi-driv Flat Square Phillips Hexagonal Box Torx 1 magnet			

Code	Characteristics	Inner	Master
TC1250	29 pieces set	6	48

Type of packaging: Blister

1" BIT SET, 33 PIECES

- Made of S2 steel
- To be used with electric drill or screwdriver
- Drive: 1/4"
- Plastic organizer included



٠	Pozi-driv	#0, #1, #2, #3
_	Flat	5-6, 6-8, 8-10, 10-12
	Square	S1, S2, S3
÷	Phillips	#0(2), #1 (3) #2 (3), #3
0	Hexagonal	3/32"
		1/8"
		5/32"
		3/16"
		7/32"
		1/4"
₹,3	Torx	T-10, T15, T-20 T-25, T-30, T-40
	1 magnet	tic adapter
	+3 plastic	organizers

Inner Master

С	ode			Characteristics
TC	1251			33 pieces set

Type of packaging: Blister

2" BIT SET, 9 PIECES

- Made of S2 steel
- To be used with electric drill or screwdriver
- Drive: 1/4"
- Plastic organizer included



	Contents		
_	Tip	Size	
<'>	Pozi-driv	#2	
<u> </u>	Flat	3/16"	
		1/4"	
		5/16"	
	Square	S1, S2	
유	Phillips	#1, #2, #3	

Code	Characteristics	Inner	Master
TC1249	9 pieces set	6	48

Type of packaging: Blister

2" TORX BIT SET, 7 PIECES

- Made of S2 steel
- To be used with electric drill or screwdriver
- Drive: 1/4"
- Plastic organizer included

1" TORX BIT SET, 7 PIECES

48

- Made of S2 steel
- To be used with electric drill or screwdriver
- Drive: 1/4"

6

Plastic organizer included

2" SCREWDRIVER TIP SET, 5 PIECES

- · Made of S2 steel
- To be used with electric drill or screwdriver
- Drive: 1/4"





کہک	Contents	
	T-10	
	T-15	
	T-20	
	T-25	
	T-27	
	T-30	
	T-40	
r	Master	

Code	Characteristics	Inner	Master	
TC1253	7 pieces set	12	72	
Time of mackaging, Dietas				

Type of packaging: Blister







Master Capacity Tip type Inner TC1243 #0 Phillips 12 72 TC1244 #1 Phillips 12 72 TC1245 #2 Phillips 12 72 TC1246 3/16' Flat 12 72 TC1247 1/4" Flat 12 72

Type of packaging: Blister

2" SCREWDRIVER TIP SET, 5 PIECES

- Made of S2 steel
- To be used with electric drill or screwdriver
- Drive: 1/4"



*Price per blister

Code	Size	Inner	Master
TC1248	3 pieces Phillips (#0, #1, #2) 1 pieces flat tip 4.8 mm (3/16") 6.4 mm (1/4")	12	72

Type of packaging: Blister

1" SCREWDRIVER TIP SET, 5 PIECES

- Made of S2 steel
- To be used with electric drill or screwdriver

Type of packaging: Blister

Drive: 1/4"





*Price per blister

Code	Capacity	Tip type	Inner	Master
TC1237	#0	Phillips	12	72
TC1238	#1	Phillips	12	72
TC1239	#2	Phillips	12	72
TC1240	3/16"	Flat	12	72
TC1241	1/4"	Flat	12	72

Type of packaging: Blister

1" SCREWDRIVER TIP SET, 5 PIECES

- Made of S2 steel
- To be used with electric drill or screwdrive
- Drive: 1/4"





*Price per blister

*Price per blister

Code	Size	Inner	Master
TC1242	3 pieces Phillips (#0, #1, #2) 2 pieces flat tip 4.8 mm (3/16") 6.4 mm (1/4")	12	72

Type of packaging: Blister

DISCS


SEGMENTED RIM ASPHALT **DIAMOND BLADE**

· Asphalt and concrete cutting

· 1" arbor







Code	Diameter	Maximum RPM	Inner	Master
TC4498	For asphalt 14"	4,400	1	10
Type of packaging: Blister				

CONTINUOUS RIM DIAMOND BLADE

- · Fine cutting
- 7/8" arbor 5/8" adapter
- Cuts: concrete, tile and marble
- Professional finish



Ab	rasive section	on
Code	Thickness	Height
TC4496	1.8 mm	5.5 mm
TC2432	2.0 mm	5.5 mm
TC2433	2.2 mm	5.5 mm
TC4497	2.4 mm	5.5 mm



Code	Diameter	Maximum RPM	Inner	Master
TC4496	4"	14,500	5	100
TC2432	4 1/2"	13,300	5	100
TC2433	7"	8,500	5	50
TC4497	9"	6,500	2	30

Type of packaging: Blister

ABRASIVE FLAP DISC FOR GRINDING **AND POLISHING TYPE 29**

- Made of zirconia sandpaper
- For working in wood, fiberglass and metal
- · 7/8" arbor





	7	For your safety never surpass the number of rpm set			
Code	Diameter	Thick- ness	Maximum RPM	Inner	Master
TC5191	7"	40	8,500	5	100
TC5192	7"	60	8,500	5	100
TC5193	7"	80	8,500	5	100
TC5194	7"	120	8,500	5	10

Type of packaging: Blister

TURBO RIM DIAMOND BLADE

- General cutting
- 5/8" adapter
- For cutting concrete, brick, marble, tile and construction materials.
- 7/8" arbor



Abrasive section					
Code Thickness Heigh					
TC4492	2.0 mm	7.5 mm			
TC4493	2.2 mm	7.5 mm			
TC4494	2.4 mm	7.5 mm			
TC4495	2.6 mm	7.5 mm			





Wolfox[®]

Code	Diameter	Maximum RPM	Inner	Master	
TC4492	4"	13,300	5	100	
TC4493	4 1/2"	8,500	5	100	
TC4494	7"	6,500	5	50	
TC4495	9"	4,400	2	30	
Type of packaging: Blister					


CONTINUOUS RIM DIAMOND BLADE

- Fine cutting
- 7/8" arbor 5/8" adapter
- Cuts: concrete, tile, and marble
- Professional finish



Abrasive section Code Thickness Height WF0591 2.0 mm 5.5 mm WF0592 2.2 mm 5.5 mm





Code	Diameter	Maximum RPM	Inner	Master	
*WF0591	4 1/2"	13,300	10	100	
WF0592	7"	8,500	4	50	
Type of packaging: Blister					

ABRASIVE FLAP DISC FOR **ROUGHING AND POLISHING TYPE 29**

- Made of zirconia sandpaper
- To use in wood, fiberglass and metal
- 7/8" arbor







Code	Diameter	Thickness	Maximum RPM	Inner	Master
TC3465	4 1/2"	40	13,300	10	200
TC3466	4 1/2"	60	13,300	10	200
TC5190	4 1/2"	80	13,300	10	200
TC3467	4 1/2"	120	13,300	10	200

Type of packaging: Blister

SEGMENTED RIM DIAMOND BLADE

- · Fast cutting · 5/8" adapter
- Cuts: concrete, brick, stone, and construction materials
- For deep cutting



Abrasive section						
Code	Thickness Height					
TC4491	1.8 mm	7.5 mm				
TC2434	2.0 mm	7.5 mm				
TC2435	2.2 mm	7.5 mm				
TC2436	2.4 mm	7.5 mm				





Wolfox

For your safety never surpass the

Code	Diameter	Maximum RPM	Inner	Master			
TC4491	4"	13.300	5	100			
TC2434	4 1/2"	13.300	5	100			
TC2435	7"	8,500	5	50			
TC2436	9"	6,500	2	30			
Type of peakerings Plieter							

Type of packaging: Blister

SEGMENTED RIM DIAMOND BLADE

- · Fast cutting
- 7/8" arbor 5/8" adapter
- Cuts: concrete, brick, stone,
- and construction materials
- For deep cutting









For your safety never surpass the number of rpm set

Code	Diameter	Maximum RPM	Inner	Master
WF0593	4 1/2"	13,300	10	100
*WF0594	7"	8,500	4	50

Type of packaging: Blister

ABRASIVE FLAP DISC FOR Wolfox **GRINDING AND POLISHING TYPE 29**

- Made of zirconia sandpaper
- For working in wood, fiberglass and metal
- · 7/8" arbor







For your safety never surpass the number of rpm set

Code	Diameter	Thick- ness	Maximum RPM	Inner	Master
WF0639	7"	40	8,500	5	100
WF0640	7"	60	8,500	5	100
WF0641	7"	80	8,500	5	100
WE0642	7"	120	8 500	5	10

Type of packaging: Blister

DISCS | PIPE BENDERS

METAL CUTTING DISC TYPE 1

· Made of aluminum oxide with double fiberalass mesh

For general cuts



A Cutting number of rpm set						
Code	Diameter	Thickness	Maximum RPM	Inner	Master	
TC1907	14"	3.2 mm	3,900	5	20	
Type of packaging: Bulk						

METAL CUTTING DISC (TYPE 27)

Made of aluminum oxide with fiberglass mesh

· 7/8" arbor







For your safety never surpass the number of rpm set

Code	Diameter	Thickness	Maximum RPM	Inner	Master
TC1905	4 1/2"	3.2 mm	13,300	25	200
TC1906	7"	3.2 mm	8,500	12	100
TC1914	9"	3.2 mm	6,650	5	25

Type of packaging: Bulk

CONCRETE CUTTING DISC TYPE 27

· Made of aluminum oxide with fiberglass mesh

7/8" arbor







For your safety never surpass the number of rpm set

Code	Diameter	Thickness	Maximum RPM	Inner	Master
TC1910	4 1/2"	3.2 mm	13,300	25	200
TC1911	7"	3.2 mm	8,500	12	100
TC1916	9"	3.2 mm	6,650	5	50

Type of packaging: Bulk

ABRASIVE FLAP DISC FOR Wolfox **GRINDING AND POLISHING TYPE 29**

- Made of zirconia sandpaper
- · For working in wood,







13,300

For your safety never surpass the

10

200

WF0638 4 1/2" 120 Type of packaging: Blister

METAL AND STAINLESS STEEL EXTRA-FINE **CUTTING DISC TYPE 1**


· Made of aluminum oxide with fiberalass mesh

7/8" arbor









Code	Diameter	Thickness	Maximum RPM	Inner	Master	
TC3456	4 1/2"	1 mm	13,300	10	60	
TC3457	4 1/2"	1.2 mm	13,300	10	60	
TC3458	7"	1.5 mm	8,500	10	50	
TC3459	9"	2 mm	6,650	10	40	
T (1 : D !!						

Type of packaging: Bulk

METAL GRINDING DISC (TYPE 27)


Made of aluminum oxide with fiberglass mesh

7/8" arbor









Code	Diameter	Thickness	Maximum RPM	Inner	Master
TC1908	4 1/2"	6.4 mm	13,300	10	20
TC1909	7"	6.4 mm	8,500	10	20
TC1915	9"	6.4 mm	6,650	5	25

Type of packaging: Bulk

METAL EXTRA-FINE **CUTTING DISC TYPE 1**

- Made of aluminum oxide
- For cutting metal and
- stainless steel Axis: 7/8"





Wolfox



Λ	For your safety number of rpm	never sui set	rpass th
Antonio e I	Annia DDM	London	144

Code	Diameter	Thickness	Maximum RPM	Inner	Master
*WF0698	4 1/2"	1 mm	13,200	25	400
WF0699	4 1/2"	1.2 mm	13,200	25	400
WF0701	7"	1.5 mm	8,600	20	200
WF0703	9"	2 mm	6,700	20	100

Type of packaging: Bulk

METAL CUTTING DISC TYPE 1

- Made of aluminum oxide
- For cutting metal Axis: 1"







5

4,400

WF0704 14" 2.8 mm Type of packaging: Bulk

METAL FINE CUTTING DISC TYPE 1

· Made of aluminum oxide

with fiberalass mesh · 7/8" arbor







For your safety never surpass the number of rpm set

Code	Diameter	Thickness	Maximum RPM	Inner	Master
*TC1903	4 1/2"	1.6 mm	13,300	5	25
TC	7"	2 mm	8,500	5	25

Type of packaging: Bulk


CONCRETE GRINDING DISC (TYPE 27)

- Made of silicon carbide
- with fiberglass mesh
- · 7/8" arbor









Code	Diameter	Thickness	Maximum RPM	Inner	Master
TC1912	4 1/2"	6.4 mm	13,300	10	100
TC1913	7"	6.4 mm	8,500	10	50

Type of packaging: Bulk

METAL FINE CUTTING **DISC TYPE 1**

- · Made of aluminum oxide
- For cutting metal
- Axis: 7/8"





Wolfox[®]



For your safety never surpass the number of rpm set

Code	Diameter	Thickness	Maximum RPM	Inner	Master
WF0700	4 1/2"	1.6 mm	13,200	25	400
WF0702	7"	1.8 mm	8,600	20	200
		D 11			

Type of packaging: Bulk

PIPE BENDER

- · Made of steel
- Foot lever for better support Bending angle of 10 ° or 90 °




Code	Diameter	Inner	Master
TC5401	1/2"	1	20
TC5402	3/4"	1	20
TC5403	1"	1	10

Type of packaging: Box


LADDERS

FIBERGLASS EXTENSION LADDER TYPE II



Code	Steps	Weight	Extended height	Not ex- tended height	Inner	Master			
TC5302	20	15.7 kg	5.23 m	3.07 m	1	1			
TC5303	24	21.3 kg	6.40 m	3.68 m	1	1			
Type of packaging: Bulk									

ALUMINUM EXTENSION LADDER TYPE III




Code	Steps	Weight	Extended height	Not ex- tended height	Inner	Master				
TC3510	16	8.2 kg	3.96 m	2.46	1	1				
TC3511	20	11.4 kg	5.23 m	3.07	1	1				
TC3512	24	14 kg	6.40 m	3.68	1	1				
TC3513	28	17.7 kg	7.62 m	4.29	1	1				
Type of packaging: Bulk										

capacity

102 Kg

MULTI-POSITION LADDER TYPE I 12 STEPS

- · Mechanism of articulation with lock
- · Nonslip plastic foot steps
- Stabilizer bar at both ends
- Includes 2 trays for use as scaffolding
 Foldable for easy storage and transportation




Code	Steps	Weight	Inner	Master
TC5412	12	12.3 kg	1	1

Type of packaging: Bulk

ALUMINUM CONVERTIBLE STEP LADDER TYPE II

- · Can be used as stepladder, extension and / or slope
- · Oval steps
- · Anti-pinch braces
- Anti-slip food pads for safety
 Hook design for support
- of mobile section integrated to the step
- Front section of straight construction and wider for good stability







of work				
Code	Steps	Weight	Inner	Master
TC5305	13	8.6 kg	1	1

Type of packaging: Bulk

FIBERGLASS STEP LADDER TYPE II PLASTIC TOP



Code	Steps	Weight	Total Height	Inner	Master
TC5246	4	5.5 kg	5' (1.52m)	1	1
TC5247	5	6.12 kg	6' (1.83m)	1	1

ALUMINUM SMALL STEP LADDER TYPE III PLASTIC TOP CAP



Load capacity 90 Kg

Code	Steps	Weight	Height	Inner	Master				
TC5304	2	2 kg	0.58 m	1	1				
Type of packaging: Bulk									

Wolfox **ALUMINUM STEP LADDER** TYPE III, PLASTIC TOP CAP

- Steps with non-slip surface Anti-pinch braces
- Black top cap with
- slots for easy tool handling Anti-slip foot pads



Load capacity 90 Kg

Code	Steps	Weight	Height	Inner	Master
WF9541	3	3.5 kg	4' (1.22 m)	1	1
WF9542	4	4 kg	5' (1.52 m)	1	1
WF9543	5	4.5 kg	6' (1.83 m)	1	1
WF9813	6	4.9 kg	7' (2.13 m)	1	1

Type of packaging: Bulk

ALUMINUM STEP LADDER TYPE III PLASTIC TOP CAP

- Load capacity of 90 kg Steps with non-slip surface
- Anti-pinch braces
- Full channel extruded aluminum side rails
- Anti-slip food pads for safety Bucket tray holder
- Aluminum top cap



Code	Steps	Weight	Total height	Inner	Master
TC4518	4	4.5 kg	5' (1.52 m)	1	1
TC4519	5	5.2 kg	6' (1.83 m)	1	1
TC4520	6	5.8 kg	7' (2.13 m)	1	1

Type of packaging: Bulk

STEP STOOL LADDER

- Steps with anti-slip surface
- Anti-slip foot pads Foldable
- Step size:
- 38 cm x 26 cm Household use

PLASTIC TOP · 90 kg load capacity Anti-slip grooved surface Anti-pinch braces

ALUMINUM STEP LADDER TYPE III

- Pall shelf
- Slotted lid for easy tool placement
 Full channel extruded aluminum side rails
- Anti-slip food pads for safety
- Household use Pail shelf non included on TC3205 model



Code	Steps	Weight	Total height	Inner	Master
TC3205	2	3.6 kg	3' (0.91 m)	1	1
TC3206	3	4 kg	4' (1.22 m)	1	1
TC3207	4	5 kg	5' (1.52 m)	1	1
*TC3208	5	5.5 kg	6' (1.83 m)	1	1
*TC3209	6	6.4 kg	7'(2.13 mm)	1	1

Type of packaging: Bulk

2-STEP STOOL

- · Made of 1 piece polypropylene
- Anti-slip steps
- Household use
- Folding design for optimal packing and storage



Load capacity 90 Kg

Wolfox

Code	Steps	Weight	Height (2nd step)	Inner	Master
WF9732	2	4.8 kg	0.49 m	1	4
WF0786	3	6.5 ka	0.73 m	1	4

Type of packaging: Bulk



Load capacity 130 Kg


Wolfox*

Code	Steps	Weight	Height	Inner	Master
WF0597	2	1.25 kg	0.34 m	3	12

STAPLERS | SQUARES

2-IN-1 STAPLE GUN HEAVY DUTY

- Heavy duty steel body
- Vinvl-lined handle
- Compatible with Toolcraft staples 6 mm 14 mm (1/4" 9/16") TC0652, TC0653, TC0654, TC0655 and TC0656
- For nail with head of 12 mm 15 mm
- Compatible with the nail Toolcraft TC0657



Code	Model	Characteristics	Inner	Master		
TC5308	T-50	2 in 1 heavy duty	2	12		
Type of p	Type of packaging: Blister					

NAILS FOR STAPLE GUN

- Standard staples for carpentry,
- electrical and tapestry works
 Box with 1,000 staples

- Heavy duty steel body
- 3-IN-1 STAPLE GUN
- Heavy duty steel body Pressure adjustment handle Compatible with Toolcraft staples 4 mm 14 mm (5/32" 9/16") TC0652, TC0653, TC0654, TC0656
- Cable staples 8 mm 14 mm (5/16" 9/16") Head nail 8 mm 12 mm (5/16" 5/32")



Code	Model	Characteristics	Inner	Master
TC0589	T-50	3 in 1 professional	2	24
Time of mode	animas Di	-4		

Type of packaging: Blister

STAPLE

- Standard nails for carpentry, electrical and tapestry works.
- Box with 1,000 nails

STAPLE GUN

- Steel body
- For staples of 4 mm 8 mm(5/32" 5/16")
- Compatible with Toolcraft staples TC0658 y TC0659







Code	Model	Color	Inner	Master
TC0587	T-21	Chromed	3	24
TC0588	T-21	Red	3	24
	t i Brit			

Type of packaging: Blister

COMBINATION SQUARE

- · Stamped marking, in inches and centimeters
- Stainless steel ruler





Code	Size	Inner	Master
TC0657	1/2"	5	200
Type of packa	ging: Box		


Box 1000 nails *Price per box



Box 1000 staples *Price per box

Code	Size	For model	Inner	Master
TC0652	1/4"	T-50	10	200
TC0653	5/16"	T-50	10	200
TC0654	3/8"	T-50	10	200
TC0655	1/2"	T-50	10	200
TC0656	9/16"	T-50	10	200
TC0658	1/4"	T-21	10	300
TC0659	5/16"	T-21	10	300

Type of packaging: Box



TC0842	12"
vne of nack	caging: Cover

CARPENTER'S FRAMING SQUARE

- Steel body
- Stamped marking, in inches and centimeters

ALUMINUM HANDLE CARPENTER'S SQUARE

- Stainless steel ruler
- Stamped marking in inches

SLIDING T BEVEL SQUARE

- Stainless steel blade
- High impact plastic handle



Code	Size	Inner	Master
TC0839	8" x 12"	6	36
TC0840	16" x 24"	6	36

Type of packaging: Bulk



Code	Size	Inner	Master
TC0831	6"	6	36
TC0832	8"	6	36
TC0833	10"	6	36
TC0834	12"	6	36



Type of packaging: Blister

SCRAPERS | MEASURING TAPES

RIGID SCRAPER, DUAL-MATERIAL HANDLE

- · Polished steel body specially treated to prevent corrosion
- Dual-material handle · Metal end cap



Code	Size	Inner	Master
TC1780	1"	12	72
TC1781	2"	12	72
TC1782	3"	12	72

Type of packaging: Bulk

FLEXIBLE SCRAPER, DUAL-MATERIAL **HANDLE**

- Polished steel body specially treated to prevent corrosion
- Dual-material handle
- Metal end cap



Code	Size	Inner	Master
TC1783	1"	6	72
TC1784	2"	6	72
TC1785	3"	6	72
TC1786	4"	6	72
TC1787	5"	6	72

Type of packaging: Bulk

Steel body carbon steel

RIGID SCRAPER, DUAL-MATERIAL WORK

HANDLE



Code	Size	Inner	Master
WF3107	2"	12	60
WF3108	3"	12	60

Type of packaging: Bulk

FLEXIBLE SCRAPER, PLASTIC **HANDLE**





Code	Size	Inner	Master
WF3101	1"	12	60
WF3102	2"	12	60
WF3103	3"	12	60
WF3104	4"	12	60
WF3105	5"	12	60

Type of packaging: Bulk

STEEL WEDGE

- Flexible blade
- Thick: 0.3 mm





Wolfox[®]

Code	Size	Characteristics	Inner	Master
WF9721	8 x 10 cm	Sin mango	50	600
WF9722	10 x 13.5 cm	No handle	50	600
WF9723	8 x 10 cm	With handle	50	800
WF9724	10 x 13.5 cm	With handle	50	800

Type of packaging: Bulk

WOOD CHISEL, DUAL MATERIAL HANDLE

- 25° cutting angle
- Bar length: 5 1/2"
- Polished and beveled bar. forged on heat treated alloy steel with 62 RC hardness.



Code	Size	Inner	Master
TC1771	1/4"	6	18
TC1772	3/8"	6	18
TC1773	1/2"	6	18
TC1774	5/8"	6	18
TC1775	3/4"	6	18
TC1776	7/8"	6	18
TC1777	1"	6	18
TC1778	1 1/4"	6	18
TC1779	1 1/2"	6	18

Type of packaging: Bulk

3-PIECE, WOOD CHISEL SET

- Made of carbon steel
- PVC Handle
- 25° cutting angle



Wolfox

Code	Measures	Inner	Master
WF0084	1/2", 3/4", y 1"	6	24
Type of packaging: Blisto	er		

Wolfox

WIDE MEASURING TAPE

- Made of ABS resin with PTR protection White one-sided printed tape
- Three measuring scales:centimeters, inches and feet
- 1 thumb power lock
- Stainless steel single hook
- Wide tape for a better extension and easy reading





Stainless steel clip

NOM i1

Code	Length	Width	Inner	Master
TC0236	3 m	19 mm (3/4")	6	48
TC0237	5 m	25 mm (1")	6	36
TC1640	8 m	30 mm (1 3/16")	4	24

Type of packaging: Blister

MAGNETIC MEASURING TAPE

- Made of ABS resin with rubber protection
- Yellow two-sided printed tape
- Three measuring scales: centimeters, inches and feet
- 1 thumb power lock Stainless steel double hook
- Magnetized end









Hook with three rivets for better fastening

				onncce
Code	Length	Width	Inner	Master
TC1417	3 m	16 mm (5/8")	8	72
TC1418	5 m	19 mm (3/4")	8	72
TC1419	8 m	25 mm (1")	6	24

Type of packaging: Blister

STANDARD MEASURING TAPE

- Made of ABS resin with rubber protection
- Yellow one-sided printed tape
- Three measuring scales:
- centimeters, inches and feet
- 1 thumb power lock and 1 button brake
- Stainless steel single hook



NOM i





Hook with three rivets for better fastening



-		=		
Code	Length	Width	Inner	Master
TC0234	3 m	16 mm (5/8")	6	144
TC0235	5 m	19 mm (3/4")	6	72
TC0353	8 m	25 mm (1")	6	48

MEASURING TAPES

DUAL-MATERIAL MEASURING TAPE

- Made of ABS with rubber cover
- White ribbon printed on both sides
- Three measuring scales: centimeters, inches and feet
- 1 thumb power lock and 2 button brakes
- Stainless steel hook with magnetized ends



Code	Color	Length	Width	Inner	Master
WF9491	Green	3m	16 mm (5/8")	12	72
*WF9492	Green	5m	19 mm (3/4")	12	72
WF9666	Green	7.5m	25 mm(1")	6	72
WF9663	Yellow	3m	16 mm (5/8")	12	72
WF9664	Yellow	5m	19 mm(3/4")	12	72
WF9665	Yellow	7.5m	25 mm(1")	6	72

Stainless steel

clip

Width

12.7 mm (1/2")

19 mm (3/4")

25 mm (1")

Type of packaging: Blister

WIDE MEASURING TAPE

- · Made of ABS
- White one-sided printed tape
- Three measuring scales:
- centimeters, inches and feet
- 1 thumb power lock Stainless steel single hook







Hook with three rivets



Wolfox

Code	Length	Width	Inner	Master
TC1488	3m	12.7 mm (1/2")	6	144
TC1490	5m	19 mm (3/4")	6	72
TC1492	8m	25 mm (1")	6	48

Type of packaging: Blister

WIDE MEASURING TAPE

for better fastening

- Plastic strap
- White one-sided printed tane
- Material: high resistance ABS plastic

Wolfox

NOM 11

Master

144

72

48

Wolfox

SOLID MEASURING TAPE SET

- Plastic belt
- Stainless steel clip
- White one-sided printed tape
- Material: high resistance ABS plastic
- Includes clip
- Assorted colors,
- Included:
- green, orange and yellow





Wolfox

Price p	er measuri	ng ta
---------	------------	-------

Code	Color	Length	Width	Inner	Master
WF3513	Orange / 12 pcs	3 m	12.7 mm (1/2")	36	72
WF3515	Orange / 9 pcs	5 m	19 mm (3/4")	27	54
WF3523	Colors / 12 pcs	3 m	12.7 mm (1/2")	36	72
WF3525	Colors / 9 pcs	5 m	19 mm (3/4")	27	54

Type of packaging: Blister

WF3505 5 m WF3506 7.5 m Type of packaging: Blister

LONG FIBERGLASS TAPE 1/2"

Hook with two rivets

for better fastening

Length

3 m

- ABS box with metal center

WF3503

- Fast rewind system

CROSS TYPE





Code	Length	Inner	Master
TC0289	30 m	1	20
TC0290	50 m	1	10
TC0291	100 m	1	10

Type of packaging: Box

1/2" WIND DRUM FIBERGLASS LONG **MEASURING TAPE**

- ABS box with metal center
- Two sided printing

Inne

12

12

12

- Two scales:
- Metric and English





TC0292 10 m 3 40 TC0293 15 m 3 40 TC0294 30 m 1 40	Code	Length	Inner	Master
	TC0292	10 m	3	40
TC0294 30 m 1 40	TC0293	15 m	3	40
	TC0294	30 m	1	40
TC0295 50 m 1 20	TC0295	50 m	1	20

Type of packaging: Blister

1/2" WIND DRUM FIBERGLASS LONG MEASURING TAPE



- Two sided printing
- Two scales:
- Metric and English





Code	Length	Inner	Master
WF9379	20 m	3	24
WF9380	30 m	3	24

Type of packaging: Blister



TOOLCRAFT TOOLCRAFT

POWER TOOLS

- **IVACUUM CLEANERS**
- PUMPS
- **ICOMPRESSORS**
- **IBRUSH CUTTERS**
- **IGRINDERS**
- **IFUMIGATORS**
- **IGENERATORS**
- **PRESSURE WASHERS**
- **ISTATIONARY MACHINES**
- **ICHAINSAWS**
- MULTITOOL
- ROUTERS
- **HAMMER DRILLS**
- SAWS
- **JIG SAWS**
- WELDER



12-GALLON, 5.5 HPVACUUMCLEANER

- · Wet and dry vacuum cleaner
- 120 V~ 60 Hz
- 2 functions: vacuum cleaner/blower
- · 3 m power cable

Includes

- · 2 extensions
- Corner nozzle
- Floor brush 1 dust filter
- 1 liquid filter 1 vacuum cleaner bag with fastening
- 1 1 7/8" x 1.80 m hose
- 4 casters

Workload:

45 min of work x 20 min of rest





WARRANT

NOM

6-GALLON, 4 HP VACUUM CLEANER

- Wet and dry vaccum cleaner
- 120 V~ 60 Hz
- 2 functions: vacuum cleaner/blower 3 m power cable
- Includes:
- 2 extensions
- 2 noozles (flat and corner) 1 dust filter
- 1 liquid filter
- 1 vacuum cleaner bag with fastening ring
- 1 1 1/4" x 1.80 m hose
- 4 casters

Workload: 25 min of work x 15 min of rest Maximum daily: 3 hrs





Packaging: Box / Spare parts: Bag

WARRANTA

NOM

3-GALLON, VACUUM CLEANER

Packaging: Box/ Spare parts: Bag

- Wet and dry vaccum cleaner
- 120 V~ 60 Hz
- 1.8 m power cable Includes:
- 1 1/4" x 1.2 m hose

Vacuum cleaner bag with fastening ring 2 noozles (flat and corner)

Foam filter





Code	Power	Rated power	Gallons	Inner	Master
TC5442	3 HP	900 W	3	1	1
	Spare parts				Master
TC5442FT	Vacuum Fabric Filter			1	100
TC5442FE	Vacuum Foam Filter			1	100

Packaging: Box/ Spare parts: Bag

BULLET SUBMERSIBLE WELL PUMP TYPE FOR CLEAN WATER

17 WARRAIN

NOM

- 120 V ~ 60 Hz
- Stainless steel body Control box included
- Bronze outlet nozzle
- 1 ½" output diameter Maximum depth: 40 m
- For pumping clean water on
- wells and natural springs with a 4" diameter
- Bronze outlet nozzle

Workload: 3 min of work x 15 min of rest Maximum daily: 18 hrs



· Power cable: 3 m

Code	Power	Maximum height	Maximum flow	Inner	Master
TC4576	1 HP	55 m	6,600 l/hr	1	1
TC4577	2 HP	100 m	6,900 l/hr	1	1

Packaging: Box

SUBMERSIBLE CLEAN WATER PUMP WARRANT

17NAAA

NOM

2YE

NOM

- 120 V ~ 60 Hz
- Aluminum body
- Floater included
- 1" output diameter
- Speed: 3,450 rpm Maximum depth: 8 m
- For draining and/or emptying water
- from wells, waterwheels, cisterns. Bronze outlet nozzle
- HEAVY DUTY

Workload: 3 min of work x 15 min of rest Maximum daily: 18 hrs





Code	Power	Maximum height	Maximum flow	Maximum depth	Inner	Master
TC4574	1 HP	33 m	7,600 l/hr	8 m	1	2
TC4461	1/2 HP	12 m	5,820 l/hr	9 m	1	4

HYDROPNEUMATIC PUMPS | WITH PRESSURIZER | MOTOR PUMPS

17 WARRAIN

NOM

STAINLESS STEEL SUBMERSIBLE **DIRTY WATER PUMP**

- 120 V ~ 60 Hz
- Floater included
- Outlet plastic connector in two sizes 1" and 1 1/2" 46.3 mm, 35.1 mm 31.4 mm, 24.8 mm
- Passes particles measuring up to 35mm
- Speed: 3,450 rpm
- Maximum depth: 8 m
- For draining and/or emptying water from
- wells, waterwheels and cistems.
- HEAVY DUTY
- Workload: 3 hr of work x









Code	Power	Maximum height	Maximum flow	Inner	Master
TC4462	1 HP	8 m	12,500 l/hr	1	4
TC4575	1 1/2 HP	9 m	15,000 l/hr	1	4

TOOLCRAFT

15 = 1"HP

Packaging: Box

SUBMERSIBLE CLEAN WATER PUMP

- · 120 V~ 60 Hz
- Float switch

JYNARRAW.

NOM

- Plastic connector with adapter for hose: 1", 1 1/4", 1 3/8" and 1 13/16"
- Speed: 2,800 rpm
- Maximum depth: 8 m
- For draining and/or emptying water from wells, waterwheels and cisterns.

Workload: 3 min of work x 15 min of rest Maximum daily: 18 hrs



Power cable: 10 m

Code	Power	Maximum height	Maximum flow	Inner	Master
TC3503	1/2 HP	9 m	9,000 l/hr	1	4
TC3504	1 HP	10 m	12,000 l/hr	1	4

Packaging: Box

SUBMERSIBLE DIRTY WATER PUMP

17WARAAK

NOM

WARRANT

JYNARRAY

- 1-120 V ~ 60 Hz
- Float switch
- TC3505: output plastic connector with adapter for
- hose: 1", 1 1/4", 1 3/8" and 1 13/16"
- TC4460: output plastic connector with adapter for hose: 1" and 1 1/2"
- Passes particles measuring up to 35mm
- Speed:
- TC3505: 2,800 rpm
- TC4460: 3,500 rpm
- Maximum depth: 8 m
- For draining and/or emptying water from
- wells, waterwheels and cisterns
- HEAVY DUTY

Workload: 3 min of work x 15 min of rest Maximum daily: 18 hrs



Power cable: 10 m

Code	Power	Maximum height	Maximum flow	Inner	Maste
TC3505	1 HP	11 m	12,500 l/hr	1	4
TC4460	1 1/2 HP	11 m	14,000 l/hr	1	4

Packaging: Box

1 1/2 HP BOOSTER PUMP 150 LITERS

- 120 V~60 Hz · For 15 simultaneous water inlets
- 1" NPT inlet/outlet
- Speed: 3,450 rpm
- Maximum depth: 9 m
- Pressure: 20-40 PSI Constantly boosts pressure

Workload: 1 min of work x 15 min of rest





	oubio mini p			
Power	Maximum Height	Maximum Flow	Inner	Master
1 1/2 HP	48 m	75 L/min	1	1
	Power	Power Maximum Height	Height Flow	Power Maximum Maximum Inner Height Flow

Packaging: Box

BOOSTER PUMP

- 127 V ~ 60 Hz
- 1" NPT inlet/outlet Speed: 3,450 rpm
- Maximum depth: 9 m
- Pressure: 20-40 PSI
- Constantly boosts pressure

Workload: 1 min of work x 15 min of rest Maximum daily: 12 hrs





Power cable with plug: 1.4 m

Code	Power	Maximum Height	Maximum Flow	Tank	Water Inlets	Inner	Master
TC4458	1/2 HP	35 m	60 L/min	50 L	6	1	1
TC3543	1/2 HP	38 m	50 L/min	24 L	4	1	1
Packaging: Box							

1HP PRESSURE BOOSTER PUMP

- · 127 V~ 60 Hz
- 1HP pressurizer
- Jet engine and plastic impeller
- Ideal for 4 simultaneous water inlets
- · 1" NPT inlet/outlet
- · Factory calibrated pressure switch
- Speed: 3,450 rpm
- Maximum depth: 8 m
- · System starts up when a water inlet is opened
- · Constantly boosts water pressure

Workload: 1 min of work x 15 min of rest Maximum daily: 12 hrs





Power cable with plug: 1.4 m

Code	Power	Maximum Height	Maximum Flow	Inner	Master
TC4457	1 HP	38 m	53 L/min	1	1
Packaging	g: Box				

MOTOR PUMPS

- 4-stroke gasoline engine
- Useful for effectively moving
- large quantities of water Manual ignition system (retractable rope)
- Maximum suction depth: 5m

Workload: 1 tank 20 min of rest







FLAT HOSE FOR WATER PUMP Made of PVC

- For agricultural irrigations, construction or industrial projects
- Operating temperature: -5° C to 60°C
- Wall thickness: 1.2 mm



Code	Measure	Weight	Maximum pressure	Inner	Master
TC5295	2" x 50 m	0.22 kg/m	174 PSI	1	1
TC5296	2" x 100 m	0.22 kg/m	174 PSI	1	1
TC5297	3" x 50 m	0.40 kg/m	160 PSI	1	1
TC5298	4" x 50 m	0.53 kg/m	145 PSI	1	1

Packaging: Roll



PERIPHERAL PUMP

These are ideal for locations where high-water pressure is required, since they generate a greater thrust, although the water flow is lower.



NOM
















For clean water.

Weather resistant.





Brass impeller.



Low power consumption.



Quiet operation.

Anti-lock System**

* These products do not generate VAT.

** Exclusive for TC y WF pumps








Code	TC2667	WF0846
Maximum Height:	55 m	45 m
Maximum Flow:	50 L/m	45 L/m
Work Cycle:	1 hr. of work x 20 min of rest	1 hr. of work x 20 min of rest
Maximum Depth:	8 m	8 m
Speed:	3 450 rpm	3 450 rpm
Packaging:	Box1 / Master 2	Box1 / Master 2

PERFORMANCE CURVE

Performance comparison between height and flow of each of our models





NT _r ARS	TVEAR TVEAR	PRODUCT	Wolfox
Hann	17WARAHIL	Const	
		Wolfox	
	0	1	3

Code	TC2665	WF0847
Maximum Height:	65 m	50 m
Maximum Flow:	60 L/m	50 L/m
Work Cycle:	1 hr. of work x 20 min of rest	1 hr. of work x 20 min of rest
Maximum Depth:	8 m	8 m
Speed:	3 450 rpm	3 450 rpm
Packaging:	Box 1 / Master 2	Box 1 / Master 2



Vertical Air Compressor

· 120 V~ single-phase



2 Air outputs with quick connection



High and Low Pressure Gauge







Air-output ball valve



NOM

All compressors have high and low pressure output. Large pressure gauge shows high pressure output and the small adjustable gauge pressure shows low-pressure output. Use oil SAE 40.



This equipment MUST BE USED with a 115V to 125V Power Supply, using a DIFFERENT VOLTAGE WILL SEVERLY DAMAGE the product.





200 L	50 L
TC5420	TC5402

0000	100100	100.00
Tank:	51 gal	13 gal
Rated Power:	3 HP	2 HP
Maximum Power:	3.6 HP	2.5 HP
Motor:	Lubricated motor head with two pistons that allow filling tank faster	Lubricated motor with copper winding
Transmission:	Belt drive for heavy duty	No
Pressure Gauge:		Double
Pressure Range:	80 / 115 PSI	87 / 115 PSI
Air Flow:	8.3 CFM @ 40 PSI / 5.4 CFM @ 90 PSI	4.8 CFM @ 40 PSI / 4.0 CFM @ 90 PSI
Continuous Flow:	236 L / min	136 L / min
Speed:	3 428 rpm	3 354 rpm
Work Cycle:	8 hrs max. per day / (DO N	OT EXCEED 4 LOADS PER HOUR)
Tires:	6" Hard Wheels	Hard Wheels
Drain Valve:		Yes
Air Outlets:	2 with quick connection and 1Air-output ball valve	2 with quick connection
Air Filter:		Yes
Weight:	89.4 Kg	32.45 Kg
Inner:		1
Master:		1

POWER TOOLS | COMPRESSORS

AIR COMPRESSOR

- 120 V~ single-phase
- Lubricated motor with copper winding
- Aluminum suction pipes
- 2 air outputs with quick connection
- Air filter included
- Drain valve
- 2 hard wheels



All compressors have high and low pressure output. Large pressure gauge shows high pressure output and the small adjustable gauge pressure shows low-pressure output. Use oil SAE 40.







2 Air outputs with quick connection



Pressure gauge for high and low pressure



MARRANTA







100 L

NOM

50 L TC5432

NOM

24 L TC5433

3 400 rpm

24 Kg



TC5431 Tank: 26 gal 13 gal 6.2 gal Rated Power: 3 HP 2 HP 3.6 HP 2.5 HP Maximum Power: Lubricated motor head with two pistons that allow filling tank Motor: Lubricated motor with copper winding faster

Transmission: Belt drive for heavy duty No Pressure Range: 80 / 115 PSI 87 / 115 PSI Air Flow: 8.3 CFM @ 40 PSI / 5.4 CFM @ 90 PSI 4.8 CFM @ 40 PSI / 4.0 CFM @ 90 PSI Continuous Flow: 236 L / min 136 L / min

Speed: 3 400 rpm 3 354 rpm Work Cycle: 8 hours max per day. / (DO NOT EXCEED 4 LOADS PER HOUR)

Weight: 90 Kg 29.45 Kg Inner: Master:

TOOLCRAFT

Packaging: Box


AIR COMPRESSOR KIT

- · 120 V~ single-phase
- Double pressure gauge
- 2 air outputs with quick connection
- Pressure range: 85/116 PSI
- Drain valve
- Speed: 3,400 rpm
- Weight: 20 kg · Air Flow:
- 4.2 CFM @ 40 PSI 3.2 CFM @ 90 PSI





21 L









gun and hose



PORTABLE AIR COMPRESSOR **SELF-LUBRICATED**

- 120 V~ single-phase
- 2/oil-free motor
- Double pressure gauge
- 2 air outputs with quick connection Pressure range: 85/125 PSI
- Drain valve
- Speed: 3,400 rpm
- Weight: 22 kg
- Air Flow:
- 3.7 CFM @ 40 PSI 2.7 CFM @ 90 PSI

Work Cycle:

8 hrs max. per day / (DO NOT EXCEED 4 LOADS PER HOUR)



All compressors have high and low and low
pressure output.
Large pressure gauge shows
high pressure output and the small
adjustable gauge pressure shows low
pressure output.
Use oil SAE 40.

NOM




2 Air outputs with auick connection



Pressure gauge for high and low pressure



This equipment MUST BE USED with a 115V to 125V Power Supply, using a DIFFERENT VOLTAGE WILL SEVERLY DAMAGE the product.



Rated Power Tank Maximum Power Master Inner Flow TC5293 24 L / 6.2 gal 1.5 HP 2 HP 104 L / min

OOLCHAFT

POWER TOOLS | COMPRESSORS

AIR COMPRESSOR

- · 120 V~ single-phase
- Double Pressure Gauger
- 2 air outputs with quick connection
- Air filter included
- Drain valve
- · 2 hard wheels and legs
- · Speed: 3,400 rpm

All compressors have high and low pressure output.
Large pressure gauge shows high pressure output and the small adjustable gauge

pressure shows low-pressure output. Use oil SAE 40.



This equipment MUST BE USED with a 115V to 125V Power Supply, using a DIFFERENT VOLTAGE WILL SEVERLY DAMAGE the product.

Wolfox



2 Air outputs with quick connection



Pressure gauge for high and low pressure

Tank:






NOM





WARRANTA

1 YEAR





		The state of the s	
Code	WF0735		WF0736
	10.2 gal		6.2 gal

Rated Power: 2 HP 2.5 HP Maximum Power: Motor: Lubricated

4.8 CFM @ 40 PSI / 4.0 CFM @ 90 PSI Air Flow:

Continuous Flow: 136 L / min 101 L / min

Speed: 3 400 rpm

8 hrs max. per day / (DO NOT EXCEED 4 LOADS PER HOUR) Work Cycle:

Weight: 27 Kg 23.6 Kg Inner:

Master:

Packaging: Box

AIR COMPRESSOR KIT

- · 120 V~ single-phase
- · Double pressure gauge-2 air outputs with quick connection
- · Air filter included
- ·Drain valve
- 2 pneumatic wheels
- · Speed: 3,400 rpm



All compressors have high and low pressure output. Large pressure gauge shows high pressure output and the small adjustable

3.5 CFM @ 40 PSI / 2.5 CFM @ 90 PSI

gauge pressure shows low-pressure Use oil SAE 40.

NOM



This equipment MUST BE USED with a 115V to 125V Power Supply, using a DIFFERENT VOLTAGE WILL SEVERLY DAMAGE the product.

WARRANTA

1 YEAR

17 WARRAIN

Wolfox



NOM

WF0735 horizontal air compressor 2 Hp 40 Lts TC3044 hose for low pressure air 5m TC1838 gravity gun for painting, general purpose

WF0153 set of couplings and quick connectors 5 pcs * NOTE: All packed in a single box

17 NARRAIN 40 L

Wolfox

WF0736 horizontal air compressor 2 Hp 40 Lts TC3044 hose for low pressure air 5m
TC1838 gravity gun for painting, general purpose
WF0153 set of couplings and quick connectors 5 pcs * NOTE: All packed in a single box



Tank: 10.2 gal 6.2 gal Rated Power: 2 HP

2.5 HP Maximum Power: Motor: Lubricated

4.8 CFM @ 40 PSI / 4.0 CFM @ 90 PSI 3.5 CFM @ 40 PSI / 2.5 CFM @ 90 PSI Air flow: Continuous Flow: 136 L / min $101\ L\,/\,min$

Speed: 3 400 rpm

8 hrs max. per day / (DO NOT EXCEED 4 LOADS PER HOUR) Workload:

Weight: 27 Kg 23.6 Kg

Inner:

Master:

POWER TOOLS | BRUSH CUTTERS



These easy-start brush cutters are ergonomically designed for a fast and efficient use and ideal for trimming grass or







Includes blade



Useful for cutting lawn, grass and brush
Clutch included







Code	TC5338	TC5371	TC5370	TC5369			
Motor Capacity:	63 c.c. / 2.7 HP	50 c.c. / 1.8 HP	43 c.c. / 1.5 HP	33 c.c. / 1.2 HP			
Cut Diameter:		18	3"				
Tank Capacity:	1.3 L	1.1 L	1	L			
Thread diameter:		2.0 mm, 2.4 mm,	2.0 mm, 2.4 mm, 2.7 mm, 3.3 mm				
Weight:	8 Kg	7.9 Kg	7.4 Kg	6.4 Kg			
Workload:		1 tank x 30 min of rest	. Maximum daily: 8 hrs				
Inner:		1					
Master:		1		2			

Packaging: Box







Code		105337	a)		105308	
Motor Capacity:			1 HP			
Cut Diameter:			17"			
Handle Type :	Str	aight handle "D" type			Curved "D" type	
Tank Capacity:			500 mL			
Thread diameter:			2.0 mm, 2.4 mm, 2.7 mm, 3.3 m	m		
Weight:		6.5 Kg			5 Kg	
Workload:			1 tank x 30 min of rest. Maximum dail	y: 8 hrs		
Inner:			1			
Master:			1			

Packaging: Box

SPARE PARTS







25 c.c.

Code	Spare parts	Compatible Model	Inner	Master	
TC5338CR	Shaft trimmer reel	TC5338/TC5371	1	100	
TC5338CU	Shaft trimmer cover	TC5338/TC5371	1	100	
TC5338R Shaft Trimmer retainer		TC5338/TC5371	1	100	
TC5337CR	TC5337CR Shaft trimmer reel		1	100	
TC5337CU Shaft trimmer cover		TC5337/TC5368	1	100	
TC5337R Shaft Trimmer retainer		TC5337/TC5368	1	100	
Packaging: Box					

ADDITIVES



Code	Spare Parts	Inner	Master
TC5407	2-stroke engine oil 118 ml (4oz)	6	24
TC5406	Carburetor cleaner 470 ml	1	12
Packaging: Box			

POWER TOOLS | BRUSH CUTTERS



Code	Engine Capacity	Cutting diameter	Inner	Master
TC5339	33 c.c. / 1.2 HP	18"	1	1
	Spare P	arts		
TC5338CR	Shaft trimmer reel		1	100
TC5338CU	Shaft trimmer cover		1	100
TC5338R	Shaft Trimmer retainer		1	100
	Additives			
TC5407	2-stroke engine oil 118 ml (4oz)		6	24
TC5406	Carburetor cleaner 470 ml		1	12

and 1 liter of gasoline in 1 tank only

Packaging: Box

NYLON THREAD FOR BRUSHCUTTER

- Impact resistan
- Available in roll and blister packaging
 Can be used on electric brush cutter
- Can be used on electric brush cutter and gas-engine to cut grass plants and









Code	Color	Diameter Roll	Length	Inner	Master
TC3212	Green	2 mm	120 m	4	32
TC3213	Orange	2.4 mm	78 m	4	32
TC3214	Red	2.7 mm	63 m	4	32
TC3215	Yellow	3.3 mm	48 m	4	32
		Blister			
TC3216	Blue	1.65 mm	15 m	12	72
TC3217	Green	2 mm	15 m	12	72
TC3218	Orange	2.4 mm	12 m	12	72
TC3219	Red	2.7 mm	12 m	12	72
Packaging: Blister and Roll					

ELECTRIC TRIMMER Wolfox · 120 V ~ 60 Hz · Useful for cutting lawn grass and for garden maintenance JYNARRAY NOM NOM NOM 300 W 420 W 300 W Code TC3210 WF9892 TC3211 12" 10" Cutting diameter:

 Speed:
 10 000 rpm

 Thread diameter:
 1.20 mm - 1.65 mm

 Handle:
 "D" Type

 Workload:
 20 min of work x 15 min of rest. Maximum daily: 3 hrs.
 15 min of work x 10 min of rest. Maximum daily: 1.5 hrs.

 Telescopic tube:
 Adjustable by section
 No

 Inner:
 1

 Master:
 4
 6



POWER TOOLS | GENERATORS

GAS ENGINE GENERATORS



These are ideal to be used at home, in the country, to have electricity in areas of work in general, for the operation of electrical appliances.







Low oil leve sensor



Manual ignition system

2-stroke engine:









protection



the engine.



4-stroke engine: gasoline and oil are supplied in separate tanks. Add oil before starting









· Use unleaded gasoline
TC5407 2-Stroke Engine Oil 118 ml (4 oz)

Inner 6 / Master 24

	. 1	T		
Code	TC3419	TC3418	TC3136	TC3134
Rated Power	7 500 W	5 500 W	2 500 W	900 W
Maximum output: 120 Vac	3 500 W	3 000 W	2 500 W	900 W
Maximum output:. 240 Vac	7 500 W	5 500 W	NA	NA
Maximum power:	50 A	40 A	19 A	8 A
Frequency:		60	Hz	
Speed without load:		3 600) rpm	
Engine power:	15 HP	13 HP	6.5 HP	2 HP
Starting system:	Electric ignition (switch with key) and manual (retractable rope)	Manual (retractable rope)	Manual (retractable rope)	Manual (retractable rope)
Continuous work cap:	8 hrs.	9 hrs.	3 hrs.	2 hrs.
Overload protection		YE	S	
Weight:	103 Kg	82 Kg	41 Kg	18 Kg
Tank:	2	25 L	15 L	4.2 L
Workload		1 Tank x 30 min of rest		1 Tank x 30 min of rest
Frame:	Metal frame with 1	0" pneumatic wheels	Meta	ıl
Receptacles	The connection of 12 V CD serves to give charge to automotive batteries 3 contacts of 120 V ~ 1 contact of 240 V ~	The connection of 12 V CD serves to give charge to automotive batteries 2 contacts of 120 V ~ 1 contact of 240 V ~	The connection of 12 V CD serves to give charge to automotive batteries 2 contacts of 120 V ~	The connection of 12 V CD serves to give charge to automotive batteries 1 contacts of 120 V ~

Change the oil every 50 hours of work
 Use unleaded gasoline

TC5406 Carburetor cleaner 470 ml (8 oz) Inner 1 / Master 12

Recommendations

Additives

Inner: Master:

POWER TOOLS | PRESSURE WASHERS

2,900 PSI 7HP **GAS HIGH PRESSURE WASHER**

· Tank capacity: 3 L

Solid wheels for easy movement

8m high pressure hose 5 interchangeable nozzles

Weight: 30 kg

2.5 hours of continuous work x tank

Low oil level sensor

Includes front tank for shampoo application

Add oil before using it for the first time (SAE-10W30)

Workload:

1 Tank x 20 min of rest



4-stroke engine: gasoline and oil are supplied in separate tanks

Carburetor cleaner

Warranty is subject to prior CSA assessment.

Code

TC5204

TC5406




470 ml (8 oz) 1 12

ACCESSORIES FOR PRESSURE WASHERS

Code	Spare Parts	Inner	Master
TC2508F	High pressure washer filter	1	100
TC2508L	Lancet high pressure washer	1	100
TC2508M	High-pressure washer hose	1	50
TC2508P	High-pressure washer gun	1	100
TC3574F	High pressure washer filter	1	100
TC3574L	Lancet high pressure washer	1	100
TC3574M	High-pressure washer hose	1	100
TC3574P	High-pressure washer gun	1	100
WF0612F	High pressure washer filter	1	100
WF0612L	Lancet high pressure washer	1	100
WF0612P	Pistola hidrolavadora	1	100
WF0612M	High-pressure washer hose	1	100
TC5204F	High pressure washer filter	1	50
TC5204L	Lancet high pressure washer	1	50
TC5204M	High-pressure washer hose	1	50
TC5204P	High pressure washer	1	50

Packaging: Box



2 000 PSI 1740 PSI 1740 PSI

Code	TC2508	TC3574	WF0612	
Power:	1600 W / 2,2 HP	1,350 W / 2 HP 1,500 W / 2 HP		
Maximum flow:		7.5 L/min		
Engine:	Induction	Carbons		
Water supply system:	Faucet or still water	- Faucet or still water		
Workload	40 min of work x 20 of re	st. Maximum daily: 6 hr.	30 min of work x 20 of rest. Maximum daily: 3 hr	
Includes	Internal tank mixer of liquid soap/ Ajustable gun/ Thermal protector	Spare carbon brushes / Soap-mixing container	Soap-mixing container	
Inner:		1		


Master:


POWER TOOLS | CHAINSAWS



Toolcraft chainsaws are efficient, lightweight, and very easy to start and maneuver. Made for the most demanding jobs.







GAS ENGINE CHAINSAWS

- · 2-stroke gasoline engine
- Greater performance for precise and fast cuts



58 c.c. 45 c.c. 45 c.c. 45 c.c. 45 c.c. 45 c.c. Code TC3886 TC3417 TC3416 TC3885 WF0859 WF0860 2.3 HP Power 3.3 HP 2.4 HP 2.4 HP 2.4 HP 22" 20" 18" 16" 20" Bar size 18" Max. Speed 11 000 rpm 10 500 rpm Tank Capacity 550 ml

Workload 1 Tank x 30 min. of rest. Maximum Daily: 6 hrs. 1 Tank x 30 min. of rest

Wolfox

Inner

4 Master

TC5407 2-stroke engine oil 118 ml (4 oz) Inner 6 / Master 24 Additives

TC5406 Carburetor cleaner 470 ml (8 oz) Inner 1 / Master 12

Includes: Dosing canister for fuel mixture, guard, and installation kit

These products do not generate VAT

BARS

Chain: greater performance for precise and fast cuts. **OREGON** Compatible only with Toolcraft chainsaws

Accessories

ACCESSORIES FOR CHAINSAWS CHAINS



Code	Accesory	Barsize	Inner	Master
TC3890	Chain	22"	1	50
TC3445	Chain	20"	1	50
TC3444	Chain	18"	1	50
TC3889	Chain	16"	1	50

Packaging: Blister



Code	Accesory	Bar size	Inner	Master
WF1328	Chain	18"	1	50
WF1329 Chain 20" 1 50				50
Packaging: Blister				

	200					
	Code	Accesory	Bar size	Inner	Master	
	TC3888	Bar	22"	1	20	
	TC3443	Bar	20"	1	20	
	TC3442	Bar	18"	1	20	
TC3887 Bar 16" 1 20						
Į	Packaging: Blister					

RETRACTABLE SYSTEM



ı	Code	Accesory	Inner	Master
	TC5537	Fully retractable system	1	100
Packaging: Bag				

POWER TOOLS | CHAINSAWS | FUMIGATOR | BLOWER

45 CC CHAINSAW, GAS-**POWERED ENGINE, 18"**

- 2-stroke gasoline engine
- Quick brake handle
- Easy start system
- Chain passage: 0.325" (8.25 mm)
- Chain gauge: 0.058" (1.47 mm)
- Tank capacity: 550 ml





Workload: 15 min workload x 5 min of rest








Inner Master

ARRAN7



Bar size

NEW



Code	Engine Capacity
TC5602	24 HP

24 HP 18" Packaging: Box/ All packed in a single Box

26 CC CHAINSAW, GAS-POWERED **ENGINE**

- · For cutting shrubs and hedges
- Dual anti-vibration blade system Blades with double edge on both sides
- Gas tank capacity: 0.5 liters
- Manual start (retractable rope)
- Weight: 5.7 kg
- · Clutch included

Workload:

1 tank x 20 min rest Maximum daily: 6hrs











GAS-ENGINE SPRINKLER

Warranty is

subject to prior

CSA assessment.

2-stroke engine: Mix 20 ml of oil and 1 liter of gasoline in 1 tank only

25CC, 25L

Code	Engine capacity	Cut length	Speed	Inner	Master
TC5340	26 c.c. / 0.9 HP	26 c.c. / 0.9 HP 60cm		1	1
	Additives				
TC5407	2-stroke eng	2-stroke engine oil			24
TC5406	Carburetor of	470 ml	1	12	
Packaging: Box					

1,900 W, 18" ELECTRIC **CHAINSAW**

- Quick brake handle
- Easy start system
- Chain passage: 0.375 "(9.52 mm)
- Chain gauge: 0.050 "(1.27 mm)
- Speed: 7,000 rpm

Workload: 30 min workload x 5 min of rest



NEW





Chain: greater performance for precise and fast cuts.



WARRANT,

TINAR

1 YEAR


Warning!

20M₂ + 11 = 1

and 1 liter of gasoline in 1 tank only

Code	Engine Capacity	Bar size	Inner	Master			
TC5586	1,900 W	18"	1	2			
Accessories							
TC4590	Chain	18"	1	50			
TC4591	Bar	18"	1	20			
Packaging Pay (TC5596) blister (chara parts, TC4500 v TC4501)							

Packaging: Box (TC5586), blister (spare parts- TC4590 y TC4591)



- Manual start (retractable rone) Grips with plastic lining
- Hardness on gearwheels: 30-40 HRC
- Clutch included
- Gas tank capacity: 1.1 liters
- Weight: 15 kg
- Workload: 1 tank x
- 10 min of rest Maximum daily: 8 hrs







2-stroke engine: Mix 20 ml of oil and 1 liter of gasoline in 1 tank only

Code	Engine Capacity	Speed	Depth of tillage	Inner	Master
TC5341	43 c.c. / 1.7 HP	9,300 rpm	10cm	1	1
	Additives		Content		
TC5407	2-stroke engi	2-stroke engine oil		6	24
TC5406	Carburetor cleaner		470 ml	1	12
Packaging: Box					

196CC SPRAYING 1 YEAR **MACHINE GAS-ENGINE** Includes 2 strong wheels of 6" and 2 pneumatic tires of 10" 14 - 221 pm Manual ignition (retractable PVC hose, length: 50 m Steel lancet Gas tank capacity: 3.6 liters Weight: 46 kg Warranty is subject to prior CSA assessment Workload: 1 tank x 20 min of rest Maximum daily: 8 hrs



Content

470 ml

1

Additives

Carburetor cleaner

TC5406

Packaging: Box



IVIAAIIIIUII	rually. O Hrs			Burning	
Code	Engine capacity	Sprinkler tank capacity	Speed	Inner	Master
TC5343	25 c.c. / 1 HP	25 litros	7,500 rpm	1	1
	Additive	Content			
TC5407	2-stroke eng	ine oil	118 ml (4 oz)	6	24
TC5406	Carburetor c	470 ml	1	12	
Packag	ing: Box				


GASOLINE MOTOR BLOWER 43CC

- For cleaning parks, parking lots,
- terraces, gardens, etc
- Manual ignition (retractable rope) Variable speed
- Polyethylene tube and nozzle
- Includes load harness
- Weight: 8.2 kg
- Gas tank capacity: 1 liter
- Pipe / Nozzle
- Total length: 1.55 m - Diameter: 7cm



1 tank x 10 min of rest Maximum daily: 6 hrs





POWER TOOLS | CUTTERS | GRINDERS

14", METAL CIRCULAR SAW, 2,250 W

- · 120 V~ 60 Hz
- · Includes 14" disc
- Press on the base that holds the material for a good cut
- Easy access to disc
- "D" handle for better grip and greater safety Cutting capacity at 90°: 4 1/2 "

- Cutting capacity at 45°: 4 1/2 " Complete guard for greater security
- Includes installation key Spare carbon brushes included

Workload: 40 min of work x 20 min of rest Maximum daily: 3 hr









Retractable guard 3/4

JTNARRA,

D-handle for

better grip



Clamping press for precise cuts



Code	Diameter	Axis	Power	Speed	Inner	Master
TC4470	14"	1"	2,250 W	3,800 rpm	1	1
Packaging: Box						

NOM

4 1/2", TILE CIRCULAR SAW, 1,200 W

- · Hose and valve for wet cutting
- Cuts up to 45°
- Includes continuous rim diamond cutting blade
- Safety switch button





Code	Diameter	Axis	Power	Speed	Inner	Master
TC3441	4 1/2"	7/8"	1,200 W	11,000 rpm	1	6
Doolsonings Do						

Packaging: Box

BENCH GRINDER

- 120V~ 60Hz
- With two metal grinding wheels
- Protecting guard for safety
 With two 60 grit (medium) and 36 grit (coarse) metal grinding wheels



Wolfox NOM

		110111		11011	
	560 W	200 W	375 W	185 W	120 W
Code	TC4471	TC1963	TC1975	TC5261	WF9363
Wheel:	8"	6"		5	"
Power:	3/4 HP	1/3 HP	1/2 HP	1/4 HP	1/6 HP
Axis:	5/8"		1/	2"	
Speed:		3 550 rpm		3 450 rpm	3 550 rpm
Workload:	30 min of work x 15 min of rest Maximum daily: 6 hr	30 min of	work x 15 min of rest Maximum d	aily: 6 hr	15 min of work x 10 min of rest Maximum daily: 3 hr
Inner:			1		

Master:

Packaging: Box

POLISHER

- 120V~ 60Hz Variable speed trigger type switch
- Velcro backrest
- Includes wool bonnet and hexagonal wrench
- Soft touch handle
- Variable speed
- Spare carbon brushes included



- 120 V~ 60Hz
- Diameter of 10 "(254 mm) Double grip support
- Includes wool bonnet: Front: 100% wool Back: 100% cotton





Code	TC5469		WF9367
Power:	1 260 W		110 W
Diameter:	7"		10"
Speed:	1 000 - 3 600 rpm		3 000 rpm
Axis:		5/8"	
Workload:	30 min of work x 15 min of rest Maximum daily: 3 hrs		20 min of work x 15 min of rest Maximum daily: 1.5 hrs
Inner:		1	
Master:		4	

SPARE PARTS FOR POLISHERS

Code	Accesories	Inner	Master				
TC2729	7" Bonnet	5	20	Code	Accesories	Inner	Master
TC2730	7 " Velcro backrest	2	20	WF9657	10" Bonnet	5	100
Packaging: Box (TC	5469) / Bag (TC2729, TC2930)			Packaging: Box (TC	5469) / Bag (TC2729, TC2930)		

POWER TOOLS | GRINDERS

9" INDUSTRIAL ANGLE **GRINDER**

- · 120V~ 60 Hz
- · Soft touch handle
- Axis block for fast wheel change
- Safety trigger switch 3 positions of auxiliary handle Key included
- Includes spare carbon brushes

Workload: 50 min of work x 20 min of rest Maximum daily: 6 hrs



4 1/2" INDUSTRIAL ANGLE **GRINDER**

- · 120V~ 60 Hz
- Soft touch handle
- Axis block for fast wheel change
- Safety trigger switch
- 3 positions of auxiliary handle Key included

Includes spare carbon brushes

Workload: 50 min of work x 20 min of rest Maximum daily: 6 hrs



WARRANT

NOM



- · 120V~ 60 Hz
- · Soft touch handle
- Axis block for fast wheel change
- Safety trigger switch
- 3 positions of auxiliary handle Key included
- Includes spare carbon brushes

Workload: 30 min of work x 15 min of rest



2 300 W

Code	Diameter	Axis	Power	Speed	Inner	Maste		
TC4473	9"	5/8"	2,300 W	6,000 rpm	1	2		
Spare Parts								
TC4473C	Carbo	grinder	1	50				
Packaging: Box								

900 W

Packaging: Box

NOM

Power Speed Inner Master Diameter Axis 900W 11,000 rpm 1 5/8" TC4472 4 1/2" Spare Parts TC4472C Carbon brush angle grinder

1 900 W

Diameter Axis Power Speed Inner Master TC5478 5/8" 1,900 W 6,000 rpm 2 2 Packaging: Box

4 1/2" ANGLE GRINDER

NOM

- · 120V~ 60Hz
- Soft touch handle
- Axis block for fast wheel change
- · 2 positions of auxiliary handle













900 W	
-------	--

	1 200 **	300 W	300 W						
Code	TC5477	TC5476	TC5476K						
Diameter:		4 1/2"							
Axis:		5/8"							
Speed:		12 000 rpm							
Workload:		30 min of work x 15 min of rest. Maximum daily: 3 hrs							
Includes:	Disc/	Key / Spare Carbon brushes	5 extra discs: 3 discs thin metal cutting TC1903 2 metal roughing discs TC1908 / Key / Spare Carbon brushes						
Inner:		1	· ·						
Master:		6							
Packaging: Box									

4 1/2" ANGLE GRINDER

- · 120V~ 60Hz · Soft touch handle
- Axis block for fast wheel change
- · 2 positions of auxiliary handle











Wolfox

NOM

NOM 710 W

NOM 710 W



N	0	V
Т		

	7 10 44	7 10 11	300 W
Code	TC5525	WF0780	WF0779
Diameter:		4 1/2"	
Axis:		5/8"	
Speed:	11 000 rpm	12 00	0 rpm
Workload:	30 min of work x 15 min of rest. Maximum daily: 3 hrs	20 min of work x 15 min of	rest. Maximum daily: 3 hrs
Usage:	Semi Industrial	Househ	nold use
Included:	Disc/ Key / Spare Carbon brushes	Disc/ Key / Spa	re Carbon brushes
Inner:		. 1	
Master:	6	8	6

POWER TOOLS | JIGSAWS | SANDERS

INDUSTRIAL JIG SAW · 120V~ 60Hz

JIG SAW
















NOM

	750 W	900 W	570 W	450 W
Code	TC4478	TC5480	TC5479	WF0781
Speed:		800 - 3 000 rpm		3 000 rpm
Cutting capacity:	Wood 90 ° - 100 mm/ Metal 90 ° - 10 mm	Wood 90 ° - 100 mm/ Metal 90 ° 6 - 10 mm	Wood 90 ° - 65 mm/ Metal 90 ° 8 mm	Wood 90 ° - 55 mm/ Metal 90 ° 6.5 mm
Laser guide:	Ye	s	-	-
Workload:	50 min of work x 20 min of rest. Maximum daily: 6 hrs	30 min of work x 15 min of	rest. Maximum daily: 3 hrs	20 min of work x 15 min of rest. Maximum daily: 1.5 hrs
Stroke length:	-	11/16" (17.46 mm)	11/16" (17.46 mm)	-
Variable speed		Yes		-
Guiding bar:	Ye	es	-	-
Blade shark:		Type "T"		Type "U"
Blade change:	Yes, no tools needed		Yes	
Includes:	Blade / Spare carbon brushes	Key / Blade / Spare carbon brushes		Key / Blade
Inner:		1		2
Master:	4	6		10



POWER TOOLS | MULTITOOL | ROUTERS

3 1/4" ELECTRIC PLANER, 700 W

- · 120V~ 60Hz
- Mounted on a ball bearing
- Fine depth brushing adjustment
- Handle with soft grip
- · Parallel guide
- Includes bag and key
- · Spare carbon brushes ilncluded

Workload: 25 min of work x 15 min of rest Maximum daily: 3 hrs







Code	Power	Speed	Inner	Master
TC3440	700 W	16,000 rpm	1	6

JYNARRA,

Packaging: Box

MULTITOOL ACCESSORIES

(1) Cuttings in plaster wall, PVC, aluminum and copper.
Thickness: 0.8mm
(2) Cuttings in wood, plastic and non-ferrous metals. Thickness: 0.6
(3) Roughing of wood and non-ferrous metals. Grit: 30-40
(4) Sanding wood, plastic and non-ferrous metals. Grit: 2 pcs each 60/80/120/240
(5) Pad to place the sandpaper.

2 pcs each 60/01/20/240 (5) Pad to place the sandpaper. (6) To remove paint, adhesives and carpets. Thickness: 0.8mm (7) To remove cement, plaster and fillings Thickness: 1mm











Code	Product	Size	Inner	Master
TC5312	(1) Semicircular saw blade	3 1/2"	10	100
TC5313	(2) Blade for cutting	1 1/4"	6	120
TC5311	(3)Tungsten carbide rasp	78 mm x side	6	120
TC5316	(4) Sandpaper set 8 pcs	78 mm x side	6	120
TC5310	(5) Sanding pad	80 mm x side	6	120
TC5314	(6) Scrape blade	2"	6	120
TC5315	(7) Remove grout blade	3 1/2"	5	100
TC5317	Accessories set (1, 2, 4, 6)		4	40

Packaging: Blister

MULTITOOL WITH ACCESSORIES 300 W

- · 120V~ 60Hz
- Variable Speed
- Includes case and 5 accessories::
- Saw blade Blade type shovel
- Hexagonal key
- Paper and sandpaper for metal and wood
- $\cdot\;$ For sanding, cutting, polish, scrape, remove painting, jobs in wood. pipe cuts PVC and cuts in plaster panels.





Code	Power	Variable Speed	Inner	Master
TC4486	300 W	15,000 to 22,000 rpm	1	6
Packaging: Box				

MOTOTOOL 1/8", 150 W

- 120V~ 60Hz
- · 2 m power cord
- · Collet: 1/8 "(3.1 mm)
- Variable speed
- Clamping hook
- Includes case and 40 accessories $For grinding \, and \, roughing \, metal, polishing, \,$ cutting, sharpening, brushed, pyrographed,
- sanding and engraved Spare carbon brushes included Includes extension pencil-type

Workload: 30 min of work x 15 min of rest Maximum daily: 3 hrs



Code Power Variable Speed Inner Master TC5448 150 W 10,000 to 36,000 rpm Packaging: Plastic Box

HEAT GUN 1,700 W

- 120V~ 60Hz
- Two-step switch
- Air flow: 1st speed: 240 L/min
- 2nd speed: 390 L/min
- Includes case and accessories (5 pieces) To thaw pipes, union of tarpaulins, remove paint, etc.



Code	Power	Temperature	Inner	Master
TC4049	1,700 W	45°C a 540°C	1	5
Packaging: Case				

ROUTER





	1 500 W	<u></u>	1 200 W	
Code	TC2753		TC3430	
Diameter:	1/2"		1/4"	
Speed:	6 000 to 26 000 rpm		4 000 to 30 000 rpm	
Voltage / Frequency:		120 V ~ 60Hz		
Collet diameter:	1/2" (12.7 mm)		1/2" (12.7 mm)	
Grip:		Soft Grip		
Depth adjustment:		Yes		
Security switch button:	-		Yes	
Workload:	30 min of work x	15 min of rest. Maxin	mum daily: 3 hrs	
Includes:	Collet 1/4" (6.35 mm) / Spare carbon brushes		Spare carbon brushes	
Inner:		1		
Master:	2		4	
Packaging: Box				



INDUSTRIAL HAMMER DRILL 1/2"

- · 120V~ 60Hz
- Variable speed Reversible function
- · Two functions: drill-hammer drill
- · Depth guide
- · Lock-on button for continuous operation







NOM







	1 030 44	030 W	1 000 W
Code	TC4476	TC4475	TC5475
Drill bit:		1/2"	
Speed:	0 - 3 000 rpm	00 rpm	
Reversible function:	\$	Si	
Workload:	50 min of work x 20 min of rest. Maximum daily: 6 hrs		30 min of work x 15 min of rest. Maximum daily: 3 hrs
Handle:		-	Soft Touch
Includes:		Drill chuck key / Lateral handle / Spare carbon brushes	
Spare parts:	TC4476C Hammer drill carbons, Inner 1/Master 50	TC4475C Hammer drill carbons, Inner 1/Master 50	
Inner:		1	

Packaging: Box

Master:

HAMMER DRILL

- · 120V~ 60Hz
- Variable speed Reversible function
- Two functions:
- drill-hammer drill
- Depth guide Lock-on button for continuous operation





6





	/ 10 W	600 W	990 W
Code	TC5474	TC5473	TC5472
Drill bit:		1/2"	3/8"
Speed:	0 - 2 600 rpm	0 - 3	000 rpm
Reversible function:		Yes	
Soft touch handle	Yes		-
Workload:		30 min of work x 15 min of rest. Maximum daily: 3 hrs	
Includes:	Drill Chuck Key / Lateral Handle / Spare carbon brushes		
Inner:		1	
Master:	6		10

Packaging: Box

POWER TOOLS | HAMMER DRILLS

HAMMER DRILL 3/8"

- · 120V~ 60Hz
- · Variable speed
- Reversible function
- Lock-on button for continuous operation
- · Includes chuck and lateral handle





<u>NUM</u>

WARRANT.

450 W					HUIM
Code	Drill Bit	Speed	Power	Inner	Maste
TC5484	3/8"	0 - 2,800 rpm	450 W	1	10
Packaging: Box					

HAMMER DRILL

- · 120V~ 60Hz
- Variable speed
- Reversible function
- Two functions:
- Depth guide
- Lock-on button for continuous operation





Wolfox

Code	WF0778	WF0777	
Drill Bit:	1/2"	3/8"	
Speed:	0 - 3 00	00 rpm	
Workload:	20 min of work x 15 min of re	est. Maximum daily: 1.5 hrs	
Includes:	Drill Chuck Key	Drill Chuck Key / Lateral Handle	
Inner:	1		
Master:	10)	
Packaging: Box			

CORDLESS HAMMER DRILL

- · Variable speed
- Reversible function
- With LED light to work on dark areas
- Do not charge battery for more than 5 hours

Battery: Ni-Cd 1.2 Ah Power: 40 W









0000	101111	180	
Function:	Drill - Hammer Drill		-
Drill bit:	1/2"	3/	8"
Speed:	0 - 1 250 rpm	0 - 550 rpm	0 - 650 rpm
Torque:	22 Nm	12 Nm	22 Nm
Torque positions:	21	16	8
Marklaadı	OF min of work v 15 min of a	root Mayingung dailur 2 has	00 min of work v 10 min of root. Mavimum daily 1 E has

Workload 25 min of work x 15 min of rest. Maximum daily: 3 hrs

120 V~ 60 Hz Charger / Lateral Handle TC4477B / Battery hammer drill INNER 1/ MASTER 25 Spare parts: TC4477C / Charger hammer drill INNER 1/ MASTER 25 Inner:

120 V~ 60 Hz Charger TC3423B / Battery hammer drill INNER 1/ MASTER 20 TC3423C / Charger hammer drill INNER 1/ MASTER 16

20 min of work x 10 min of rest. Maximum daily: 1.5 hrs 120 V_{\sim} 60 Hz Charger/ 6 Bits / 6 Drill bits / 1 Adapted WF9366B / Battery hammer drill INNER 1/ MASTER 20 WF9366C / Charger hammer drill INNER 1/ MASTER 20

Master: Packaging: Box


Includes:

Drill bit

CORDLESS SCREWDRIVER ARRANTA Variable speed Reversible function LED light for working in dark NOM









	4.8 V		4.8 V	4
Code	TC3424			WF9651
l bit:		1/4	l"	

0 - 180 rpm Speed: Torque: 2.5 Nm Torque positions: 16

Drill bit adjustment: Manual Workload:

20 min of work x 10 min of rest. Maximum daily: 1.5 hrs 120 V~ 60 Hz Charger / 22 Bits (25 mm) / 4 Extension bits / Includes: 120 V~ 60 Hz Charger / 11 Bits / 1 Extension bit Two work positions / Articulated movement

Inner: 2 Master:

Packaging: Blíster

Drill Bit

- \cdot Tempered body and tip for major
- Chuck and key set
- Compatible with most commercial 3/8" and 1/2" drills and drill hammers



Code	Size	Inner	Master		
	Chuck and key set				
TC5538	3/8"	6	48		
TC5539	1/2"	6	36		
Key					
TC5540	3/8"	12	72		
TC5541	1/2"	12	72		

Packaging: Blister

POWER TOOLS | ELECTRIC HOISTS | COMPRESSORS | PAINT SPRAY GUNS

ELECTRIC HOIST

- · Voltage 120 V~ / 60 Hz
- Includes pulley system and supports to suspend the hoist











NOM

	1 000 Kg	800 Kg	600 Kg	400 Kg	200 Kg
Code	TC3502	TC3501	TC3415	TC3414	TC5399
Load Capacity:	500 Kg / 1 000 Kg	400 Kg / 800 Kg	300 Kg / 600 Kg	200 Kg / 400 Kg	200 Kg / 100 Kg
Power:	1,700 W	1,350 W	1,050 W	745 W	460 W
Maximum lifting height:	12 m for loading of 500 kg 6 m for loading of 1,000 kg	12 m for loading of 400 kg 6 m for loading of 800 kg	12 m for loading of 300 kg 6 m for loading of 600 kg	12 m for loading of 200 kg 6 m for loading of 400 kg	12 m for loading of 100 kg 6 m for loading of 200 kg
Steel cable (thickness)	5.6 mm	5.0 mm	4.2 mm	3.6 mm	3 mm
Suggested cable for replacement	ТС	0989	TC0988		TC0986
Workload:		1 min of work x 9 min of rest. Maximum daily: 3 hrs			2 min of work x 8 min of rest. Maximum daily: 3 hrs
Inner:			1		
Master:	1		2		

12 V CD AIR COMPRESSOR

· Adapter for car 12 volts

Packaging: Box

· Manometer calibrator







Wolfox

Code	WF1010	WF1011
Maximum pressure:	300	PSI
Emergency lamp	Yes	-
Cable:	2.5 m	2.7 m
Hose:	40 cm	-
Nozzle:	Adjustable 1.8 - 2.6 mm	-
Dispersion range:	25 cm	47 cm
Workload	20 min of work x 10 min of	rest. Maximum daily: 1 hrs
Includes:	3 adapters to inflate	-
Inner:	2	5
Master:	8	20
Packaging: Box		

ELECTRIC PAINT SPRAYER

120V ~ 60 Hz 800 ml polypropylene cup

Ergonomic handle





Wolfox

Code	TC5471	WF0598
Power	800 W	110 W
Max flow:	300 ml/min	350 ml/min
Adjustable Nozzle	Fan (Vertical /Horizontal/circular)	Fan
Paint Flow:	Adjustable	-
Nozzle:	Adjustable 1.8 - 2.6 mm	-
Dispersion range:	25 cm	
Workload	30 min of work x 15 min of rest. Maximum daily: 1 hrs	-
Includes	1.8 m hose	-
Inner:	1	
Master:	4	5
Dookogings Poy		

Packaging: Box

POWER TOOLS | SAWS

NOM

12", COMPOUND MITER SAW TELESCOPIC ARM

- · 120 V~ 60 Hz
- · Telescopic arm for up to 12" cut at 90°
- Extensions for better support of material
- · Beveling at 45° (left and right)
- Base at 45° left and right
- · 90° cutting capacity: 3 1/4" x 11 5/8"
- · 45° cutting capacity: 1 3/4" x 11 5/8"
- · Safety switch button
- Dust collection bag included











Retractable guard 3/4

better grip





· 120V~ 60Hz

Telescopic arm for up to 10" cut at 90°

Extensions for better support of material

Beveling at 45° (left and right) Base at 45° left and right

90° cutting capacity: 3 1/4" x 11 5/8"

45° cutting capacity: 1 3/4" x 11 5/8" Safety switch button

Dust collection bag included

Laser guide system







2 000 W	2 000 W

	2 000 W	2 000 W
Code	TC4487	TC4636
Diameter	12"	10"
Speed	4 500 rpm	4 500 rpm
Axis	1"	5/8"
Workload	40 min of work x 20	min of rest. Maximum daily: 6 hrs
Includes	\cdot Collection bag / 40 DP tungsten carbide blade for wood / Spare carbon brushes	· Collection bag / 60 DP tungsten carbide blade for wood / Spare carbon brushes
Inner:		1
Master:		1
Packaging: Box		

INDUSTRIAL CIRCULAR SAW

- 120 V~ 60Hz
- 90° to 45° base tilt Angle cutting guide
- Lock-on button for continuous operation Metal guard

- Laser guide system Beveling at 45°
- 45° cutting capacity: 1 3/4 90° cutting capacity: 2 1 Cooper Motor



CIRCULAR SAW

- 120 V~ 60Hz 90° to 45° base tilt
- Angle cutting guide
- Lock-on button for continuous operation
- Metal guard Laser guide system
- Beveling at 45°
- 45° cutting capacity: 1 3/4
- 90° cutting capacity: 2 1 Cooper Motor

















1 200 W

	1 000 11		. 200 11
Code	TC4479		TC1957
Diameter		7 1/4"	
Speed	5 000 rpm		5 000 rpm
Axis		5/8"	
Workload	50 min of work x 20 min of rest. Maximum daily: 6 hrs		30 min of work x 15 min of rest. Maximum daily: 3 hrs
Includes		Spare carbon brushes	
Inner:		1	
Master:	2		4
Packaging: Box			

900 W TIGER SAW

- · 120 V~ 60 Hz
- · Hermetic seal to prevent dust
- Fast blade change system 1/4 turn
 3 blades included: for wood, metal and plastic (10 - 14 dpd)
- Cutting capacity wood: 6" (150 mm)
- · Cutting capacity
- metal: 4" (102 mm)
- Spare carbon brushes included





Code	TC4485					
Power	900 W	900 W				
Speed	2 500 rpm					
Workload	50 min of work x 15 min of rest. Maximum daily: 6 hrs					
Inner:	1					
Master:	4					
	Spare blades: 2 piece set	Inner	Master			
TC4549	6" x 19mm	5	100			
TC4550	9" x 19mm	5	100			
TC4551	12" x 19mm	5	100			
Packaging: Box						



EDGE BANDER

- 110 V / 220 V 60Hz
- Steel table top size: System for absorption of dust
- Steel Cabinet
- Cutting depth control system
- Support guide with an inclination of 45°-135° Power cable 18 AWG x 1.8 m





BANK PLANER 13", 2 3/4 **HP**

- · 110 V ~ / 60Hz
- Cutting capacity: 13" (330 mm)
 Cutting thickness: 6 1/4 "

- Feed speed: 6 m / min
 Spindle speed: 8,000 rpm
 Work table: 13"x11 3/8 '' (330x290 mm)
- Power cable: 16 AWG x 2 m

Workload: 2 hr of work x 30 min of rest Maximum daily: 6 hr









Code	Cutting capacity	Cuts per minute	Power	Inner	Master
TC5419	13" (330 mm)	16,000 cpm	2,000 W / 2 3/4 HP	1	1

POWER TOOLS | STATIONARY MACHINES

TABLETOP SAW

· 110 V~ / 60Hz









14", 1 1/2 HP

12", 1 HP

10", 1/2 HP

	,	·= , · · · ·	,
Code	TC5427	TC3448	TC5426
Power:	1 100 W	750 W	375 W
Speed:	400 - 480 m/min	370 - 800 m/min	730 m/min
Size:	355 mm	304 mm	245 mm
Table Size:	548 mm x 400 mm	480 mm x 400 mm	340 mm x 340 mm
Maximum cutting thickness:	230 mm	160 mm	100 mm
Table with inclination:	0° t	o 45°, 2 Speedes	0° to 45°, 1 Speed
Workload:		120 min of work x 30 min of rest. Maximum daily: 6 hrs	
Includes:	Tabletop saw: 2.56 m x 1/2" x 0.5 mm	Tabletop saw: 2.24 m x 3/8" x 0.5 mm	Tabletop saw: 1.712 m x 3/8" x 0.3 mm
Total measures, without bench:	Height: 1.26 m / Width: 56 cm / Lenght: 42 cm	Height: 1.12 m / Width: 49 cm / Lenght: 36 cm	Height: 88 m / Width: 42 cm / Lenght: 33 cm
Weight:	88 kg	75 kg	32 kg
Accessories:	-	TC3438 saw SC 2.24 m x 10 mm x 0.5mm x 6dpp Inner 1/Master 15	-
Inner:		1	
Master:		1	

Packaging: Box

BAND SAW METALS 3/4 HP

- · 110 V~ / 60Hz
- Circular cutting capacity: 5 1/2 "(114 mm)
 Cutting capacity: 45 ° to 90 °
 2 speeds: 21 m / min and 44 m / min

- Saw band size: 64 1/2 "x 1/2" x 0.76
 Power cable: 18 AWG x 1.8 m

Workload: 12 hr of work x 20 min of rest Maximum daily:6 hr







Code	Power	Speed	Inner	Master
TC5428	550 W / 3/4 HP	1,780 rpm	1	1

Packaging: Box

90W JIG SAW WITH BENCH

- $\cdot~$ 120 V $_{\sim}$ / 60Hz
- Body made of cast iron Includes sawdust blower
- Work table: 16 5/16 "x 10" (415 x 250 mm)

- Blade length: 5 "
 Maximum cutting capacity: 2 "
 Power cable: 18AWG x 2 m
- · Weight: 10 kg

Workload: 30 min of work x 15 min of rest Maximum daily:6 hr





Code	Depth	Power	Speed	Inner	Master
TC5470	16"	90 W	400 - 1600 rpm	1	1

Packaging: Box

POWER TOOLS | STATIONARY MACHINES

TABLE SAW

- · 110 V / 220 V 60Hz · Scale for miter cutting



- · 120 V / 60Hz
- · Scale for miter cutting





10", 2 1/4 HP

	10, 2.7 111	10, 2 1/4111
Code	TC3447	TC5449
Type:	Floor	Portable
Power:	2 000 W / 2.7 HP	1 600 W / 2 1/4 HP
Speed:	3 400 rpm	4 800 rpm
Cutting capacity:	90°: 80 mm / 45°: 52 mm	90°: 76 mm / 45°: 63 mm
Work table:	With extensions: 27" x 40" (.686 m x 1.01 m) / Without extensions: 27" x 20"(0.68 x 0.508 m)	26" x 20" (0.66 x .50 m)
Workload:	120 min of work x 30 min of rest. Maximum daily: 6 hrs	30 min of work x 10 min of rest. Maximum daily: 6 hrs
Axis:	5/8"	
Includes:	40 DP tungsten carbi	de disc (for Wood)
Inner:	1	
Master:	1	
Packaging: Box		

7", 3/4 HP TABLE TILE CUTTER

- 120 V~ 60 Hz
 Includes continuous rim diamond cutting blade
- Cutting capacity at 45° of 21 mm
- Cutting capacity at 90° of 34 mm Consumption: 4.8 A
- Ideal for thin cuts
- Graduated table
- · With water container



Code	Diameter	Axis	Power	Speed	Inner	Master
TC4469	7"	5/8"	3/4 HP (600W)	3,500 rpm	1	1
Packaging: Box						

BELT SANDER 4" AND DISC 6", 1/2 HP

- · 110 V ~ / 60Hz
- Band measurement: 4 "x 36" (102 x 914 mm)
- Band speed: 5.6 m / min
- Disc size: 6 "(152 mm)Disc speed: 1,900 rpm
- Includes fixing guide on work table Working table inclination: 45 °
- Tilting band table: 90 °
 Power cable: 18 AWG x 1.8m

Workload: 50 min of work x 20 min of rest Maximum daily:6 hr







Code	Power	Speed	Inner	Master
TC5274	375 W / 1/2 HP	1,900 rpm	1	1

Packaging: Box

NOM

POWER TOOLS | STATIONARY MACHINES





Voltage: 127~ Frequency: 60 Hz Variable Speed











8", 1/3 HP

8", 1/3 HP

Code	TC5429	TC3449	TC3181	TC3139	WF0864
Power:	750 W	560 W	560 W	300 W	300 W
Drill Bit:	5/8"	5/8"	5/8"	1/2"	1/2"
Power consumption:	7.6 A	7.6 A 6.6 A 2.5 A		2.5 A	2.35 A
Speed:	12 220 - 3 600 rpm	16 220 - 3 600 rpm	12 300 - 2 900 rpm	5 760 -	3 070 rpm
Working table:	11" x 11" (290 mm x 290 mm)	10" x 10" (254 mm x 254 mm)	10" x 10" (254 mm x 254 mm)	6 1/4" x 6 1/4" (160 mm x 160 mm)	6 1/4" x 6 1/4" (160 mm x 160 mm)
Total height:	163 cm	158 cm	99 cm	58 cm	58 cm
Workload:	60 min of work x 20 min of rest. Maximum daily: 6 hrs	50 min of work x 20 min of rest. Maximum daily: 6 hrs		ily: 6 hrs	30 min of work x 20 min of rest. Maximum daily: 6 hrs
Maximum depth:	80 mm	Maximum daily: 6 hrs	70 mm	50 mm	50 mm

13", 3/4 HP

Inner: 1

Master:

Packaging: Box

POWER TOOLS | WELDERS

WELDING MACHINE

WELDING MACHINE

DOUBLE POWER SUPPLY VOLTAGE

- · Knob to adjust the current, allows quick changes
- Primary connection board for voltage change



Transformer type Electric Arc Welders are very easy to start and maneuver. These can be used for a wide-variety of works since input parameters and voltage can be adjusted to output parameters for a specific purpose.



TC4	481	TC3307		TC2747		TC3508
3/8	8"		Ye	es		-
110 V / 68 A / 60 Hz	^{220 V} 220 V/60 A/60 Hz	110 V / 68 A / 60 Hz	^{220 V} 220 V/54 A/60 Hz	110 V 110 V / 68 A / 60 Hz	220 V 220 V/43 A/60 Hz	110 V 110 V / 68 A / 60 Hz
78 VAC Step 1 58 VAC Step 2	^{220 V} 78 VAC Step 1 58 VAC Step 2	110 V / 220 V 65 VAC				110 V 48 VAC
110 V 50 A 150 A CA Step 1 55 A 150 A CA Step 2	220 V 80 A 210 A CA Paso 1 55 A 250 A CA Paso 2	110 V 90 a 130 A CA	^{220 V} 90 a 250 A CA	^{110 V} 55 a 130 A CA	^{220 V} 55 a 175 A CA	110 V 55 a 160 A CA
110 V 8.3 KVA	^{220 V} 13.2 KVA	110 V 7.5 KVA	^{220 V} 11.9 KVA	110 V 7.5 KVA	^{220 V} 9.5 KVA	110 V 8 KVA
				Single	Phase	
6010: 1/	8" (3.2 mm) / 6011:	1/8" (3.2 mm), 3/32	2" (2.4 mm) / 6013:	1/8" (3.2 mm), 5/32	2" (4 mm)	6013: 3/32" (2.4 mm), 1/8" (3.2 mm)
Industrial	light duty			Light	duty	
-						Ground clamp / Electrode clamp / Ground cable 1.5 m #8 AWG / Electrode cable 2 m #8 AWG / Face shield / Brush
TC3525 Spare cables 250 A / Inner 1 / Master 6				6		
			1			
	3/ 20 % 2 min 8 min. 110 V/68 A/60 Hz 110 V 78 VAC Step 1 58 VAC Step 2 110 V 50 A 150 A CA Step 1 55 A 150 A CA Step 2 110 V 8.3 KVA	110 V / 68 A / 60 Hz	3/8" 20 % 2 min. of work x 8 min. of rest 110 V / 68 A / 60 Hz 110 V / 68 A / 60 Hz 220 V / 60 A / 60 Hz 110 V / 68 A / 60 Hz 78 VAC Step 1	3/8" 20 % 2 min. of work x 8 min. of rest 110 V 68 A / 60 Hz	20 % 2 min. of work x 8 min. of rest 20 % 2 min. of work x 8 min. of rest 10 % 1 min 9 min. 110 V 68 A / 60 Hz 110 V 68 A / 60 Hz 220 V / 50 A / 60 Hz 110 V 78 VAC Step 1 58 VAC Step 2 58 VAC Step 2 50 A CA Step 2 55 A 250 A CA Paso 2 60 10: 1/8" (3.2 mm) / 6011: 1/8" (3.2 mm), 3/32" (2.4 mm) / 6013: 1/8" (3.2 mm), 5/32 Industrial light duty - 10 % 1 min 9 min. 110 V 220 V 110 V 220 V 110 V 220 V 110 V 50 A 200 A 2	3/8" 20 % 2 min. of work x 8 min. of rest 20 % 2 min. of work x 9 min. of rest 10 % 1 min. of work x 9 min. of rest 110V/68A/60Hz 220V/60A/60Hz 110V/68A/60Hz 220V/50A/60Hz 110V/68A/60Hz 220V/54A/60Hz 110V/68A/60Hz 110V/68A/60Hz 220V/43A/60Hz 110V/68A/60Hz 220V/43A/60Hz 110V/220V 50 A 150 A CA Step 1 58 VAC Step 2 50 VAC 50 A 150 A CA Step 1 55 A 250 A CA Paso 1 55 A 250 A CA Paso 2 55 A 130 A CA 110V 8.3 KVA 13.2 KVA 7.5 KVA 11.9 KVA 7.5 KVA 11.9 KVA 7.5 KVA Single Phase 6010: 1/8" (3.2 mm) / 6011: 1/8" (3.2 mm), 3/32" (2.4 mm) / 6013: 1/8" (3.2 mm), 5/32" (4 mm) Industrial light duty TC3525 Spare cables 250 A / Inner 1 / Master 6

Packaging: Box

Master:

POWER TOOLS | WELDERS

INVERTER WELDER,

- Frequency 60 Hz
- · Fine adjustment electronic current control
- Automatic arc control
- Quick entry terminals
- · With thermal overload protector
- Ventilation cooling system

It can also use electrodes E5015, E5016, E4304 y E5003



Code	103223		1052	22	104	402
Voltage:		Automatic selection bi-voltage (120 / 260V~)		110 V		
Coated electrode processes:		SMAW up to 5/32" and TIG		SMAW up to 5/32" and TIG		
Terminals:			Yes, quic	k entry		
Workload:	50% 5 min. of 5 min. of		60% 6 min 4 min. o		20% 2 mi 8 min.	
Power supply:	120 / 260	V ~	120 / 26	0 V ~	120	V ~
Input current:	42 A (260	V~)	32 A (26	0 V~)	14	A
Current range:	30 - 200	A	20 - 16	0 A	20 -	30A
Power:	110 V 8.3 KVA	^{220 V} 13.2 KVA	110 V 7.5 KVA	^{220 V} 11.9 KVA	110 V 7.5 KVA	^{220 V} 9.5 KVA
Input rated capacity:	7 KW		5 K	V	2.8 KW Circuit	voltage75 Vcc –
Works with electrodes:	^{120 V} 6011 / 6013 / ^{260 V} 6011 / 6013 / 7018:		120 V 6011 / 6013 / 7 260 V 6011 / 6013 / 7018		6011 / 60	13: 3/32"
Work			Industrial li	aht duty		

Work: Industrial light duty

Ground clamp / Electrode clamp / Ground cable 5 m #6 AWG / Electrode cable 2 m #6 AWG / Face shield / Brush Ground clamp / Electrode clamp / Ground cable 1.5 m #7 AWG / Electrode cable 2 m #7 AWG/Face shield / Brush Ground clamp / Electrode clamp / Ground cable 5 m #6 AWG / Electrode cable 2 m #6 AWG / Face shield / Brush Includes:

Inner:

Master:

Packaging: Box

WELDER MICRO-WIRE,, 130 A CD

- Knob for tap time control
- Integrated wire feeder
 With thermal overload protector Ventilation cooling system

- 4 voltage levels
 For MIG (GMAW) w / gas and MIG (FCAW) welding s / gas diameters from 0.6 to 0.9mm
- Reel capacity of 4 "diameter
- · Industrial light duty

Includes cables, ground clamp, torch, face shield and brush to remove slag



Workload: 5 min of work x 8 min of rest

20% Work cycle				
Power supply	120 V			
Frequency	60 Hz			
Current input	28 A			
Current range	32 Vcc			
Nominal Entry Capacity	5.7 KVA			
Ground cable	1.5 m #5 AWG			
Electrode Cable	2 m #5 AWG			

Amperage TC4483 Packaging: Box

130 A

Inner Master

POWER TOOLS | LATHE | CEMENT MIXER | WINCHS

WOOD COPYING LATHE 3/4 HP

- · 110 V ~ / 60Hz
- Tipping measure: 13 3/4 "(350 mm)
 Distance between centers: 1 m
- 3 rollers
- · Length of bed: 1 m
- Power cable: 16 AWG x 1.8 m

Workload: 120 min of work x 20 min of rest Maximum daily: 6 hr







Code	Power	Roller speed	Inner	Master
TC5418	550 W / 3/4 HP	3,050 rpm	1	1
Packaging: Box				

CEMENT MIXER, ELECTRIC

- · 120 V~ 60 Hz
- · Made of steel
- · Thickness
- lower part: 1.8 mm / upper part 1.5 mm
- · 2 solid wheels and 1 handlebar
- · Spare band included
- · Includes Power cable 18 AWG x 1.8 m
- · Plastic motor cover

Workload:

- 15 min of work x
- 10 min of rest Maximum daily: 4 hrs

SIU	TAGE
TC5065	1/2 SAC
TC5416	3/4 SAC



Code	Opening diameter	Drum capacity	Power	Speed	Inner	Master
TC5065	14 3/8"	120 L / 4.3 ft3 (1/2 BAG)	550W	40 rotations x min	1	1
TC5416	16 1/3"	180 L / 6.4 ft ³ (3/4 BAG)	650W	32 rotations x min	1	1
		Repuesto				
TC5065B		Band for cement mixer motor			1	50

Packaging: Box (TC5065, TC5416), Bulk (TC5065B)

CEMENT MIXER GAS-ENGINE 2.5 HP 1/2 BAG CAPACITY

- Engine capacity: 2.5 HP (97 cc)
- Made of steel
- Thickness: 1.8 mm
- With 2 pneumatic wheels of 10" and

Delivered in 2 boxes

- 1 handlebar Spare band included
- Capacity of the fuel tank 1.4 L (3 hours of use)
- Metal motor cover
- Total weight: 73 Kg

Workload: 1 tank x 60 min of rest



Code	Opening diameter	Drum capacity	Power	Speed	Inner	Master
TC5495	5 1/2"	160 L / 5.7 ft3 (1/2 SACO)	2.5 HP	30 rotations x min	1	1
–						

Packaging: Box

ELECTRICAL WINCH

- Aluminum body
- Automatic break
- Remote control included
- Ideal to install in jeeps, trucks, ATVs and towing equipment







	moduce remote control with a control		includes remote control with a 1.5m reach
	12 000 LB / 5,448 Kg	8 000 LB / 3,632 Kg	2 000 LB / 906 Kg
Code	TC4395	TC4394	TC5260
Power:		12 VCD	
Engine power:	5.5 HP (4,101 W)	3.6 HP (2,684 W)	3/4 HP (560 W)
Cable diameter:	3/8"	5/16"	5/32"
Cable length:	29	m	6.25 Kg
Weight:	40 Kg	38 Kg	99 cm
Workload:		1 min of work x 5 min of rest. Maximum daily: 6 hrs	
Inner:		1	
Master:	1		2

PNEUMATIC TOOL | NAILERS | IMPACT WRENCHES

NAIL GUN NAIL IN ROLL

- Aluminum case
- Grip for better handle
- Air inlet connection: 1/4" NPT
- Use nails with a diameter of 2.5mm
- Deposit capacity: 225-300 nails
- Nail range (length): 1 3/4 " to 2 3/4 "
- Compatible with rolls of 225-300 nails
- Includes oil can and allen key.
- Weight: 3.9 kg

Work cycle: continuous (lubricate constantly)



	-			
Code	Nominal consumption	Work Pressure	Inner	Master
TC5357	3.2 CFM @ 90 psi	75-100 psi	1	4

Code	

Code	Nominal consumption
TC5357	3.2 CFM @ 90 ps
Type of	packaging: Case

NAILS IN ROLL FOR NAIL GUN

- Made of high carbon steel Q235
- Body with special rolling
- Great resistance to extraction
- 300 nails per roll
- Diameter of nail: 2.5 mm

Compatible with our TC5357 pneumatic nailer





Box 30 rolls *Price per box

ARRANT.

Code	Size	Gauge	Head Diameter	Inner	Master
TC5326	1 3/4"	12	6mm	1	1
TC5327	2"	12	6mm	1	1
TC5328	2 1/2"	12	6mm	1	1

Type of packaging: Box

1/2" PROFESSIONAL IMPACT **WRENCH**

- Polished aluminum case
- Twin Hammer mechanism
- Air inlet connection: 1/4" NPT
- Frame 1/2"
- Variable speed (7,000 rpm)
- · Weight: 2.5 kg

continuous (lubricate constantly)





Code	Nominal consumption	Torque Range	Inner	Master
TC5349	3.9 CFM @ 90 psi	50-450 lb/ft	1	8

Type of packaging: Box

NAIL GUN

- Aluminum case
- Grip for better handle
- Air inlet connection: 1/4" NPT Uses 18 gauge nails (1.24mm)
- Deposit capacity: 100 nails
- Nail range (length): 5/8 " to 2" Adjustable deflector to address
- air vent
- Includes oil can and allen key.
- Weight: 1.4 kg

Work cycle: continuous (lubricate constantly)



Code	Nominal consumption	Work Pressure	Inner	Master
TC5356	2.1 CFM @ 90 psi	75-100 psi	1	10
_				

Type of packaging: Case

NAILS FOR PNEUMATIC NAILER

- Made of steel with galvanized finish
- Nail with head
- 18 Gauge
- Compatible with the TC5356
- pneumatic nailer
- Thickness 1.24 mm





Box 5,000 nails Price per box

MARRANTA

Code	Size	Weight x box (5,000 pcs)	Inner	Master
TC5387	5/8"	0.61 kg	1	20
TC5388	3/4"	0.82 kg	1	20
TC5389	1"	1.04 kg	1	20
TC5390	1 1/4"	1.5 kg	1	20
TC5391	1 5/8"	1.7 kg	1	10
TC5392	2"	2.01 kg	1	10

Type of packaging: Box

1/2" IMPACT WRENCH

- Polished aluminum case
- Rocking dog mechanism Air inlet connection: 1/4" NPT
- Frame 1/2"
- Variable speed (7,000 rpm)
- Weight: 2.1 kg

Workload: continuous (lubricate constantly)





Code	Nominal consumption	Torque Range	Inner	Maste	
TC5348	3.6 CFM @ 90 psi	30-260 lb/ft	1	8	
Type of packaging: Box					

AIR STAPLER

- Aluminum case
- Grip for better handle
- Air inlet connection: 1/4" NPT
- Uses 18-gauge staples (1.24 mm)
- Deposit capacity: 100 staples
- Staple range (length): 1/2 " to 1 1/2 ", crown of: 1/4
- Adjustable deflector to address
- Includes oil can and allen key
- Weight: 1.3 kg

Work cycle: continuous (lubricate constantly)



Code	Nominal consumption	Work Pressure Inn		Master		
TC5355	2.1 CFM @ 90 psi	60-100 psi	1	10		
Type of packaging: Case						

STAPLES FOR PNEUMATIC **STAPLER**

- Made of steel with galvanized finish
- · 1/4" crown
- 18 Gauge
- 80 staples per strip
- Compatible with the TC5355 pneumatic stapler
- Thickness 1.24 mm



Box 5,000 staples *Price per box

Code	Length	Inner	Master
TC5393	5/8"	1	16
TC5394	3/4"	1	12
TC5395	7/8"	1	12
TC5396	1"	1	10
TC5397	1 1/8"	1	10
TC5398	1 1/4"	1	8

Type of packaging: Box

1/2" IMPACT WRENCH KIT

- · Includes TC5348 impact wrench
- Polished aluminum case
- Rocking dog mechanism Air inlet connection: 1/4" NPT
- Frame 1/2"
- Variable speed (7,000 rpm)
- Weight: 2.1 kg



3/8", 7/19", 1/2", 9/16", 5/8", 11/16" 3/4", /16", 7/8", 15/16'

- Extension of 5"
- Air filter
- Oil canister 4mm allen kev
- Nipple 1/4 " NPT

Work cycle: continuous (lubricate constantly)



WARRANT

Code	Nominal consumption	Torque Range	Inner	Master
TC5350	3.6 CFM @ 90 psi	30-260 lb/ft	1	4

Type of packaging: Case

PNEUMATIC TOOL | RATCHET | GUNS

RATCHET 1/2"

- Aluminum case
- Air inlet connection: 1/4" NPT
- Frame 1/2"
- Speed 160 rpm
- Reversible
- Weight: 1.2 kg

Workload:

continuous (lubricate constantly)



Code	Nominal consumption	Torque Range	Inner	Master
TC5353	3.1 CFM @ 90 psi	5-50 lb/ft	1	20
	consumption	Range	Inner 1	

Type of packaging: Box

FINISHING SANDER 6"

- Aluminum case
- Air inlet connection: 1/4" NPT
- Vinyl Pad 6 "
- Variable speed
- Weight: 0.83 kg

Workload:

continuous (lubricate constantly)





Code	Speed	Nominal consumption	Inner	Master
TC5354	11,000 rpm	2.7 CFM @ 90 psi	1	10

Type of packaging: Box

AIR BLOW GUN, METAL

- Made of aluminum
- 5" short nozzle
- Air intake connection: 1/4 "NTP

1/4" ANGLE GRINDER

- Aluminum case
- Air inlet connection: 1/4" NPT
- Clamp 1/4" Variable speed
- Key included
- Weight: 0.3 kg

Workload: continuous (lubricate constantly)





Code	Speed	Nominal consump-	Inner	Master
TC5351	25,000 rpm	2.9 CFM @ 90 psi	2	20
Type of packaging: Box				

MACHINE CLEANING GUN

- Aluminum body and brass nozzle
- 1 m plastic hose
- Long wand
- Removes grease and grime Air intake connection: 1/4 "NTP





Code	Maximum Pressure	Inner	Master		
TC4290	90 PSI	4	24		
Type of packaging: Box					

COMPACT AIR BLOW GUN, METAL

- Made of aluminum
- 4" short nozzle
- Air intake connection: 1/4 "NTP

1/4" MINI ANGLE GRINDER KIT

- · Includes mini TC5351 grinder
- Air inlet connection: 1/4" NPT Clamp 1/4"
- Variable speed
- Key included
- Weight: 0.3 kg

Accessories:

- 1 collect 1/4 " and 1 collect 1/8 "
- Stones mounted: 5 pieces of 1/4 " and
- 5 pieces of 1/8 "
- Nipple 1/4 " NPT



Work cycle: continuous (lubricate constantly)

Code	Speed	Nominal consump- tion	Inner	Master
TC5352	25,000 rpm	2.9 CFM @ 90 psi	2	10

Type of packaging: Case

ENGINE CLEANING GUN

- · Made in cast aluminum alloy
- 0.9-liter glass
- · 3 mm nozzle
- · To remove grease and grime
- For spraying oils, cleaners and antioxidants
- · Air intake connection: 1/4 "NTP





Code	Air consumption	Pressure	Inner	Master
TC4175	6 -11 CFM	60 - 100 PSI	1	10
Torre of a selection Dec				

Type of packaging: Box


AIR BLOW GUN Resistant POM body

- 6" long nozzle
 Air intake connection: 1/4 "NTP





Code	Maximum Pressure	Inner	Master
TC2034	120 PSI	6	36





Code	Maximum Pressure	Inner	Master	
TC2033	120 PSI	6	36	
Type of packaging: Blister				



Code	Maximum pressure	Inner	Master
TC2032	90 PSI	6	36

Type of packaging: Blister

PNEUMATIC TOOL | HOSES | ACCESSORIES

HIGH PRESSURE AIR HOSE



				Maximum		
Code	Hose	Length	Connection		Inner	Master
TC5133	1/4"	10 m	1/4" NPT	300 PSI	2	12
TC5134	1/4"	15 m	1/4" NPT	300 PSI	2	12
TC5132	3/8"	7.5 m	1/4" NPT	300 PSI	2	6
TC2024	3/8"	10 m	1/4" NPT	300 PSI	2	6
TC2025	3/8"	15 m	1/4" NPT	300 PSI	2	6
TC5135	1/2"	10 m	3/8" NPT	900 PSI	1	6
TC5136	1/2"	15 m	3/8" NPT	900 PSI	1	6

Type of packaging: Cardboard

1/4" BRASS COUPLER

- Ideal for air tank and compressors
- NPT thread



Code	Connector	Inner	Master	
TC2010	Female / Female	12	96	
Type of packaging: Blister				

1/4" BRASS QUICK COUPLER

· NPT thread



Code	Connector	Inner	Master		
TC2001	Female	12	144		
TC2002	Male	12	144		
Type of packaging: Blister					

"F" TYPE BRASS QUICK COUPLER

· Ideal for air tank and compressors





Code	Connection	Inner	Master
TC4291	1/4" NPT	5	144

Type of packaging: Blister

LOW PRESSURE HYBRID AIR HOSE

- · PVC and rubber hose
- Brass end fittings (female and male)
- 300 PSI maximum pressure capacity 300 PSI maximum pressure capacity
- Connection 1/4"



Code	Hose	Length	Connection	Inner	Master
TC5105	3/8"	7.5 m	1/4" NPT	2	10
TC5106	3/8"	10 m	1/4" NPT	2	8

Type of packaging: Cardboard

BRASS AIR CHUCK

- Ideal for air tank and compressors
- 1/4" NPT connection



Code	Connector	Inner	Master
TC2011	Female	12	144
Type of pa	ckaging: Blister		

1/4" BRASS QUICK CONNECTOR

· NPT thread



Code	Connector	Inner	Master
TC2003	Female	12	144
TC2004	Male	12	144

Type of packaging: Blister

1/4" DUAL BRASS AIR CHUCK

· Large head for easy assembly in truck tires



LOW PRESSURE AIR HOSE

- PVC hose
- Brass end fittings
- (female and male) 300 PSI maximum pressure capacity
- 300 PSI maximum pressure capacity Connection 1/4"





Code	Hose	Length	Connection	Inner	Master
TC3044	1/4"	5 m	1/4" NPT	3	9
TC3045	1/4"	10 m	1/4" NPT	3	9
TC5104	1/4"	15 m	1/4" NPT	3	8

Type of packaging: Cardboard

1/4" BRASS NIPPLE

- · Ideal for air tank and compressors
- NPT thread





Code	Connector	Inner	Master		
TC2009	Male / Male	12	96		
Type of packaging: Blister					

- **SPRING TYPE AIR HOSE** · PVC hose
- Brass end fittings
- · 200 PSI maximum pressure capacity





Code	Connection	Length	Inner	Master
TC2026	1/4"	7.5 m	6	12
TC2027	1/4"	15 m	6	12

Type of packaging: Bulk

MANOMETER

Ideal for air tank and compressors





Code	Pressure	Inner	Master
TC2030	0 - 100 PSI	10	100
TC2031	0 - 200 PSI	10	100

PNEUMATIC TOOL | ACCESSORIES

14-PIECE PNEUMATIC ACCESSORY SET

- Made in brass and steel
- Maximum pressure: 90 PSI
- Content:
 - 1 PVC air hose, 7.62m (25ft)
 - brass coupler for 1/4" thread hose nipple for hose with 1/4" thread

 - female quick brass coupler with 1/4" thread
 - male quick connectors with 1/4" thread
 - female quick connectors with 1/4" thread
 - metal inflating needle metal air blow gun
 - plastic nozzle for blow gun
 - brass inflating head
 - 1 adapter for needle and gun connection





Type of packaging: Blister

17-PIECE PNEUMATIC ACCESSORY SET

- Made in brass and steel
- Maximum pressure: 90 PSI
- Content:
- metal air blow gun
- metal pressure gauge
- tire double inflating valve
- metal inflating needle inflating nozzle adapter
- safety nozzle for air blow gun
- brass male connectors 1/4" thread
- brass nozzle to inflate with blowtorch brass connector for hose with 1/4" thread
- brass female connectors 1/2" NPT 2 pcs
- connectors for brass hose double thread 1/4 " quick-change coupling female brass 1/4" with 1/2" thread



Code	Connection	Inner	Master
TC2028	1/4" NPT	2	24

Type of packaging: Blister

METAL AIR BLOW GUN

· Made of steel alloy

TC2029

- Chrome finish
- PVC covered lever
- Nozzle for directed air flow 2 interchangeable nozzles included
- For cleaning duties
- Air intake connection: 1/4 "NTP

6-PIECE AIR BLOW GUN KIT

- · 1 sprinkler extension
- 1 brass valve adapter
- 1 high pressure nozzle
- · 1 plastic covered conic nozzle
- ball inflating valve
 needle tip inflater
- Air intake connection: 1/4 "NTP

5-NOZZLE AIR BLOW GUN KIT

- · 3 nozzles with extension
- 1 conical nozzle
- in plastic cover
- 1 nozzle without extension
- Air intake connection: 1/4





Code	Maximum Pressure	Inner	Master
TC2014	90 PSI	6	36

Type of packaging: Blister

Code	Maximum Pressure	Inner	Master	
TC4293	90 PSI	6	48	
Type of packaging: Blister				





Type of packaging: Blister

AIR VOLUME CONTROL For hydro-pneumatic equipment tanks

AIR REGULATOR

· 3 measurement scales: kg / cm², PSI, kPa

OIL/WATER FILTER SEPARATOR

- Aluminum base and
- polycarbonate body Prevents pneumatic tool rusting





Code	Maximum Pressure	Connection	Inner	Master
TC4294	160 PSI	1/4" NPT	6	24

Type of packaging: Box





Code	Maximum Pressure	Connection	Inner	Master
TC4295	120 PSI	1/4" NPT	6	24
Type of	packaging: Blister			





Code	Capacity	Inner	Master
TC2744	100 gallons	2	25

Type of packaging: Box

PNEUMATIC TOOL | ACCESSORIES

5-PIECE BRASS QUICK COUPLER AND **CONNECTOR KIT**

- Maximum pressure: 90 PSI
- Content:
- 1 female quick coupler
- 3 male quick connectors
- 1 female quick connector



Code	Connection	Inner	Master
TC2005	1/4" NPT	12	72

Type of packaging: Blister

6-PIECE HOSE ACCESSORY SET

- Made of solid brass and steel
- Content:
- 1 metal inflating head, 1/4 NPT
- 1 brass quick double barb connector for 3/8'
- 1 brass quick double connector for

3/8" hose with 1/4 NPT thread 3 5/8" stainless steel hose clamps



Code	Characteristics	Inner	Master
TC2008	6-pieces set	4	72

Type of packaging: Blister

1/4" STEEL QUICK **COUPLER**

· Chrome finish NPT thread



Code	Connector	Inner	Master
WF0146	Female	6	144
WF0147	Male	6	144
Type of pa	ckaging: Blister		

INFLATING VALVE

Made of chromed steel

Wolfox

Wolfox

Wolfox

Wolfox

Metal body

Chrome finish

1/4" DUAL AIR CHUCK





Code	Connection	Inner	Master
WF0150	1/4" NPT	6	6
Type of pack	aging: Bag		

1/4" STEEL QUICK **COUPLER**

Chrome finish NPT

thread

Wolfox



Code	Connector	Inner	Master
WF0151	Female	6	144
WF0152	Male	6	144

Type of packaging: Blister

14-PIECE PNEUMATIC **ACCESSORY SET**

- Made of steel and zinc
- Maximum pressure 90 PSI Input 1/4" NPT
- Content:
 1 PVC air hose,
 - 7.62 m (25ft)
- coupler for 1/4" thread hose nipple for hose with 1/4" thread
- female quick couplers with 1/4" thread male quick connectors with 1/4" thread
- female quick connectors with 1/4" thread
- metal inflating needle
- metal air blow gun plastic nozzle for blow gun

- inflating head adapter for needle and gun connection



WF8201

Type of packaging: Bulk

Code	Connection	Inner	Master
WF0148	1/4" NPT	2	12
Type of pa	ckaging: Blister		

Wolfox

17-PIECE PNEUMATIC **ACCESSORY SET**

Made of steel and zinc Maximum pressure 90 PSI

Inner

100

Content:

Recommended for inflating balls, inflatable mattress etc.

Connector

- metal air blow gun
- metal pressure gauge tire double inflating valve
- metal inflating needle inflating nozzle adapter
- safety nozzle for air blow gun male connectors with 1/4" thread
- nozzle for air blown gun connector for 1/4" thread hose
- female connectors with 1/2" thread NPT, 2 pieces

Master

5000

- double connectors for 1/4" thread hose
- 1/4" female quick coupler with 1/2" thread

Code	Connection	Inner	Master
WF0149	1/4" NPT	2	24

Type of packaging: Blister

5-PIECE STEEL QUICK **COUPLER AND CONNECTOR KIT**

- Chrome finish
- Maximum pressure: 90 PSI
- Content:
- 1 female quick coupler
- 3 male quick connectors
- 1 female quick connector



TA STATE OF			
Code	Connection	Inner	Master
WF0153	1/4" NPT	6	72

Type of packaging: Blister

NYLON THREAD FOR BRUSHCUTTER

- Impact resistant
- Available in roll and blister packaging
- Can be used on electric brush cutters and gas-engine to cut grass

plants and lawn







Code	Color	Diameter	Length	Inner	Master
		Roll			
TC3212	Green	2 mm	120 m	4	32
TC3213	Orange 	2.4 mm	78 m	4	32
TC3214	Red	2.7 mm	63 m	4	32
TC3215	Yellow	3.3 mm	48 m	4	32
		Blister			
TC3216	Blue	1.65 mm	15 m	12	72
TC3217	Green	2 mm	15 m	12	72
TC3218	Orange	2.4 mm	12 m	12	72
TC3219	Red	2.7 mm	12 m	12	72



METAL - PLASTIC LAWN RAKE 22 TINES

- Tempered metal tines offering flexibility and avoiding deformation
- Metal tensor for higher resistance
- 47" fine and treated wood handle included Spare handle: TC1472



Code	Characteristics	Inner	Master		
TC0660	Flexible teeth	3	4		
Type of packaging: Bulk					

METAL LAWN RAKE WITH TENSOR 22 TINES

- Temperedmetaltinesofferingflexibilityand avoiding deformation
- Metal tensor for higher resistance included
- 47" fine and treated wood handle included
- Spare handle: TC1472



Code	Characteristics	Inner	Master		
TC0662	Flexible teeth	5	4		
Type of packaging: Bulk					

REINFORCED METAL LAWN RAKE 22 TINES

- Tempered metal tines offering flexibility and avoiding deformation 47" fine and treated wood handle
- included Spare handle: TC1472



Code	Characteristics	Inner	Master		
TC0663	Flexible teeth	3	10		
Type of packaging: Bulk					

METAL LAWN RAKE 20 TINES

- Tempered metal tines offering flexibility and avoiding deformation 47" fine and treated wood handle
- included Spare handle: TC1472



Code	Characteristics	Inner	Master	
TC0664	Flexible teeth	10	10	
Type of packaging: Bulk				

PLASTIC LAWN RAKE 30 TINES

47" fine and treated wood handle

Spare handle: TC1472



Code	Characteristics	Inner	Master
TC4033	Flexible teeth	3	3
Type of pa	ckaging: Bulk		

PLASTIC LAWN RAKE 26 TINES

- 47" fine and treated wood handle included
- Spare handle: TC1472



Code	Characteristics	Inner	Master
TC3515	Flexible teeth	5	4
Type of pack	aging: Bulk		

METAL LAWN RAKE FOLDING 15 TINES

- Made with hardened steel strap
- Tubular PVC handle
- Fits large and small spaces



Code	Characteristics	Inner	Master
WF2980	Fan type	6	24

Type of packaging: Bulk

METAL LAWN RAKE 20 TINES

- Tempered metal tines offering flexibility and avoiding deformation 47" fine and treated wood handle included
- Spare handle: TC1472.



Code	Characteristics	Inner	Master		
WF9727	Flexible teeth	12	48		
Type of packaging: Bulk					

WOOD HANDLE FOR LAWN RAKE

Varnished



Code	Size	Inner	Master
TC1472	47"	6	60

GARDENING | FUMIGATORS

15 L BACKPACK SPRAYER

- For agricultural and gardening uses Central piston pump system
- Brass pipette Adjustable brass nozzle
- High density polyethylene tank
- 1,5 m PVC hose
- Wide mouth opening for easy filling
- Padded belt





Capacity

15 L (3,9 gal)



Weight

3,5 kg

Inner

Pressure

29 - 72 PSI

		Αç	gricultural	use
*	Does	not	generate	VAT

Master

12 L BACKPACK SPRAYER

- For agricultural and gardening uses
- Lateral piston pump system
- Fiberglass pipette Adjustable fiberglass nozzle
- High density polyethylene tank
- 1,5 m PVC hose
- Wide mouth opening for easy filling
- Padded belt



ATIONS	Executy)
1,1 cm	"IL
61 cm	34

Agricultural use

Wolfox[®]

WOLFOX

* Does not generate VAT

pette	or cit				
Code	Capacity	Pressure	Weight	Inner	Master
TC4166	12 L (3,1 gal)	29 - 72 PSI	3,5 kg	1	1
Type of packa	aging: Box				

Type of packaging: Box

LAWN SPRAYER

- Agricultural use and gardening
- Central piston pump system
- Brass pipette and nozzle
- Polyethylene tank

TC4165

- 1.5 m PVC hose
- Wide mouth for easy filling



		2 20 mg
SPECIFIC	ATIONS	
D / hose	1 cm	200
ength / pipette	36 cm	

Length / pipette	36 cm				_
Code		Capacity	Pressure	Inner	Master
TC4167		11 L (3 gal)	29 - 72 PSI	1	6
TC2865		7,6 L (2 gal)	29 - 72 PSI	1	6
TC2864		3,8 L (1 gal)	29 - 72 PSI	1	6 T

Type of packaging: Box

2L HOUSEHOLD SPRAYER

- Cleaning Agricultural use and gardening
- Adjustable brass nozzle
- Pressure 36 PSI



Capacity Inner Master TC4169 2 L (0,5 gal)

Type of packaging: Box

SPRAY BOTTLE

- Polyethylene atomizer
- Anti-leakage trigger





Code	Capacity	Inner	Master
TC3562	0,5 L	12	24
TC3563	1 L	12	24

Type of packaging: Bag

16 L BACKPACK SPRAYER For agricultural and gardening use

Lateral piston pump system

TOGLCHAFT

- Fiberglass pipette
- Polypropylene nozzle
- Polyethylene tank
- PVC hose: 1,6 m Wide mouth for easy filling






Length / pip					
Code	Capaci	ty Press	sure Weig	ht Inner	Master
WF0011	16 L (4,2	gal) 44 F	PSI 2,3 I	kg 1	1

Type of packaging: Box

5L LAWN SPRAYER For agricultural and gardening use

- Side piston pump system
- Brass pipette: 35 cm
- Brass nozzle
- Polyethylene tank
- PVC hose: 1.1 m
- Wide mouth for easy filling





OLFOX

Wolfox

Capacity Inner Master 5 L (1,3 gal) WF0012

Type of packaging: Box

1.2L HOUSEHOLD **SPRAYER**

- Cleaning Agricultural use and gardening Adjustable brass nozzle
- Pressure 36 PSI



Agricultural use * Does not generate VAT

Wolfox*

Code	Capacity	Inner	Master
WF0013	1.2 L (0,3 gal)	4	12

Type of packaging: Box

RUBBER GASKET SET

- Pressure relief valve
- Wand gasket set
- Hose gasket set
- Dispenser handle gasket set Compatible with fumigators:
- TC4165, TC4166, TC2864, TC2865 TC4167, WF0011 y WF0012.



Code	Content	Inner	Master
TC3187	10 pieces	1	10

Type of packaging: Bag

HANDLE REPLACEMENT **DISPENSER WITH ROD**

- Flexible hose
- Dosing handle
- Brass nozzle Brass lancet
- Compatible with models: TC4165, TC4166,

TC2864,TC2865, TC4167, WF0011, WF0012





1 set of 4 pieces Type of packaging: Easel

GARDENING | HOSES

5/8" GARDEN HOSE, 3-PLY, BRASS CONNECTOR

- Reinforced and resistant
- Gaskets included
- Maximum pressure:



Code	Measure / Length	Wall thickness	Inner	Master
TC5121	5/8" x 15 m	2.1 mm	1	5
TC5122	5/8" x 20 m	2.1 mm	1	4
TC5123	5/8" x 25 m	2.1 mm	1	3

Type of packaging: Roll

1/2" REINFORCED HOSE, 3-PLY, 100 M ROLL

- Reinforced and resistant 3-ply hose
- Connectors not included
 Maximum pressure: 300 PSI



*Price per roll

Wolfox

Code	Size	Length	Wall thickness	Inner	Master
TC5129	1/2"	100 m	1.8 mm	1	2
TC5130	5/8"	100 m	2.1 mm	1	2
TC5131	3/4"	100 m	2.5 mm	1	1

Type of packaging: Roll

1/2" REINFORCED HOSE, 2-PLY, PLASTIC CONNECTOR

- Gaskets included
- Maximum pressure: 260 PSI



*Price per roll

Code	Size	Length	Wall thickness	Inner	Master
WF9884	1/2"	10 m	1.5 mm	1	8
WF9885	1/2"	15 m	1.5 mm	1	6

Type of packaging: Roll

INDUSTRIAL HOSE, 100 M ROLL

- Clear PVC body
- To transport any non-corrosive liquid that is not under pressure



*Price per rol

Code	Size	Length	Wall thickness	Inner	Master
TC2304	1/2"	100 m	0.90 mm	1	1

Type of packaging: Roll

1/2" GARDEN HOSE, 3-PLY, BRASS CONNECTOR

- Reinforced and resistant
- Gaskets included
- Maximum pressure:



*Price per roll

Code	Measure / Length	Wall thickness	Inner	Master
TC5125	1/2" x 10 m	1.8 mm	1	7
TC5126	1/2" x 15 m	1.8 mm	1	6
TC5127	1/2" x 20 m	1.8 mm	1	5
TC5128	1/2" x 25 m	1.8 mm	1	4

Type of packaging: Roll

1/2" REINFORCED HOSE, 2-PLY, 100 M ROLL

- Connectors not included Maximum pressure: 260 PSI





				PI	ice per roll
Code	Size	Length	Wall thickness	Inner	Master
WF0616	1/2"	100 m	1.5 mm	1	2

Type of packaging: Roll

EXPANDABLE HOSE

- Includes 7 functions gun Made of latex, light and resistant
- Continuous flow
- Brass connector (3/4 ")
- Includes brass through valve









- Avoid long-lasting sun exposure

 Do not place heavy objects on the hose

Code	Length	Max. pressure	Inner	Master
WF0784	15 m	10 kg	1	6
WF0785	22.5 m	10 kg	1	6

Type of packaging: Box

WATER LEVEL HOSE, 100 M ROLL

- Clear PVC body
- To transport any non-corrosive liquid that is not under pressure



*Price per roll

Code	Size	Length	Wall thickness	Inner	Master
TC2305	1/4"	100 m	0.66 mm	1	1
TC2306	5/16"	100 m	0.66 mm	1	1
TC2307	3/8"	100 m	0.66 mm	1	1

Wolfox[®]

BALL VALVE OUTDOOR FAUCET

- Made of brass Inlet 1/2 ", 6 threads Outlet: 3/4", 3 threads Weight: 145 g



BALL VALVE OUTDOOR FAUCET

Zinc body

- Inlet: 1/2"
- Outlet: 3/4"







Code	Size	Inner	Master
TC0864	1/2"	12	120
Type of pack	aging: Card		



Code	Size	Inner	Master
*WF9646	1/2"	24	120

Type of packaging: Bulk

Wolfox[®]

METAL BASE REVOLVING SPRINKLER

- Watering area: 360° Aluminum arms
- Inlet 3/4"



Code	Pressure	Inner	Master
TC3237	40 to 50 PSI	6	24

PLASTIC REVOLVING **SPRINKLER**

- Watering area: 360°
- Aluminum arms
- Inlet 3/4"



Code	Pressure	Inner	Master			
WF1684	40 to 50 PSI	12	72			
Type of packag	Type of packaging: Bag					

METAL PULSATING SPRINKLER

- Watering area: 90°, 180°, 270°, 360°
- Inlet 3/4"





Code	Ways	Pressure	Inner	Master
TC0858	2	40 to 50 PSI	6	48
TC1875	1	40 to 50 PSI	4	48
Type of packaging: Card				

METAL PULSATING SPRINKLER

Watering area 90°, 180°, 270°, 360°

Type of packaging: Box





Code	Pressure	Inner	Master	
TC1877	40 to 50 PSI	6	48	
Type of packaging: Card				

PLASTIC PULSATING SPRINKLER, **METAL SPIKE**

- Watering area:
- 90°, 180°, 270°, 360° Inlet 3/4"



Code	Ways	Pressure	Inner	Master
TC0859	2	40 to 50 PSI	6	48
TC1876	1	40 to 50 PSI	6	48
Type of page	ckaging: Ca	ard		

WATERING WAND

- Metal body
- PVC handle Reinforced nylon lever
- Clip for continuous spraying
- Breaker head
- 71 cm long




Code	Model	Inner	Master
TC1857	1 function	4	24
Type of packaging: Bulk			

Wolfox[®] **PLASTIC REVOLVING** SPRINKLER 2 WAYS, PLASTIC SPIKE

- Watering area: 90°,180°, 270°, 360°





Code	Pressure	Inner	Master
WF0602	40 to 50 PSI	12	48

Type of packaging: Card

PLASTIC REVOLVING SPRINKLER

Watering area 90°, 180°, 270°, 360°





Code	Pressure	Inner	Master	
TC1878	40 to 50 PSI	6	48	
Type of packaging: Card				

GARDENING | WATERING

PVC-METAL HOSE NOZZLE, 9 FUNCTIONS

- Reinforced nylon lever
- PVC covered handle
- Clip for continuous spraying



· 自由, 11. 1		*
	Co	de

Code	Model	Inner	Master
TC1847	9 functions	6	48

Type of packaging: Card

PVC-METAL HOSE NOZZLE, 7 FUNCTIONS

- Reinforced nylon lever
- PVC covered handle
- Clip for continuous spraying





Code	Model	Inner	Master
TC1846	7 functions	6	48

Type of packaging: Card

ADJUSTABLE PVC-PLASTIC HOSE NOZZLE

- Clip for continuous spraying

Reinforced nylon lever PVC covered handle



Code	Model	Inner	Master
TC1848	1 function	6	48

Type of packaging: Card

PVC-METAL HOSE NOZZLE

- PVC covered handle
- Reinforced nylon lever
- Clip for continuous spraying



Code	Model	Inner	Master
TC1849	1 function	6	48
Type of packagii	ng: Card		

TRADITIONAL METAL HOSE NOZZLE

- Reinforced nylon lever
- Clip for continuous spraying



Code	Model	Inner	Master	
TC0740	Traditional	12	48	
Type of packaging: Card				

Wolfox

PVC-PLASTIC HOSE NOZZLE 7 FUNCTIONS

- Reinforced nylon lever
- Clip for continuous spraying
- Handle covered with PVC



Code	Model	Inner	Master	
TC1852	7 functions	12	48	
Type of packaging: Card				

ADJUSTABLE PVC-PLASTIC HOSE **NOZZLE**

- PVC covered handle
- Reinforced nylon lever Clip for continuous spraying



Code	Model	Inner	Master
TC1851	Adjustable	12	48
Type of packa	ging: Card		

PLASTIC HOSE NOZZLE **6 FUNCTIONS**

Clip for continuous

spraying



Code	Model	Inner	Master
WF0309	6 functions	12	48
Type of packa	ging: Card		

PLASTIC HOSE NOZZLE **5 FUNCTIONS**

- Clip for continuous spraying
- Adjustable flow



Code	Model	Inner	Master
WF0308	5 functions	12	48

Type of packaging: Card

PLASTIC HOSE NOZZLE

- Clip for continuous spraying
- Adjustable flow

Wolfox





Type of packaging: Card

BRASS HOSE NOZZLE

3/4" NTP thread

Wolfox

Adjustable nozzle for pressure





Code	Length	Inner	Master
TC0897	3"	10	200

Type of packaging: Bag

GARDENING | WATERING

PLASTIC HOSE NOZZLE

- 3/4" NPT thread
- Adjustable nozzle for pressure control

Wolfox

Male and female 3/4" NPT thread



Length	Inner	Master
4"	20	200

Tyne	Λf	packad	ina	Carr

WF0310

METAL "Y" ADAPTER

- · Converts a simple water outlet into double
- Spherical pitch controls for each outlet





Code	Input / Output	Inner	Master	
TC1859	3/4"	6	48	
Type of packaging: Card				

MALE PLASTIC HOSE CONNECTOR

3/4" NPT thread



Code	Inlet	Inner	Master		
TC1854	1/2"	12	72		
Type of packa	Type of packaging: Card				

ABS "Y" ADAPTER

Converts a simple water outlet into doubleSpherical pitch controls for each outlet



Code	Input / Output	Inner	Master
WF0301	3/4"	10	100

Type of packaging: Card

BRASS HOSE CONNECTORS SET



Code	Inlet	Inner	Master
TC3486	1/2"	10	300
TC0861	1/2"	10	500
TC0863	5/8"	10	300
TC0862	3/4"	1	200
Type of packaging: Blister (TC3486) / bulk (TC0861, TC0863, TC0862)			

PLASTIC HOSE REPAIR CONNECTOR

- High impact plastic For use on hoses of all types of rubber and plastic





Code	Inlet	Inner	Master		
TC1856	1/2"	24	72		
Type of packa	Type of packaging: Card				

HOSE CONNECTORS SET

- 3/4" NPT thread
- Male and female



Code	Inlet	Inner	Master	
WF9649	1/2	20	500	
Type of packaging: Bulk				

RUBBER GASKET SET

Made of PVC

Wolfox

Each set includes 10 gaskets



*Price per template

Code	Size	Inner	Master	
TC2062	1"	20	120	
Type of packaging: Bulk				

FEMALE BRASS CONNECTOR

3/4" NPT thread





Code	Inlet	Inner	Master
TC3485	1/2"	10	600
TC0860	1/2"	10	600
TC0893	5/8"	10	600
TC0892	3/4"	10	400

Type of packaging: Blister (TC3485) / Bulk (TC0860, TC0893, TC0892)

FEMALE PLASTIC HOSE CONNECTOR

3/4" NPT thread





Code	Inlet	Inner	Master
TC1855	1/2"	12	72
Type of pack	aging: Card		

FEMALE CONNECTOR

3/4" NPT thread

Wolfox





Code	Inlet	Inner	Master	
WF9648	1/2	40	600	
Type of packaging: Bulk				

RUBBER GASKET SET

- Made of rubber Each template includes
- 12 gaskets



*Price per template

Wolfox

Code	Size	Inner	Master
WF0307	1"	10	100





Code	Weight of Head	Width of blade	Inner	Master
TC0450	N-1, 1.6 lb	7 1/2"	3	6
TC0451	N-2, 1.7 lb	8"	3	6
TC0452	N-3, 1.8 lb	8 1/2"	4	6

Type of packaging: Bulk

FORGED GARDEN HOE WITH HANDLE

- **Hoe**· Made of stainless steel 1045
- Polished head in cutting area
- Head with sharpened edges
- Forges in one single piece Round eye

Wooden handle

Natural finish



Code	Weight of Head	Width of blade	Inner	Master
TC1393	N-1, 1.6 lb	7 1/2"	4	24
TC1394	N-2, 1.7 lb	8"	3	24
TC1395	N-3, 1.8 lb	8 1/2"	3	24
	Wooden I	nandle for hoe		
TC1469	120 cm (47")	6	6
Type of p	ookoainas Bulk			

Type of packaging: Bulk

*Manure fork 4 teeth

MANURE FORK Made of steel carbon steel Fork forged in one single piece

Wood handle measuring 54" (130 cm)
Pin fastening to the cone with epoxy resin

*Delivered with protectors on the tips to prevent accidents

Code	Characteristics	Head	Inner	Master
TC2043	4 teeth	8 1/2"	3	6
TC2044	5 teeth	9"	3	6
TC4218	6 teeth	10"	3	6

Type of packaging: Bulk

48" HERCULES PATTERN POST HOLE DIGGER FIBERGLASS



Code	Size	Inner	Master
TC5284	48"	2	2
Type of pag	kaging: Bulk		

48" HERCULES PATTERN POST HOLE DIGGER



Code	Size	Inner	Master
TC2040	48"	2	6

Type of packaging: Bulk

45"ATLASPATTERNPOSTHOLEDIGGER

- 1 piece tempered steel blades
- Treated wood handles
- Tempered steed blades
- Opening: 5 3/4" For gardening



Code	Size	Inner	Master
TC2039	45"	2	6

16-TOOTH BOW RAKE

- 60" treated wood handle
- Reinforced for construction and agricultural work



14-TOOTH BOW RAKE

- 48" treated wood handle
- Arc model



Code	Characteristics	Head width	Inner	Master
TC2042	1/4" steel	16"	4	6
Type of packagin	g: Bulk			

Code	Characteristics	Head width	Inner	Master	
TC2041	3/16" steel	16 1/2"	6	6	
Type of packagi	Type of packaging: Bulk				

AXE, HALF LABOR Made of carbon steel Fully polished edge With protection for the



Without handle: TC0694 TC0695 TC0696

With handle: TC0691 TC0692 TC0693

Code	Head weight	Handle	Inner	Master
TC0694	3 lb	Without handle	4	12
TC0695	3.5 lb	Without handle	4	12
TC0696	4 lb	Without handle	4	12
TC0691	3 lb	With handle	2	24
TC0692	3.5 lb	With handle	2	24
TC0693	4 lb	With handle	2	24

Type of packaging: Bulk

AXE, FULL LABOR

- Made of carbon steel
- Fully polished edge
- With protection for the edge Straight handle





Code	Head weight	Handle	Inner	Master
TC0688	3 lb	Without handle	4	12
TC0689	3.5 lb	Without handle	4	12
TC0690	4 lb	Without handle	4	12
TC0685	3 lb	With handle	2	24
TC0686	3.5 lb	With handle	2	24
TC0687	4 lb	With handle	2	24
Type of p	oackaging: Bulk			

MICHIGAN AXE WITH 35" HANDLE

- Made of carbon steel
- Fully polished edge
- With protection for the edge
- Hinged curved handle



0
Oval eye

Code	Head weight	Inner	Master
TC0697	3.5 lb	2	12
Type of packa	ging: Bulk		

HUNTER AXE WITH 14" HANDLE

- Made of carbon steel
- Fully polished edge With protection for the edge





Code	Head weight	Inner	Master
TC0698	1.5 lb	4	12

Type of packaging: Bulk

WOOD HANDLE, FOR AXE

Without

handle: TC0688 TC0689 TC0690

With handle:

TC0685 TC0686

TC0687



For axe			
Code	Size	Inner	Master
TO1471	36"	6	6

GARDENING | MACHETES

POLISHED STANDARD MACHETE

- · Full length blade
- Polished blade
- Factory sharpening Riveted handle





POLISHED STANDARD MACHETE

- · Full length blade
- Polished blade
- · Factory sharpening



Injected handle	

Code	Size	Inner	Master
TC1209	14"	6	36
TC1210	16"	6	36
TC1211	18"	6	36
TC1212	20"	6	36
TC1213	22"	6	36
TC1214	24"	6	36
TC1215	26"	6	3

6 Type of packaging: Bulk

Master Code Size TC4412 14" 6 36 TC4413 16" 6 36 TC4414 18" 36 6 20" 36 TC4415 6 22" TC4416 6 36 TC4417 24" 6 36 26" 6 3 TC4418

6 Type of packaging: Bulk

POLISHED ACAPULQUEÑO MACHETE

- Full length bladePolished blade
- Factory sharpening
- Riveted handle





POLISHED ACAPULQUEÑO MACHETE

- Full length bladePolished blade
- Factory sharpening
- Injected handle





Code	Size	Inner	Master
TC1216	24"	6	36
TC1217	27"	6	36

Type of packaging: Bulk

Code	Size	Inner	Master
TC4419	24"	6	36
TC4420	27"	6	36

Type of packaging: Bulk

POLISHED CAGUAYANO MACHETE

- Full length blade
- Polished blade
- Factory sharpening Riveted handle





POLISHED CAGUAYANO MACHETE

- · Full length blade · Polished blade
- Factory sharpening Injected handle





Code	Size	Inner	Master
TC1218	27"	6	36

TC1218	27"	6	36
Type of packaging	g: Bulk		

Code	Size	Inner	Master
TC4421	27"	6	36

GARDENING | MATTOCKS | PICKAXES

MATTOCKS AND PICKAXES WITHOUT HANDLE


- High carbon forged steel
- Heat treatment Oval eye



Code	Weight	Characteristics	Inner	Master
TC0680	5 lb	PICKAXE	6	6
TC0681	5 lb	5 lb	6	6
TC0682	5 lb	Mattock / Axe	6	6

Type of packaging: Bulk

HANDLES FOR MATTOCK AND PICKAXE



Code	Characteristics	Inner	Master
TC5273	Fiberglass 36"	1	12
TC1470	Wood 36"	6	6

Type of packaging: Bulk

MATTOCKS AND PICKAXE WITH HANDLE

- 36" handle
- Forged steel



Code	Handle	Weight	Inner	Master
TC0895	Wood	5 lb	4	6
TC5319	Fiberglass	3.7 lb	4	6

Type of packaging: Bulk

PICKAXE WITH HANDLE

- 36" handle Forged steel



Code	Handle	Weight	Inner	Master
*TC0894	Wood	5 lb	6	6
TC5318	Fiberglass	3.7 lb	6	6

Type of packaging: Bulk

MATTOCK WITH AXE HANDLE

- 36" handle Forged steel



Code	Handle	Weight	Inner	Master
TC0896	Wood	5 lb	4	6
TC5320	Fiberglass	3.6 lb	4	6

GARDENING | PRUNING SHEARS



		snears + nandle		
Code	Size	Inner	Master	
TO4000	20"	4	6	

product size:

Type of packaging: Bulk



Code	Size	Inner	Master
TC4039	21"	6	24
Type of packaging: B	ulk		

BYPASS LOPPER, WOOD HANDLE



		product shears +	
Code	Size	Inner	Mas

Code	Size	Inner	Master
TC4040	28"	3	24
Type of packaging: B	ulk		

TWO-HAND PRUNING SHEARS, **WOOD HANDLE** Forged steel blades



Code	Size	Inner	Master
WF1698	19"	6	24

Type of packaging: Bulk

TWO-HAND PRUNING SHEARS, WOOD HANDLE

Ground rectified forged steel blades Plastic cover for blade protection included



* Pruning shears size indicates the whole product size: shears + handle

Code	Size	Inner	Master
TC1330	19"	6	24
TC1331	22"	6	24

Type of packaging: Bulk



Code	Size	Inner	Master
TC1333	22"	6	6
Type of packaging	Bulk		

BYPASS LOPPER, TUBULAR HANDLE

Ground steel blades



Code	Size	Inner	Master			
TC4041	28"	3	24			
Type of packaging: Bulk						

BYPASS LOPPER, WOOD HANDLE

Wolfox*



* Pruning shears size indicates the whole product size: shears + handle

Wolfox

Code	Size	Inner	Master
WF9930	16"	6	24

GARDENING | PRUNING SHEARS | CUTTERS

TREE PRUNER, NO HANDLE

- Steel body Includes: 1 cutter, 1 blade, 1 rope
- of nylon and 1 plastic handle
- Tempered steel 14" (35 cm) serrated blade Compatible with TC2132 handle





Type of packaging: Blister

ALUMINUM TELESCOPIC POLE

- Includes sponge grip for easy handling
- Minimum extension: 1.28 m
- Maximum extension: 2.40 m Easy-to-adjust rotating mechanism
- Compatible with model TC2130



Code	Characteristics	Inner	Master	
TC2132	Rotating adjustment	3	12	
Time of neekenings Dea				

Type of packaging: Bag

FRUIT PICKER

- Vinyl coated
- Includes sponge to prevent fruit from bruising
- Includes clamp to secure handle
- Compatible with TC2132 handle



Code	Characteristics	Inner	Master
TC4038	Vinyl coated	1	6
Type of package	aina: Bulk		

4-PIECE GARDEN TOOL SET

- Heads made of tempered steel
- Contains one pitchfork, one cultivator, one transplanter and one frowel
- 152.4 mm (6") handle



*Price per roll Inner Master

Type of packaging: Box

Wolfox

3-PIECE GARDEN TOOL SET

- Heads made of enameled metal
- Contains one frowel, cultivator. and one transplanter



Code	Characteristics	Inner	Master			
WF5111	Plastic handle	6	24			
Type of packaging: Bag						

SCYTHE

- One single piece
- Protected edge
- Reinforced rib





ALUMINUM ANVIL PRUNING SHEARS

Aluminum body

TC2724



Characteristics

Wooden handle

Code	Size	Inner	Master	
TC1267	8"	6	72	
Type of packaging: Blister				

CURVED BYPASS PRUNING SHEARS

Made of forged steel



Code	Size	Inner	Master	
TC1265	6"	6	36	
TC1263	8 1/2"	6	36	
Type of packaging: Blister				

AVOCADO PRUNING SHEARS

Type of packaging: Bulk

- Made of forged steel
- For harvesting avocados, mangos and delicate fruits



Code	Size	Inner	Master		
TC1268	5 1/2"	6	36		
Type of packaging: Blister					

GRAPE PRUNING SHEARS

ALUMINUM CURVED PRUNING SHEARS

Aluminum body

SHEARS Aluminum body





CURVEDBLADEPRUNING

Code	Size	Inner	Master
WF7708	8"	10	60

Type of packaging: Blister





Made of forged steel

Pointed blades.



Type of packaging: Blister



WOOD SANDING CABINET PAPER

- Aluminum oxide grits
- Cabinet paper 9 "x 11" sheets
- To be used manually or with a machine

RED EMERY CLOTH

- Cotton-base flexible cloth sheet
- Aluminum oxide grits
- Sheet: 9 "x 11"
- To be used in machine



WET SANDPAPER

- Made of 100% silicon carbide
- Waterproof paper Sheet: 9 "x 11"
- · To be used in machine
- · or manually













Wolfox

			p =
Code	Thickness	Inner	Master
TC5235	60	25	250
TC2836	80	25	250
TC2837	100	25	250
TC2838	120	25	250
TC2839	150	25	250
TC2840	180	25	250
TC2841	220	25	250
TC2842	240	25	250
TC2843	280	25	250
TC2844	320	25	250
TC2845	360	25	250
TC2846	400	25	250
TC2847	500	25	250
TC2848	600	25	250
TC2849	1000	25	250
TC2850	1200	25	250
TC5236	1500	25	250

2000

Type of packaging: Case





			Wood
Code	Thickness	Inner	Master
TC2824	36	12	250
TC2825	40	25	250
TC2826	50	25	250
TC2827	60	25	250
TC2828	80	25	250
TC2829	100	25	250
TC2830	120	25	250
TC2831	150	25	250
TC2832	180	25	250

Type of packaging: Case



	Wood Pla		ous metal on-ferrous
Code	Thickness	Inner	Master
TC2820	36	25	250
TC5233	40	25	250
TC2821	50	25	250
TC2822	80	25	250
TC5234	100	25	250
TC2823	120	25	250

Type of packaging: Case

BLACK EMERY FILE

- Cotton-base flexible cloth sheet
- Aluminum oxide grits Sheet: 9 "x 11"
- To be used in machine or manually





350	and non-terrous		
Code	Thickness	Inner	Master
TC2816	36	25	250
TC2817	50	25	250
TC2818	80	25	250
TC2819	120	25	250

Type of packaging: Case

WOOD SANDING CLOTH, KRAFT PAPER

- Aluminum oxide grits



Code	Thickness	Inner	Master
TC2833	60	25	250
TC2834	100	25	250
TC2835	150	25	250
TC3185	220	25	250
100100	220		200

Type of packaging: Case

BLACK EMERY FILE SET

, 10 PCS

TC5237

- Cotton-base flexible cloth sheet Aluminum oxide grits
- Sheet: 9 "x 11"
- · To be used in machine
- or manually Content:
- · 2 sheets grit 60
- · 3 sheets grit 80
- 3 sheets grit 120 2 sheets grit 150







Thickness Inner Master 50, 80 and 120 20 50

WF0674 Type of packaging: Case

SANDPAPER

WET SANDPAPER FILE, 7 PCS

- Waterproof paper sheet
- 100% silicon carbide grits
- Sheet: 9 "x 11"
- To be used in machine or manually
- For wet or dry treatment
- Content: 1 sheet grit 80
- 2 sheets grit 120
- 1 sheet grit 150
- 2 sheets grit 180











Wolfox*

Code			Thickness	Inner	Master
WF0676	6	8	0,100,120,180,220	20	50
			_		

Type of packaging: Case

DISPLAY RACK TOOLCRAFT FILES TYPE CHICO

- Main structure in 3 lime wire
- 8 trays made of lime wire 8 with borders holder sheet lime 24
- Application of electrostatic paint black color
- Digitally printed borders
- Measures:

Height: 65 cm Width: 46 cm Bottom: 27 cm



*	Does	not	include	product

			p	
Code	Capacity	Inner	Master	
TC5439	8 models of sandpapers	1	1	

ABRASIVE ROLL

- Roll width: 1 1/2"
- Aluminum oxide grits

SANDPAPER DISCS WITH **FIBER SUPPORT**

- Made of aluminum oxide
- For use in angle grinder
- For roughing metal and wood
- Glue support

SUPPORT FOR SAND DISKS

- · With cooling channels for higher disc performance
- Made of polypropylene · For use with self-adhesive
- sanding discs







Code	Length	Thickness	Inner	Master
TC3183	5 m	120	12	48
TC3184	45 m	120	12	12





Cover 5 pcs *Price per cover

Code	Diameter	Thickness	Inner	Master
TC5248	4 1/2"	24	5	25
TC5249	4 1/2"	36	5	25
TC5250	4 1/2"	50	5	25
TC5251	4 1/2"	80	5	25
TC5252	4 1/2"	120	5	25
TC5253	7"	24	5	25
TC5254	7"	36	5	25
TC5255	7"	50	5	25
TC5256	7"	80	5	25
TC5257	7"	120	5	25
	–			

Type of packaging: Box



Code	Screw	Inlet	Diameter	Inner	Master
TC5241	Standard	5/8"	4 1/2"	10	60
TC5242	Milimeter	M14	4 1/2"	10	60
TC5243	Standard	5/8"	7"	10	40
TC5244	Milimeter	M14	7"	10	40

Type of packaging: Hanger

4" X 24" ABRASIVE BELT

- Aluminum oxide grits
- 3-piece cover

3" X 21" ABRASIVE BELT

- Aluminum oxide grits
- 3-piece cover








For use in belt sanders







Type of packaging: Case





For use in belt sanders



Code	Thickness	Inner	Master
TC5224	36	4	20
TC2356	40	4	20
TC5225	50	4	20
TC2357	60	4	20
TC2358	80	4	20
TC2359	100	4	20
TC2360	120	4	20

Type of packaging: Case

3 pcs

*Price per cover

FILES

CUT HEAVY TAPER FILE

· For filing hand saws, saws, machetes and sickles



Code	Size	Inner	Master
TC0183	4"	12	600
TC0184	5"	12	360
*TC0185	6"	12	300
TC0186	7"	12	180
TC0187	8"	12	180

Type of packaging: Bulk

REGULAR THREE-SQUARE FILE

· For filing hand saws and other cutting tools



			Annual Control
Code	Size	Inner	Master
TC0190	6"	12	360
TC0191	7"	12	180
TC0192	8"	12	180

Type of packaging: Bulk

12 120 TC0198 TC0202 12 120 8" 12 600 TC0199

DOUBLE THREE-SQUARE FILE

· For filing cutting tools

· Includes detachable handle

Type of packaging: Bulk

ROUND CHAINSAW FILE

· For filing chainsaw



Code	Size	Inner	Master
*TC0206	5/32" x 8"	12	600
TC0205	3/16" x 8"	12	600
TC0182	7/32" x 8"	12	600

Type of packaging: Bulk

BASTARD FLAT FILE

· For filing and finishing in metals



Code	Size	Inner	Master
TC0131	4"	12	720
TC0132	6"	12	360
TC0133	8"	12	180
TC0134	10"	12	120
TC0135	12"	6	72
TC0136	14"	6	60

Type of packaging: Bulk

MILL SAW FILE

· For filing and fine finishing of metals



Code	Size	Inner	Master
TC0137	4"	12	720
TC0138	6"	12	360
TC0139	8"	12	180
TC0140	10"	12	120
TC0141	12"	6	72

Type of packaging: Bulk

BASTARD CUT HALF ROUND FILE

- For concave and convex surfaces
- For rapid roughing and rough edges



Code	Size	Inner	Master
TC0142	6"	12	360
TC0143	8"	12	216
TC0144	10"	6	144
TC0145	12"	6	72

Type of packaging: Bulk

SK00TU CUT HALF ROUND FILE

For concave and convex surfaces For fast grinding in fine finishes





			¥
Code	Size	Inner	Master
TC0147	6"	12	360
TC0148	8"	12	192
TC0149	10"	4	120
TC0150	12"	6	72

Type of packaging: Bulk

ROUND BASTARD FILE

For roughing holes and/or concave surfaces





Type of packaging: Bulk

SMOOTH CUT ROUND FILE

- For roughing holes and/or concave surfaces
- For grinding slabs in fine finishes



Code	Size	Inner	Master
TC0161	6"	12	720
TC0162	8"	12	300
TC0163	10"	12	216
TC0164	12"	6	120

Type of packaging: Bulk

HALF ROUND RASP FILE

For roughing in soft materials such as wood, lead, aluminum, etc




	•		•
Code	Size	Inner	Master
TC0174	Bastard 6"	6	300
TC0175	Bastard 8"	6	180
TC0176	Bastard 10"	6	120
TC0177	Bastard 12"	6	60

Type of packaging: Bulk

HALF ROUND WOOD RASP

· Forforgeworksonsoftmaterials



HALF ROUND TIN FILE

· Special for roughing in bronze, lead, iron, aluminum, etc



TC0181	14"
Type of packa	aging: Bulk

BASTARD CUT HALF ROUND FILE WITH HANDLE

For concave and convex surfaces



TC1485


BASTARD FLAT FILE WITH HANDLE



Type of packaging: Blister

ROUND BASTARD FILE WITH HANDLE

· For roughing holes and/or concave surfaces



Code	Size	Inner	Master
TC1476	6"	6	60
TC1477	8"	6	60

Type of packaging: Blister

DOUBLE THREE-SQUARE FILE WITH HANDLE

60

For filing cutting tools

6

Includes detachable handle



Code	Size	Inner	Master
TC1478	6"	6	60
TC1479	8"	6	60
Type of packag	jing: Blister		

CUT HEAVY TAPER FILE WITH HANDLE



Code	Size	Inner	Master
TC1480	6"	6	60
TC1481	8"	6	60

Type of packaging: Blister

REGULAR THREE-SQUARE FILE WITH HANDLE

· Forfilinghandsawsandothercuttingtools



Code	Size	Inner	Master
TC1482	6"	6	60
TC1483	8"	6	60

Type of packaging: Blister

HANDLE FOR FILE

· Handle with 4 different inserts



milier smape	miner snape
	×
No. 0	No. 1
8" Flat	6" Simple flat
10" Simple flat	8" Simple flat
10" Flat	8" Half-cane
10" Half-cane	8" Wooden rasp
Inner shape	Inner shape
X	
No. 3	No. 4
No. 3 6" Slim triangular	No. 4 6" Slim triangular
6" Slim triangular	6" Slim triangular

Code	Characteristics	Inner	Master
TC1486	5 pieces	6	60

Type of packaging: Blister

12-PIECE FILE SET

Made of T8 steel

For quick roughing, fine finishes and general use. Content:

10" bastard flat file

8" bastard cut half round file

6" round bastard file 8" mill saw file

8" half round rasp file

8" round rasp file 8" manual lawnmower file

8" file rasp for tinsmith

6" slim taper file 6" extra-fine tip file

2 high impact handles




Code	Length	Inner	Master
WF0605	6", 8" y 10"	2	12

Wolfox

FILES | BATTERIES



Code	Length	Inner	Master
WF0604	12"	3	12
Type of packaging	: Case		



Type of packaging: Blister

3-PIECE FILE SET

- Made of T8 steel
- For works on soft materials
- like wood, lead, and aluminum
- Content:
- Flat rasp file Half round rasp file
- Round rasp file

1	 Martin

Code	Length	Inner	Master
WF0607	8"	6	36
Type of packaging:	Blister		

3-PIECE CHAINSAW FILE SET

Made of T8 steel

Wolfox

For filing chainsaw

· Each file with handle included



Wolfox

Code	Length	Inner	Master
WF0606	8"	6	72
Type of packaging:	Blister		

9-VOLT ALKALINE BATTERY

High performance

D ALKALINE BATTERY

· High performance





*Price per blister of 1 piece

Code	Characteristics	Inner	Master
TC3106	Alkaline	6	48
Type of page	ckaging: Blister		



*Price per blister of 2 pieces

80

Characteristics Master Alkaline

Type of packaging: Blister

C ALKALINE BATTERY

· High performance

AA ALKALINE BATTERY

· High performance

AAA ALKALINE BATTERY

· High performance



*Price per blister of 2 pieces

Coc	le	(Characteristics	Inner	Master
TC31	104		Alkaline	6	48

Type of packaging: Blister





	Code	Characteristics	Inner	Master
	TC3103	Alkaline	10	80
Type of packaging: Blister				





TC3102 Alkaline 10 Type of packaging: Blister



WORKSHOP LED RECHARGEABLE FLASHLIGHT

- ABS body Input 120 V ~ 60 Hz Charger included
- Battery life: 3.5 hr
- Magnetic base Charging time: 8 hr







-=:)

Code	LEDS	Lumens	Inner	Master
TC5385	12	140 lm	2	24
Type of packaging: Box				

WORKSHOPLED FLASHLIGHT 16+6LED

- Aluminum body
- Magnetic base 3 "AAA" batteries (Not included)
- (Not included)
- 6 Led: 8 hr- 6 Led: 8 hr
- 16 Led: 3 hr- 16 Led: 3 hr







Code	LEDS	Lumens	Inner	Master
TC4564	22	65	2	60
Type of packaging: Blister				

PEN LED FLASHLIGHT

- Aluminum body
- AAA" batteries (not included)
- Battery life: 3.5 hr







Code	LEDS	Lumens	Inner	Master
TC5386	9	180 lm	4	48
Type of packaging: Card				

PORTABLE RECHARGEABLE FLASHLIGHT 120 ML

- ABS body Input 120 V ~ 60 Hz
- Retractable plug Charging time: 12 hrs











Code	LEDS	Lumens	Inner	Master	
TC3389	1	120 lm	6	36	
Type of packaging: Blister					

PORTABLE RECHARGEABLE FLASHLIGHT 70 ML

To extend the life of your battery

- ABS body Input 120 V ~ 60 Hz
- Retractable plug
 Charging time: 12 hrs









charge the batter	charge the battery every 40 days			
Code	LEDS	Lumens	Inner	Master
TC3388	1	70 lm	6	36

Type of packaging: Blister

ERGONOMIC RECHARGEABLE FLASHLIGHT

To extend the life of your battery

charge the battery every 40 days

To extend the life of your battery charge the battery every 40 days

- ABS body Input 120 V ~ 60 Hz Retractable plug
- Charging time: 12 hrs





M Duration 3 hr





Code	LEDS	Lumens	Inner	Master
TC1921	1	70 lm	12	60
TC3387	1	100 lm	6	36

Type of packaging: Blister

FLASHLIGHTS

ALUMINUM LED FLASHLIGHT

- · Aluminum body
- 1 LED
- Impact resistant
- Batteries included





Batte	ry life
TC4368	2.5 hr
TC4369	8 hr
TC4370	12 hr

Code	Batteries	Lumens	Inner	Master		
TC4368	2 AA	100 lm	4	48		
TC4369	2 C	250 lm	4	24		
TC4370 2 D 300 lm 4 12						
Time of makening Blister						

Type of packaging: Blister

RECHARGEABLE FLASHLIGHT 130 lm

- ABS body Input 120 V ~ 60 Hz
- Retractable plug Charging time: 12 hrs







To extend the life of your battery charge the battery every 40 days





Code	LEDS	Lumens	Inner	Master		
TC3386	1	130 lm	4	16		
T () D						

Type of packaging: Box

ALUMINUM LED FLASHLIGHT FOR HEAD

- · ABS body · Uses 3 AAA 1.5 V DC batteries (Not included)
- 8 LED head lamp
- · 3 Lighting levels:
- low, high and intermittent

 Adjustable light angle







Code	Batteries	Lumens	Duration	Inner	Master
TC4371	3 AAA	60 lm	5 hr	6	48
TC4372	3 AAA	90 lm	3 hr	6	48
TC4373	3 AAA	120 lm	2.5 hr	4	48

Type of packaging: Blister

12 LED RECHARGEABLE **HEAD LAMP**

- ABS body Input 120 V ~ 60 Hz Retractable plug
- Adjustable to 90





Wolfox



To extend the life of your battery charge the battery every 40 days

Code	LEDS	Lumens	Inner	Master		
TC3391	12	36 lm	4	60		
Type of packaging: Box						

8 LED RECHARGEABLE HEAD LAMP

- · ABS body · Uses 3 AAA 1.5 V DC
- batteries (Not included)
- 3 Lighting levels
- 2,4 and 8 LED Adjustable to 90



Batteries 3 AAA





35 lm



1163	3 hr
er	Master
	48

Type of packaging: Blister

FLASHLIGHT WITH BATTERIES 1 LED

- Made in plastic
- 1 LED
- Batteries included







-					Batteries
Code	Batteries	Duration	Lumens	Inner	Master
WF0565	2 AA	8 hr	30	12	48
WF0566	2 D	20 hr	30	8	24
WF0567	3 D	48 hr	50	4	24

Type of packaging: Blister

LEDS

FLASHLIGHTS







48



12

Type of packaging: Blister

LEDS

Wolfox **ALUMINUM FLASHLIGHT** WITH BATTERIES, 9 LED

· Aluminum body





22			Duration 5 hr	Batteries		
Code	Batteries	Lumens	Inner	Master		
WF0568	3 AAA	30 lumens	10	60		
Type of packaging: Blister						

Wolfox **RECHARGEABLE**

ABS body Input 120 V ~ 60 Hz

Retractable plug Charging time: 12 hrs

FLASHLIGHT LED





Wolfox

1 E 1	Rec	hargeable				
Code	LEDS	Duration	Lumens	Inner	Master	
WF1637	1	5 hr	35	12	48	
WF1639	1	7 hr	45	12	48	
Type of packaging: Blister						

ERGONOMIC LED RECHARGEABLE FLASHLIGHT

Lumens

50 lumens

ABS body

WF0569

- Input 120 V ~ 60 Hz
- Retractable plug Charging time: 12 hrs









NEW

Code	LEDS	Lumens	Inner	Master	
WF9641	1	35	12	96	
Type of packaging: Blister					

Wolfox PLASTIC FLASHLIGHT

- 3 LED ABS body
- Use 2 "D" batteries (included)
- Display box of 12 pcs (4 pcs. of each color)
- Three colors: Yellow, red and green









Wolfox

Code	LEDS	lumens	Inner	Master		
WF9512	3	9	12	48		
time of modernings 40 minors display						

Type of packaging: 12 pieces display

FRONT ALUMINUM TORCH FOR BICYCLE

To extend the life of your battery

charge the battery every 40 days

- Aluminum and ABS body 3 batteries AAA (included)
- Ignition switch
- 3 functions: high, low and intermittent





Code	LEDS	Lumens	Inner	Master		
TC5515	1	100 lm	6	24		
Type of packaging: Blister						

REAR PLASTIC FLASHLIGHT FOR BICYCLE

- · ABS body · 2 batteries AAA (included)
- Ignition switch
- · Functions: fixed light and 4 different intermittent functions





Wolfox

<u>NEW</u>

Code	LEDS	Lumens	Inner	Master	
TC5516	9	2 lm	12	48	
Type of packaging: Blister					

FLASHLIGHT SET FOR BICYCLE

It has the following codes TC5515 and TC5516









Code	Inner	Master
TC5517	6	24

Type of packaging: Blister

FRONT AND REAR FLASHLIGHTS SET **FOR BICYCLE**

- Made of flexible silicone
- 2 CR2032 batteries (included)
- Ignition switch
- 3 functions: fixed light, fast and slow flash









Code	LEDS	Lumens	Inner	Master
WF0783	2	6 and 2 lm	12	48

25-PIECE HEX KEY SET



Stan	dard	1/16"	5/64"	3/32"	7/64"	1/8"	9/64"
		5/32"	3/16"	7/32"	1/4"	5/16"	3/8"
Milimetric		1.5 mm	2 mm	2.5 mm	3 mm	3.5 mm	4 mm
4.5 mm	5 mm	5.5 mm	6 mm	7 mm	8 mm	9 mm	10 mm

Code	Measure	Inner	Master
TC4374	Metric / Standard	2	24
	at the part of the control of the co		

13-PIECE STANDARD HEX KEY SET Measures

Measure

Standard

10-PIECE METRIC HEX KEY SET

Type of packaging: Blister

· Made of carbon steel Cr-V steel

Satin coating,

corrosion-resistant

Type of packaging: Plastic case

Made of carbon steel Cr-V steel

Satin coating,

TC4375

corrosion-resistant

7-PIECE LONG STANDARD HEX KEY SET

- · Made of carbon steel Cr-V steel
- Satin coating, corrosion-resistant



13-PIECE METRIC HEX KEY SET

- Made of carbon steel Cr-V steel
- Satin coating, corrosion-resistant

TC4375

3/64"

1/16"

5/64"

3/32"

7/64"

1/8"

9/64"

5/32"

3/16"

7/32"

1/4"

5/16"

3/8"

Master

36

TC4378

1.5 mm

2 mm

2.5 mm

3 mm

4 mm

5 mm

5.5 mm

6 mm

8 mm

10 mm Master

36

Wolfox*

Inner

6

Inner



		5	1.3 mm	4.5 mm
	1 6	ķ.	1.5 mm	5 mm
		Ψ,	2 mm	5.5 mm
51:15			2.5 mm	6 mm
1	Allm		3 mm	8 mm
	-440//-		3.5 mm	10 mm
Altie			4 mm	
Code	Measure	Inner	IV	laster
TC4376	Milimetric	6		36

7-PIECE LONG METRIC HEX KEY SET

- · Made of carbon steel Cr-V steel
- Satin coating, corrosion-resistant



10-PIECE STANDARD HEX KEY SET

- Made of carbon steel Cr-V steel
- Satin coating, corrosion-resistant



9-PIECE TORX KEY SET

· Made of carbon steel Cr-V steel Satin coating,

Type of packaging: Blister

corrosion-resistant



8-PIECE FOLDING TORX KEY SET

- · Made of carbon steel Cr-V steel
- Satin coating, resistant to corrosion



	Wicasarcs
	TC4382
	T-9
	T-10
	T-15
	T-20
	T-25
	T-27
	T-30
	T-40
nnor	Mactor

Code	Туре	Inner	Master
TC4382	Torx	6	60
Type of pa	ackaging: Blister		

13 PIECE ALLEN WRENCH **SET**

Measure

Milimetric

Made of carbon steel

Type of packaging: Blister

Code

TC4378



	Measures			
	WF	0572		
	3/64"	5/32"		
	1/16"	3/16"		
	5/64"	7/32"		
	3/32"	1/4"		
	7/64"	5/16"		
	1/8"	3/8"		
	9/64"			
ne	er	Master		

1			
Code	Measure	Inner	Master
WF0572	Standard	6	36
Type of na	ckaning Blister		

13-PIECE METRIC HEX KEY **SET**

Made of carbon steel





10-PIECE STANDARD HEX KEY **SET**

· Made of carbon steel

Wolfox



WF0574
1/16"
5/64"
3/32"
1/8"
5/32"
3/16"
7/32"
1/4"
5/16"
3/8"
Moster

Wolfox

Code	Measure	Inner	Master
WF0574	Standard	6	36

Type of packaging: Blister

10-PIECE MILIMETRIC HEX **KEY SET**

· Made of carbon steel

Wolfox*

WF0575

1.5 mm

2 mm

2.5 mm

3 mm

4 mm

5 mm

5.5 mm

6 mm

8 mm 10 mm Master

36

- **KNIFE TYPE** · Bar made of high carbon steel
- Razor-type case in chromed steel with metallic coating

8-PIECE TORX KEY SET



	/	T-10
I/ Z		T-15
	*	T-20
WOLFOR		T-25
		T-27
		T-30
		T-40
Туре	Inner	Master
Torx		
Lory	6	72

Wolfox^{*}

T-9

Type of packaging: Blister

8-PIECE HEX KEY SET

Includes keyring type ring

· Made of carbon steel





Code	Measure	Inner	Master
WF4542	Standard	12	96
WF4571	Milimetric	12	96

Type of packaging: Cover

STANDARD COMBINATION WRENCH

Milimetric

Made of of Cr-V steel

Type of packaging: Blister

WF0575







Inner

6

Code	Measure	Length	Inner	Master
TC3836	1/4"	136 mm	6	36
TC3837	5/16"	148 mm	6	36
TC3838	3/8"	168 mm	6	36
TC3839	7/16"	182 mm	6	36
TC3840	1/2"	203 mm	6	36
TC3841	9/16"	215 mm	6	36
TC3842	5/8"	225 mm	6	36
TC3843	11/16"	243 mm	6	36
TC3844	3/4"	260 mm	6	36
TC3845	13/16"	282 mm	6	36
TC3846	7/8"	300 mm	6	36
TC3847	15/16"	325 mm	6	36
TC3848	1"	345 mm	6	36

Type of packaging: Hanger

METRIC COMBINATION WRENCH

Made of of Cr-V steel

WF4545







Code	Measure	Length	Inner	Master
TC3849	6 mm	136 mm	6	36
TC3850	7 mm	150 mm	6	36
TC3851	8 mm	158 mm	6	36
TC3852	9 mm	167 mm	6	36
TC3853	10 mm	167 mm	6	36
TC3854	11 mm	180 mm	6	36
TC3855	12 mm	190 mm	6	36
TC3856	13 mm	205 mm	6	36
TC3857	14 mm	215 mm	6	36
TC3858	15 mm	228 mm	6	36
TC3859	16 mm	228 mm	6	36
TC3860	17 mm	245 mm	6	36
TC3861	18 mm	245 mm	6	36
TC3862	19 mm	258 mm	6	36

Type of packaging: Hanger

STANDARD OPEN END WRENCH

- Made of of Cr-V steel





Code	Measure	Length	Inner	Master
TC3820	1/4" x 5/16"	106 mm	6	36
TC3821	5/16" x 3/8"	120 mm	6	36
TC3822	3/8" x 7/16"	135 mm	6	36
TC3823	7/16" x 1/2"	150 mm	6	36
TC3824	1/2" x 9/16"	150 mm	6	36
TC3825	9/16" x 5/8"	165 mm	6	36
TC3826	5/8" x 3/4"	170 mm	6	36
TC3827	5/8" x 11/16"	177 mm	6	36
TC3828	11/16" x 3/4"	194 mm	6	36

Type of packaging: Hanger

METRIC OPEN END WRENCH

- Made of of Cr-V steel
- Mirror finish



3			MII	rror finish
Code	Measure	Length	Inner	Master
TC3829	6 x 7 mm	110 mm	6	36
TC3830	8 x 9 mm	120 mm	6	36
TC3831	10 x 11 mm	130 mm	6	36
TC3832	12 x 13 mm	145 mm	6	36
TC3833	14 x 15 mm	160 mm	6	36
TC3834	16 x 17 mm	180 mm	6	36
TC3835	18 x 19 mm	195 mm	6	36

Type of packaging: Hanger

11-PIECE STANDARD COMBINATION **WRENCH SET**

- · Made of carbon steel Cr-V steel
- Chrome finish



Standard Type of packaging: Case

11-PIECE METRIC COMBINATION **WRENCH SET**

- · Made of carbon steel Cr-V steel
- Chrome finish



Type of packaging: Case

Master

9-PIECE STANDARD COMBINATION **WRENCH SET**

- · Made of carbon steel Cr-V steel
- · Chrome finish

Measures Length TC0283 1/4"

5/16"

3/8"

7/16" 1/2"

9/16"

5/8"

11/16"

3/4"

94.1 mm

109.1 mm

120.1 mm 132.2 mm

152.50 mm

165 1 mm

179.4 mm

193.4 mm

215.02 mm

9-PIECE METRIC COMBINATION **WRENCH SET**

- · Made of carbon steel Cr-V steel
- Chrome finish

6-PIECE STANDARD OPEN END **WRENCH SET**

- · Made of carbon steel Cr-V steel
- · Chrome finish



Code	Measure	Inner	Master		
TC0283	Standard	2	18		
Type of packaging: Case					

Measures	Length
TCO	284
7 mm	102.9 mm
8 mm	108.7 mm
9 mm	114.1 mm
10 mm	118.7 mm
11 mm	131.2 mm
12 mm	1141.3 mm
13 mm	150.6 mm
14 mm	165.2 mm
15 mm	173.8 mm

WRENCH SET

Chrome finish

Made of carbon steel Cr-V steel



		Omon	ile illiisii			
Code	Measure	Inner	Master			
TC0284	Milimetric	2	24			
Type of pack	Type of packaging: Case					

6-PIECE STANDARD COMBINATION

Measure

Standard



Measures	Length			
TC0281				
5/16"	108.5 mm			
3/8"	1119 mm			
7/16"	132.4 mm			
1/2"	152.6 mm			
9/16"	116.3 mm			
5/8"	180.6 mm			



112 mm

Code	Measure	Inner	Master
TC0281	Standard	3	24
Type of pac	kaging: Case		

6-PIECE METRIC COMBINATION **WRENCH SET**

- · Made of carbon steel Cr-V steel
- Chrome finish






Chrome finish

Chrome finish









Type of packaging: Case

· Made of of Cr-V steel

TC0287





0			Chrome	finish
Code	Measure	Length	Inner	Master
WF0169	6 mm	95 mm	12	72
WF0170	7 mm	95 mm	12	72
WF0171	8 mm	100 mm	12	72
WF0194	9 mm	110 mm	12	72
WF0195	10 mm	120 mm	12	72
WF0172	11 mm	130 mm	12	72
WF0173	12 mm	140 mm	12	72
WF0196	13 mm	145 mm	12	72
WF0174	14 mm	165 mm	12	72
WF0175	15 mm	175 mm	6	36
WF0176	16 mm	185 mm	6	36
WF0177	17 mm	205 mm	6	36
WF0178	18 mm	215 mm	6	36
WF0179	19 mm	230 mm	6	36

Type of packaging: Hanger

6-PIECE METRIC COMBINATION **WRENCH SET**

- · Made of carbon steel Cr-V steel
- Chrome finish

Measures Length

TC0287

1/4" x 5/16" 109.2 mm

3/8" x 7/16" 135.6 mm

1/2" x 9/16" 152.9 mm

9/16" x 5/8" 165.6 mm

11/16" x 3/4" 201.1 mm

13/16" x 7/8" 218 mm

2

Inner Master

24

Wolfox



Code	Measure	Inner	Master
TC0288	Milimetric	2	24
Type of pac	kaging: Case		

STANDARD OPEN END

WRENCH · Made of Cr-V Steel





Code	Measure	Longth	Inner	Master
Code	ivieasure	Length	inner	waster
WF0180	5/16" x 3/8"	120 mm	12	72
WF0181	3/8" x 7/16"	130 mm	12	72
WF0182	7/16" x 1/2"	145 mm	12	72
WF0183	1/2" x 9/16"	160 mm	12	72
WF0184	9/16" x 5/8"	180 mm	12	72
WF0185	5/8" x 3/4"	200 mm	6	36
WF0186	5/8" x 11/16"	180 mm	6	36
WF0187	11/16" x 3/4"	200 mm	6	36

Type of packaging: Hanger



WRENCH

· Made of of Cr-V steel



Type of packaging: Hanger

Wolfox



· Made of Cr-V Steel





Wolfox[®]

Code	Measure	Length	Inner	Master
WF0188	8 x 9 mm	120 mm	12	72
WF0189	10 x 11 mm	130 mm	12	72
WF0190	12 x 13 mm	145 mm	12	72
WF0191	14 x 15 mm	160 mm	12	72
WF0192	16 x 17 mm	180 mm	12	72
WF0193	18 x 19 mm	200 mm	6	36

Type of packaging: Hanger

11-PIECE COMBINATION **WRENCH SET**

· Made of carbon steel Cr-V stee



Code	Measure	Inner	Master
WF0201	Standard	3	12
WF0202	Milimetric	3	12

Type of packaging: Case

16 mm


Wolfox

7/8

9-PIECE COMBINATION **WRENCH SET**

· Made of carbon steel Cr-V steel

· Chrome finish





Code	Measure	Inner	Master
WF0199	Standard	3	12
WF0200	Milimetric	3	12

Type of packaging: Case

5-PIECE, COMBINED WRENCH SET

- · Made of carbon steel Cr-V steel
- Chrome finish



WF0197	WF0198
Standard	Milimetric
3/8"	8 mm
7/16"	10 mm
1/2"	11 mm
9/16"	12 mm
5/8"	13 mm

Om ome missi			
Code	Measure	Inner	Master
WF0197	Standard	2	36
WF0198	Milimetric	2	36

Type of packaging: Case

5-PIECE WRENCH SET

Wolfox[®]

- Made of carbon steel Cr-V steel



Wolfox



WF0204
Milimetric
6 mm x 7 mm
8 mm x 9 mm
10 mm x 11 mm
12 mm x 13 mm
14 mm x 15 mm

Code	Measure	Inner	Master
WF0203	Standard	2	36
WF0204	Milimetric	2	36

Type of packaging: Case

Chrome finish

GAS CHROMED WRENCH

- · Made of of Cr-V steel
- Handle with 3/8" square hole to be used on valves that do not havehandle





Code	Measure	Inner	Master		
TC0997	7/8"	10	80		
Type of packaging: Plastic hanger					

GAS WRENCH

· Made of steel

Handle with 3/8 "drilling to be used on valves that do not have a handle



	Code	Measure	Inner	Master	
	WF9661	7/8"	20	120	
Type of packaging: Bulk					

UNIVERSAL WRENCH WITH CHAIN

- Body Made of steel carbon steel
- 43 cm chain Carbon steel chain For tighten / loosen
- threaded pipe accessories





Code	Maximum capacity (diameter)	Inner	Master
TC3370	4 5/16"	2	24

Type of packaging: Blister

PLUMBING WRENCH

- Made of carbon steel
- Moving head with 240° rotation Universal adjustment clamp



Code	Measure	Inner	Master
TC0381	12" (304 mm)	5	20

Type of packaging: Plastic hanger

BLACK OXIDE ADJUSTABLE WRENCH

- · Made of of Cr-V steel Hardness 45 - 50 HRC
- Adjustable jaw with 2 scales:
- millimeters and inches
- Includes nut wrench





Code	Length	Wrench in handle	Maximum opening	Inner	Master
TC4132	6"	10 mm	20 mm	6	60
TC4133	8"	11 mm	25 mm	6	48
TC4134	10"	13 mm	30 mm	4	36
TC4135	12"	14 mm	35 mm	3	24
TC4136	15"	Not included	45 mm	1	4
TC4137	18"	Not included	35 mm	1	4

Type of packaging: Card, box (TC4136 and TC4137)

CHROME-PLATED ADJUSTABLE WRENCH

- · Made of of Cr-V steel
- Hardness 45 50 HRC
- Adjustable jaw with 2 scales:
- millimeters and inches Includes nut wrench





Code	Length	Wrench in handle	Maximum opening	Inner	Master
TC4153	6"	10 mm	24 mm	6	60
TC4154	8"	11 mm	30 mm	6	48
TC4155	10"	13 mm	35 mm	6	36
TC4156	12"	14 mm	40 mm	3	24

Type of packaging: Card

CHROME-PLATED ADJUSTABLE WRENCH WITH GRIP

- Made of carbon steel
- Hardness 40 44 HRC
- Adjustable jaw with 2 scales: millimeters and inches



Code	Length	Maximum opening	Inner	Master
TC4138	6"	20 mm	6	60
TC4139	8"	25 mm	6	48
TC4140	10"	30 mm	6	36
TC4141	12"	35 mm	4	24
TC4163	15"	45 mm	2	4

Type of packaging: Card

BLACK OXIDE ADJUSTABLE WRENCH

- Made of carbon steel
- Hardness 38 48 HRC Jaw engraved in 2 scales: millimeters and inches





Wolfox

Wolfox

Wolfox

Code	Length	Maximum opening	Inner	Master
WF0121	6"	19 mm	6	120
WF0122	8"	25 mm	6	96
WF0123	10"	30 mm	6	60
WF0124	12"	35 mm	3	36

Type of packaging: Blister

ADJUSTABLE CHROMED WRENCH

- Made of carbon steel Hardness 38 - 48 HRC
- Jaw engraved in 2 scales: millimeters and inches





Code	Length	Maximum opening	Inner	Master
WF4506	6"	19 mm	6	120
WF4508	8"	25 mm	6	96
WF4510	10"	30 mm	6	60
WF4512	12"	35 mm	3	36

Type of packaging: Blister

CHROME-PLATED ADJUSTABLE MINI WRENCH WITH GRIP.



- Hardness 45 50 HRC Jaw engraved in 2 scales:
- millimeters and inches



Wolfox



Code	Length	Maximum opening	Inner	Master
WF0009	5"	19 mm	3	36
WF0010	6"	25 mm	3	36

Type of packaging: Card

INDUSTRIAL PIPE WRENCH (STILSON)

- Made of nodular steel
- Strong body Teeth hardness 55 60 HRC



Code	Length	Opening	Inner	Master
TC4157	8"	19 mm	3	18
TC4158	10"	25 mm	3	18
TC4159	12"	32 mm	3	18
TC4160	14"	38 mm	3	12
TC4161	18"	51 mm	2	6
TC4162	24"	64 mm	1	3
TC4142	36"	89 mm	1	3

Type of packaging: Bulk

PIPE WRENCH (STILSON)

Made of nodular steel · Teeth hardness 55 - 60 HRC



Code	Length	Opening	Inner	Master
WF4608	8"	19 mm	4	48
WF4610	10"	25 mm	4	36
WF4612	12"	32 mm	4	24
WF4614	14"	38 mm	2	12
WF4618	18"	51 mm	2	6
WF0087	24"	64 mm	2	6

Type of packaging: Bulk

Wolfox

GRAY TARP HEAVY DUTY

- Polyethylene tarp Multipurpose Riveted reinforcement
- Aluminum eyes
- Double stitching on the edgesfor greater endurance 14 x 14 threads per square inch
- Weight per square meter: 180 g





Previous code	New code	Measures (m)	Measures (feet)	Inner	Master
TC0815	TC5450	1.5m x 1.5m	4.9' x 4.9'	4	30
TC0816	TC5451	2m x 2m	6.6' x 6.6'	3	15
TC0637	TC5452	3m x 3m	9.8' x 9.8'	3	12
TC0817	TC5453	3m x 3m	9.8' x 9.8'	3	8
TC0636	TC5454	3m x 3m	9.8' x 9.8'	2	8
TC0818	TC5455	3m x 3m	9.8' x 9.8'	2	6
-	TC5456	4m x 4m	13.1' x 13.1'	1	6
TC0638	TC5457	4m x 4m	13.1' x 13.1'	1	4
TC0819	TC5458	4m x 4m	13.1' x 13.1'	1	4
TC0820	TC5459	4m x 4m	13.1' x 13.1'	1	4
-	TC5460	5m x 5m	16.4' x 16.4'	1	4
TC0821	TC5461	5m x 5m	16.4' x 16.4'	1	3
TC0822	TC5462	5m x 5m	16.4' x 16.4'	1	2
TC0823	TC5463	6m x 6m	19.7' x 19.7'	1	2
TC0824	TC5464	6m x 6m	19.7' x 19.7'	1	2
TC0825	TC5465	6m x12m	19.7' x 19.7'	1	1
-	TC5466	7m x 7m	23' x 23'	1	1
-	TC5467	9m x 9m	29.5' x 29.5'	1	1
-	TC5468	12m x 12m	39.4' x 39.4'	1	1

- **GREEN TARP** Polyethylene tarp Multipurpose
- Riveted reinforcement
- Aluminum eyes 10 x 10 threads per square inch
- Weight per square meter: 110 g

BLUE TARP

- Polyethylene tarpMultipurposeRiveted reinforcement
- Aluminum eyes 10 x 10 threads per square inch Weight per square meter: 110 g





Wolfox[®]

Previous code	New code	Measures (m)	Measures (feet)	Inner	Master
WF6009	WF0737	1.5m x 1.5m	4.9' x 4.9'	6	50
WF6008	WF0738	2m x 2m	6.6' x 6.6'	4	30
WF6010	WF0739	3m x 3m	9.8' x 9.8'	4	20
WF6012	WF0740	3m x 3m	9.8' x 9.8'	4	10
WF6016	WF0741	3m x 3m	9.8' x 9.8'	4	10
WF6020	WF0742	3m x 3m	9.8' x 9.8'	2	10
-	WF0743	4m x 4m	13.1' x 13.1'	2	10
WF6017	WF0744	4m x 4m	13.1' x 13.1'	2	6
WF6021	WF0745	4m x 4m	13.1' x 13.1'	2	6
WF6024	WF0746	4m x 4m	13.1' x 13.1'	2	6
-	WF0747	5m x 5m	16.4' x 16.4'	2	5
WF6022	WF0748	5m x 5m	16.4' x 16.4'	1	5
WF6025	WF0749	5m x 5m	16.4' x 16.4'	1	5
WF6023	WF0750	6m x 6m	19.7' x 19.7'	1	5
WF6030	WF0751	6m x 6m	19.7' x 19.7'	1	2
WF6040	WF0752	6m x12m	19.7' x 19.7'	1	2
-	WF0753	7m x 7m	23' x 23'	1	2
WF6041	WF0754	9m x 9m	29.5' x 29.5'	1	1

Type of packaging: Bag

Wolfox

- **GREEN TARP**
 - Polyethylene tarp Multipurpose
 - Riveted reinforcement

 - Aluminum eyes 10 x 10 threads per square inch
 - Weight per square meter: 110 g

Wolfox

BLUE TARP LIGHT DUTY

- · Polyethylene tarp · Multipurpose
- Aluminum eyes
- · 7 x 7 threads per square inch · Weight per square meter: 90 g







Previous code	New code	Measure (m)	Measure (feet)	Inner	Master
WF0019	WF0755	2m x 2m	6.6' x 6.6'	4	30
WF0020	WF0756	3m x 3m	9.8' x 9.8'	4	20
WF0021	WF0757	3m x 3m	9.8' x 9.8'	4	10
WF0022	WF0758	4m x 4m	13.1' x 13.1'	4	6
-	WF0759	4m x 4m	13.1' x 13.1'	2	6
WF0023	WF0760	5m x 5m	16.4' x 16.4'	2	5
WF0025	WF0761	6m x12m	19.7' x 19.7'	1	2

Type of packaging: Bag





Previous code	New code	Measure (m)	Measure (feet)	Inner	Master
WF9278	WF0762	2m x 2m	6.6' x 6.6'	4	30
WF9279	WF0763	3m x 3m	9.8' x 9.8'	4	20
WF9280	WF0764	3m x 3m	9.8' x 9.8'	4	10
WF9281	WF0765	4m x 4m	13.1' x 13.1'	4	6
-	WF0766	4m x 4m	13.1' x 13.1'	2	6
WF9282	WF0767	5m x 5m	16.4' x 16.4'	2	5
WF9284	WF0768	6m x12m	19.7' x 19.7'	1	2







Previous code	New code	Measure (m)	Measure (feet)	Inner	Master
WF9805	WF0769	2m x 2m	6.6' x 6.6'	4	10
WF9806	WF0770	3m x 3m	9.8' x 9.8'	4	10
WF9807	WF0771	3m x 3m	9.8' x 9.8'	4	5
WF9809	WF0772	4m x 4m	13.1' x 13.1'	4	3
-	WF0773	4m x 4m	13.1' x 13.1'	2	3
WF9810	WF0774	5m x 5m	16.4' x 16.4'	2	3
-	WF0775	6m x12m	19.7' x 19.7'	1	1

Type of packaging: Bag

HAMMERS

POLISHED CURVED CLAW **HAMMER**



Code	Head	Handle	Inner	Master
TC0648	7 oz	11"	4	36
TC0650	16 oz	12 5/8"	6	36
TC0651	20 oz	12 5/8"	6	36

Type of packaging: Bulk

POLISHED STRAIGHT CLAW **HAMMER**



Code	Head	Handle	Inner	Master
TC0018	16 oz	12 5/8"	6	36
TC0019	20 oz	12 5/8"	6	36
Torre of me about on Bulls				

Type of packaging: Bulk

POLISHED CURVED CLAW FORGED **HAMMER**

· Made of high-carbon steel



Code	Head	Handle	Inner	Master
TC0026	16 oz	12 5/8"	6	36
Type of packaging: Bulk				

SEMI-POLISHED **CURVED CLAW HAMMER**

- Made of high-carbon steel
- Tempered on the nail and cap
- Engraved with conical nail





Code	Head	Handle	Inner	Master	
TC3609	7 oz	11"	6	48	
*TC0016	16 oz	12 5/8"	6	36	
TC0017	20 oz	12 5/8"	6	36	
Type of packaging: Bulk					

TUBULAR CURVED CLAW HAMMER

Highly durable and resistant tubular handle



Code	Head	Handle	Inner	Master
TC0356	16 oz	13 3/8"	6	36
Type of packaging: Bulk				

SEMI POLISHED STRAIGHT **CLAW HAMMER**

- Made of high-carbon steel
- Tempered on the nail and cap



Code	Head	Handle	Inner	Master
TC0020	16 oz	12 5/8"	6	36
TC0021	20 oz	12 5/8"	6	36
Type of packaging: Bulk				

CURVED CLAW FIBERGLASS HAMMER

Fiberglass handle Neoprene covered

that absorbs vibrations · Head made of high-carbon steel



Code	Head	Handle	Inner	Master
TC0022	16 oz	12 5/8"	6	36
Type of packaging: Bulk				

TUBULAR STRAIGHT CLAW HAMMER

Head made of



Code	Head	Handle	Inner	Master	
TC0357	16 oz	13 3/8"	6	36	
TC0358	20 oz	13 3/8"	6	36	
Type of packaging: Bulk					

POLISHED CURVED CLAW HAMMER

- · Made of high-carbon steel
- Handle with neoprene cover that absorbs vibrations



Code	Head	Handle	Inner	Master
TC0024	16 oz	12 5/8"	6	36
Type of packaging: Bulk				

SEMI-POLISHED BALL-HAMMER



Code	Head	Handle	Inner	Master
TC1601	8 oz	11"	6	36
TC1602	12 oz	11 3/4"	6	36
TC1603	16 oz	13 3/8"	6	36
TC1604	24 oz	14 3/16"	4	24
TC1605	32 oz	14 3/16"	4	24
TC1606	40 oz	14 3/16"	6	12

Type of packaging: Bulk

SEMI-POLISHED BRICK HAMMER

- Made of high-carbon steel Ash wood handle

Code	Head	Handle	Inner	Master
TC1607	24 oz	11"	6	24

Type of packaging: Bulk

SEMI-POLISHED TACK HAMMER

- · Forged in high carbon steel
- · Ash wood handle



Code	Head	Handle	Inner	Master
TC1608	7 oz	11"	4	48

Type of packaging: Bulk

HAMMERS | SLEDGE HAMMER | MALLET

CURVED CLAW HAMMER

- Made of high-carbon steel
- Tempered on the nail and cap
- Engraved with conical nail
- Wooden Handle

Wolfox

Head made of high-carbon steel

STRAIGHT CLAW HAMMER

- Engraved with conical nail

Wolfox

TUBULAR CURVED CLAW HAMMER



- Made of high-carbon steel
- Handle with neoprene cover that absorbs vibrations







Code	Head	Handle	Inner	Master	
WF9785	7 oz	11"	6	48	
WF6416	16 oz	12 5/8"	6	48	
Type of packaging: Bulk					

POLISHED CURVED CLA	٩W
MINI HAMMER WITH GF	₹IΡ

· For reduced spaces



Magnetic storage of nails

Handle Inner Master

12

Wooden handle

WF6417

Type of packaging: Bulk

RUBBER MALLET

Neoprene material for strong impacts without damaging or scratching the surface

Head

16 oz



12 5/8"

Code	Head	Inner	Master		
WF6438	8 oz	12	60		
WF6446	16 oz	6	36		
WF6454	24 oz	6	36		
Type of packaging: Bulk					

3-PIECE RUBBER MALLET SET

16 oz



Type of packaging: Bulk

WF1622

Neoprene material for strong impacts without damaging or scratching the surface





Handle

12 5/8"

Inner Master

Wolfox

6

Code	Head	Inner	Master	
WF6430	8,16 y 32 oz	2	12	
Type of packaging: Box				

SLEDGE HAMMER, FIBERGLASS HANDLE

4 1/2"

Made of high-carbon forged steel

Head

10 oz

Head hardness (HRC): 45-50

Type of packaging: Bulk



WF0576



Code	Head	Handle	Inner	Master
TC5068	2 lb	12"	6	12
TC5070	3 lb	12"	6	12
TC5071	4 lb	12"	6	12
TC5072	6 lb	36"	2	6
TC5073	8 lb	36"	2	4
TC5074	10 lb	36"	1	2
TC5075	12 lb	36"	1	2
TC5076	14 lb	36"	1	2
TC5124	16 lb	36"	1	2

Type of packaging: Bulk

SLEDGE HAMMER, WOOD HANDLE

- Made of high-carbon forged steel
- Head hardness (HRC): 45-50 Octagonal design

Handle Inner Master

Wolfox[®]

6



Code	Head	Handle	Inner	Master
TC0558	2 lb	12"	6	12
TC0559	3 lb	12"	6	12
TC0560	4 lb	12"	6	12
TC0561	6 lb	36"	2	6
TC0562	8 lb	36"	2	4
TC0563	10 lb	36"	1	2
TC0564	12 lb	36"	1	2
TC0565	14 lb	36"	1	4
TC0566	16 lb	36"	1	2

Type of packaging: Bulk

CORBELS | MULTI-TOOLS | POCKET KNIVES

WHITE CORBEL

Made of one piece steel blade 6 attachment points

BROWN CORBEL

Made of one piece steel blade

BLACK CORBEL

- Made of one piece steel blade 6 attachment points
- **GRAY CORBEL**
- Made of one piece steel blade
- 6 attachment points



Code	Measure	Thickness	Inner	Master
TC0918	4" x 5"	0.8 mm	24	288
TC0919	5" x 6"	0.8 mm	24	288
TC0920	6" x 8"	1 mm	24	288
*TC0921	8" x 10"	1 mm	24	144
*TC0922	10" x 12"	1 mm	24	144
TC0923	12" x 14"	1 mm	24	12

Type of packaging: Bulk



Code	Measure	Thickness	Inner	Master	
TC0930	4" x 5"	0.8 mm	24	288	
TC0931	5" x 6"	0.8 mm	24	288	
TC0932	6" x 8"	1 mm	24	288	
TC0933	8" x 10"	1 mm	24	144	
TC0934	10" x 12"	1 mm	24	144	
TC0935	12" x 14"	1 mm	24	12	
Type of nackaging: Bulk					

Type of pa	ckaging:	Bulk
------------	----------	------



Code	Measure	Thickness	Inner	Master
TC2509	4" x 5"	0.8 mm	24	288
TC2510	5" x 6"	0.8 mm	24	288
TC2511	6" x 8"	1 mm	24	288
TC2512	8" x 10"	1 mm	24	144
TC2513	10" x 12"	1 mm	24	144
TC2514	12" x 14"	1 mm	24	12

Wolfox

Fine-tip clamp Pliers

Wire cutter

Knife Bottle opener

Sav

Knife

Fish scaler

Corkscrews

Bottle opener Screwdrive

Scissors Can opene

File Saw

...

Phillips screwdriver

Nail cleaner

3 slotted screw

Phillips screwdriver File

Type of packaging: Bulk



Code	Measure	Thickness	Inner	Master
TC0924	4" x 5"	0.8 mm	24	288
TC0925	5" x 6"	0.8 mm	24	288
TC0926	6" x 8"	1 mm	24	288
TC0927	8" x 10"	1 mm	24	144
TC0928	10" x 12"	1 mm	24	144
TC0929	12" x 14"	1 mm	24	12

Type of packaging: Bulk

MULTITOOL 14 FUNCTIONS

- Stainless steel blade
- Case included



		Can o	pener		
Code	Characteristics	Inner	Master		
WF0287	14 functions in 1	4	48		
Type of packaging: Blister					

Wolfox

Knife Fish scaler

Phillips screwdrive Corkscrews Bottle opener

Flat screwdriver

Scissors

Can opener

MULTITOOL 13 FUNCTIONS

- Stainless steel blade
- Case included



		Can	opener	
Code	Characteristics	Inner	Master	
WF0288	13 functions in 1	4	48	
Type of packaging: Blister				

21-IN-1 FUNCTION SWISS-





Characteristics

21 functions in 1

	3 knives	3
	Phillips	screwdriver
/	Magnifying glass	
,	Saw	
	Fish sca	aler
-	Hook di	scharger
	Clamps	
	3 screwdrivers	
	Can opener	
	Bottle opener	
	File	
	Corkscrews	
à.	Mini screwdriver	
	Leather	perforator
	Leather	threader
	Chisel	
	Fine screwdriver	
Inner		Master
3 24		24

Functions

Type of packaging: Blister

15-IN-1 FUNCTION SWISS-STYLE ARMY KNIFE

· Stainless steel body



	Stainless steel	
Code	Characteristics	Ir
TC0673	15 functions in 1	



10-IN-1 FUNCTION, SWISS-STYLE **ARMY KNIFE**

Made in stainless steel



-	Stalliess steel		
Code	Characteristics	Inner	Master
TC0672	10 functions in 1	6	24
Type of p	ackaging: Blister		

ONE BLADE 6" PENKNIFE

- · Made in stainless steel
- Safety lock

TC0674



Code	Diaue	IIIIIEI	IVIASICI
TC0676	173 mm	3	48
Type of pag	kaging: Blister		

ONE BLADE 5" PENKNIFE

- Made in stainless steel
- Safety lock







Code	Blade	Inner	Master
TC0675	140 mm	6	48
	140 11111	U	40

Type of packaging: Blister



Code	Characteristics	Inner	Master
TC0677	Knife with light	3	48

Type of packaging: Blister

4" KNIFE WITH LED

Made in stainless steel

LED light

Safety lock

5" RUBBER HANDLE KNIFE

- Made in stainless steel
- Nylon storage pouch included Safety lock



Code	Characteristics	Inner	Master
TC0678	Handle knife / rubber	6	48

Type of packaging: Blister

POCKET KNIVES

6" CUTTER KNIFE

- Zinc body Extra long model with metal core Cutting multi-functions
- Adjustable safety with knob





Code	Blade width	Inner	Master
TC0585	18 mm	6	72
Replacement			
TC0598	18 mm (10 pieces)	24	240
Type of packaging: Blister			

7" CUTTER KNIFE

- Dual-material body, ABS and TPR.
- Metal core
- Automatic lock





Code	Blade width	Inner	Master	
TC0579	18 mm	12	144	
Replacement				
TC0598	18 mm (10 pieces)	24	240	
Type of packaging: Blister				

6" RETRACTABLE KNIFE

- · ABS body
- 8 replacement blades



Code	Blade width	Inner	Master	
WF1372	19 mm	12	144	
Type of pack	Type of packaging: Blister			

5" CUTTER KNIFE

- ABS body
- Metal core
- Automatic lock



Code	Blade width	Inner	Master
WF0578	9 mm	24	288
Replacement			
TC0597	9 mm (10 pieces)	24	360

Type of packaging: Blister

7" CUTTER KNIFE

- ABS body
- Metal core
- Automatic lock 3 replacement blades





Code	Blade width	Inner	Master
TC4383	25 mm	12	72
Replacement			
TC4388	25 mm (10 pieces)	3	144

Type of packaging: Blister

5" CUTTER KNIFE

- ABS body
- Automatic lock
- 1 Spare blade





Code	Blade width	Inner	Master
TC4385	9 mm 12		72
	Replacen	nent	
TC0597	9 mm (10 pieces)	24	360

Type of packaging: Bag

6" CUTTER KNIFE

ABS body

Wolfox

Wolfox*

- Blade included
- Automatic lock





Type of packaging: Blister

- **5" CUTTER KNIFE**
- ABS body Blade included Automatic lock





Code	Blade width	Inner	Master
WF1348	9 mm	24	576
	Replacement		
TC0597	9 mm (10 pieces)	24	360

Type of packaging: Blister

6" CUTTER KNIFE

- · ABS body · Metal core
- Automatic lock
- 3 replacement blades





Code	Blade width	Inner	Master		
TC4384	18 mm	12	72		
Replacement					
TC0598	18 mm (10 pieces)	24	240		
Time of markenings Blister					

Type of packaging: Blister

PRECISION HOBBY KNIFE

- · Aluminum body with ABS handle
- Blade of 39 x 8 mm
- · 5 spare knives



Code	Blade width	Inner	Master	
TC4386	39 x 8 mm	12	48	
	Replacement			
TC4387	39 x 8 mm (10 pieces)	12	96	
Tune of packagings Plinter				

Type of packaging: Blister

7" CUTTER KNIFE

· ABS body

Wolfox^{*}

Wolfox*

Metal core Automatic lock



-				
Code	Blade width	Inner	Master	
WF0580	18 mm	12	144	
	Replacemer	nt		
TC0598	18 mm (10 pieces)	24	240	
Type of packaging: Blister				

Type of packaging: Blister

PRECISION HOBBY KNIFE **SET**

Wolfox





Code	Content	Inner	Master
WF0579	17 pieces	6	48
	aging: Blister		-10

Wolfox

LEVELS | WELDING

PROFESSIONAL ALUMINUM LEVEL

- Aluminum body Sides with plastic reinforcements
- 3 drops model: 0°, 45°, 90°
- Optical green drops
- Joist type design



Code	Length	Inner	Master
TC5184	12"	6	60
TC5185	14"	6	60
TC5186	18"	6	60
TC5187	24"	6	60
TC5188	36"	2	30
TC5189	48"	2	30
There is a section of the section of	a.H.		

Type of packaging: Bulk

MAGNETIC TORPEDO LEVEL

- · Aluminum and ABS body
- Magnetic base
- 3 drops model: 0°, 45°, 90°
- Top reading window



Type of packaging: Blister

ALUMINUM LEVEL

- Anodized aluminum body
- Sides with plastic reinforcements
- 3 drops model: 0°, 45°, 90°
- Top reading window
- Drops of optical yellow color
- Joist type design



Code	Length	Inner	Master
WF6714	14"	6	60
WF6719	18"	6	60
WF6724	24"	6	60
Type of packaging: Bulk			

LEVEL WITH LASER

- Dual-material
- 2 drops model
- Laser range: 10 meters
- Adjustable angle



1000			
Code	Characteristics	Inner	Master
TC2714	Magnetic base	2	12
Type of packag	ing: Blister		

THREAD LEVEL

- · Light model
- Drop visible from any angle
- 2-piece set



60/40 RESIN CORE SOLDER

· Composition: 60% tin and 60% lead

· For electronic works

Code	Length	Inner	Master
TC2063	3"	10	60
Type of p	ackaging: Blister		

MAGNETIC TORPEDO **LEVEL**

- Magnetic stripe 3 drops model: 0°, 45°, 90°
- Top reading window

ABS body

Wolfox



Wolfox

Wolfox

Type of packaging: Blister

GAS LIGHTER TORCH TYPE

- Ideal for hard to reach places
- Ignition safety lock
- Fuel included (butane gas) Rechargeable





50/50 RESIN CORE SOLDER

- · For hydraulic installations
- · Composition: 50% tin and 50% lead



Code	Weight	Fusion point	Diameter	Inner	Master
TC5097	450 g	209° C	3 mm	2	60

Type of packaging: Reel

95/5 RESIN CORE SOLDER

- · High resistance to pressure and temperature
- · For gas installations, air conditioning and heating
- Composition: 95% acrylic, 5% antimony



Code	Weight	Fusion point	Diameter	Inner	Master
TC5095	450 g	240° C	3 mm	2	60





Type of packaging: Reel

GRILLS | LIGHTERS

BUTANE / PROPANE GAS CAN WITH THREAD

· For blowtorches, lighters, lamps and small stoves





Code	Content	Inner	Master
TC3383	247 g	12	12

Type of packaging: Can

BUTANE GAS TORCH

- Made of brass
- Flame adjusting knob
- Heat diffuser



Code	Length	Inner	Master
TC3380	12 cm	4	48
Type of packaging: Blister			



BUTANE GAS BURNER THREADED

· Brass nozzle and aluminum tube

· Flame adjusting knob

Code	Length	Inner	Master	
TC4628	20.5 cm	5	30	
Type of packaging: Blister				

BUTANE / PROPANE GAS CAN

For blowtorches, lighters, lamps and small stoves





			1/4 turn
Code	Content	Inner	Master
TC4563	247g	12	12

Type of packaging: Can

BUTANE GAS TORCH

- Made of brass
- Flame adjusting knob

- Heat diffuser





Code	Length	Inner	Master
TC4630	12 cm	4	36

BUTANE GAS BURNER

- · Brass nozzle and aluminum tube
- · Flame adjusting knob



Code	Length	Inner	Master
TC4629	20.5 cm	5	30

Type of packaging: Blister Type of packaging: Blister

TORCH WITH GAS HOSE

- Brass nozzle
- PVC hose 5/16 "x 2 m
- Connector pig tail 7/8 "



Code	Torch length	Inner	Master
TC4631	36 cm	2	20
Type of packaging: Box			

PORTABLE GAS STOVE

- Made of steel and aluminum burner
- Electronic ignition
- Works with 1/4 turn butane / propane gas can (TC4563)
- Automatic shut-off when there is high gas pressure Gas can not included





Code	Gas inlet	Inner	Master
TC4615	1/4 turn	2	6
Type of packaging: I	Plastic case		

LP GAS GRILL

- Cover, grills and porcelain burners
- Electrostatic painting Manual Power On
- Light and portable
- 2 double grills
- Adjustable flame





Type of packaging: Box



Wolfox.

NOM

LP GAS GRILL

- Manual Power On
- Light and portable Burners with independent knobs
- Cover, grills and burners
- Electrostatic painting





Code	Characteristics	Inner	Master
WF1680	2 burners	2	2

Type of packaging: Box



NOM

Wolfox



SQUARE SHOVEL



ROUND POINT SHOVEL



Code		Handle	Blade (width / height)	Full length	Inner	Master
*TC0404	Short	Wood	23.5 cm / 29.5 cm	1.02 m	6	6
TC5285	Short	Fiberglass	23.5 cm / 29.5 cm	1.02 m	3	6
TC0405	Length	Wood	23.5 cm / 29.5 cm	1.50 m	6	6
TC5286	Length	Fiberglass	23.5 cm / 29.5 cm	1.50 m	3	6

Type	of	packag	ıina:	Bulk

Code		Handle	Blade (width / height)	Full length	Inner	Master
TC0406	Short	Wood	22 cm / 29.5 cm	1.02 m	6	6
TC5287	Short	Fiberglass	22 cm / 29.5 cm	1.02 m	3	6
*TC0407	Length	Wood	22 cm / 29.5 cm	1.50 m	3	6
TC5288	Length	Fiberglass	22 cm / 29.5 cm	1.50 m	3	6

Type of packaging: Bulk

SCOOP SHOVEL

- · 16 gauge blade · Backward drolled steps
- "Y" handle
- Blade: width 31.7 cm / height 41cm
- · Handle of treated oak wood



TC0409	TC5290

Code	Handle	Full length	Inner	Master
TC0409	Wood	1.12 m	3	6
TC5290	Fiberglass	1.12 m	3	6

Type of packaging: Bulk

SQUARE SHOVEL

- · 18 gauge blade · Backward drolled steps
- Y" handle (WF9546) · Treated hardwood handle



Code	Handle	Blade (width / height)	Length total	Inner	Master
WF9546	Short	23.3 cm / 27.5 cm	1.02 m	6	6
WF0732	Length	23.3 cm / 27.5 cm	1.50 m	6	6

Type of packaging: Bulk

GARDEN SHOVEL

- 16 gauge blade Backward drolled steps "Y" handle (TC0408)
- Blade: width 16.5 cm / height 30.5cm
- Handle of treated oak wood



Code	Handle		Full length	Inner	Master
TC0408	Short	Wood	1.02 m	6	6
TC5289	Short	Fiberglass	1.02 m	6	6
TC5384	Length	Wood	1.50 m	3	6

Type of packaging: Bulk

ROUND POINT SHOVEL

18 gauge blade Backward drolled steps

Wolfox*

- "Y" handle (WF9545) Treated hardwood handle



Code	Handle	Blade (width / height)	Length total	Inner	Master
WF9545	Short	20.4 cm / 28.4 cm	1.02 m	6	6
WF0731	Length	20.4 cm / 28.4 cm	1.50 m	3	6

Type of packaging: Bulk

WOOD HANDLE FOR SHOVEL

- Natural finish "Y" handle
- Handle of treated oak wood





Wolfox[®]

Code	Length	Inner	Master
TC2856	53.5 cm (21")	6	25
Type of	packaging: Bulk		

GARDEN SHOVEL

· 18 gauge blade · Backward drolled steps

Wolfox

- Y" handle (WF0729)
- · Treated hardwood handle



Code	Handle	Blade (width / height)	Length total	Inner	Master
WF0729	Short	16.5 cm / 30 cm	1.02 m	6	6
WF0730	Length	16.5 cm / 30 cm	1.50 m	3	6

Type of packaging: Bulk

SHARPENING STONE

- · Made of silicon carbide
- Combined stone, one sharpening side and one polishing side
- For sharpening and flattening cutting tools
- Thickness: 11
- · Grits: 150 / 240





Code	Measure	Inner	Master
TC5082	150 mm x 50 mm	6	36
TC5083	200 mm x 50 mm	6	36

Type of packaging: Box

STONE FOR SCYTHES AND MACHETE

- Made of aluminum oxide
- For sharpening and beveling by hand of scythes, machetes, sickles, etc.
- Thickness: 5/8"
- · Grits: 150





Code	Measure	Inner	Master
TC5084	235 mm x 35 mm	6	36


Type of packaging: Box

10-PIECE MOUNTED GRINDING **POINTS KIT**

- Made of of aluminum oxide
- 6.44 mm shank (1/4")
- For fine grinding works with mototool







Code	Grit	Inner	Master
TC4616	60 (medium)	6	36

Type of packaging: Blister

SHARPENING STONE

- · Made of aluminum oxide
- Combined stone, one sharpening side and one polishing side
- For sharpening and flattening cutting tools
- Thickness: 1
- Grits: 120 / 180



Wolfox



Code	Measure	Inner	Master
WF0614	150 mm x 50 mm	10	50
WF0615	200 mm x 50 mm	10	50

Type of packaging: Box

STONE FOR ESMERIL

- Aluminum oxide body
- Drill hole: 1/2"
- General uses
- Roughing and sharpening






Code	Grit	Diameter	Thickness	Max RPM	Inner	Master
TC2437	36	5"	1/2"	5,600	6	24
TC5177	36	5"	3/4"	5,600	6	24
TC2438	36	6"	3/4"	4,700	6	24
TC2439	60	6"	3/4"	4,700	6	24
TC2440	36	6"	1"	4,700	6	24
TC5178	36	8"	1"	3,350	2	12
TC2441	60	6"	1"	4,700	6	24
TC5179	60	8"	1"	3,350	2	12

Type of packaging: Box


5-PIECE MOUNTED GRINDING **POINTS KIT**

- Made of of aluminum oxide
- 6.44 mm shank (1/4")
- For fine grinding works with mototool









Code	Grit	Inner	Master
TC2448	60 (medium)	6	36

Wolfox

Wolfox

NODULAR IRON "C" TYPE PRESS

- · Machined spindle with "T" handle · Heavy duty

TYPE "C" DIE-CUT PRESS

- Made of steel sheet
- Machined spindle with handle
- For light duty use

EDGE PRESS

- Made of aluminum Holds material at right angles
- Adjusting screw made of steel



Maximum opening	Inner	Master
1"	12	144
2"	12	72
3"	6	36
4"	6	36
5"	6	24
6"	6	24
8"	2	12
	2" 3" 4" 5"	2" 12 3" 6 4" 6 5" 6 6" 6

Typo	of	nacl	kaa	ina	Bulk
Type	ΟI	paci	Kay	ıng:	DUIK



Code	Maximum opening	Inner	Master		
TC2851	2"	6	72		
TC2852	2 1/2"	6	36		
TC2853	3"	6	36		
T (1 : D !!					

Type of packaging: Bulk



Code	Maximum opening	Clamping force	Inner	Master
TC5301	3"	400 lbs	6	24

Type of packaging: Card

SPRING PRESS

- Made of nylon Handles with TPR PVC jaws

FAST PRESS Handle in ABS and nylon press

- Polyethylene jaws Heat-treated bar for greater resistance
- Pressure release button
- · Depth: 55 mm





Code	Maximum opening	Total Length	Clamping force	Inner	Master
TC5299	2"	160 mm	22 lbs	6	36
TC5300	3"	210 mm	26.4 lbs	4	24

Type of packaging: Card





SPRING PRESS 2 " 2 Pieces

- Made of nylon
- PVC jaws





Code	Maximum opening	Clamping force	Inner	Master	
WF0711	2"	17.6 lbs	4	24	

Type of packaging: Card

Wolfox **SPRING PRESS 1 "** 6 Pieces

- Made of nylon
- PVC jaws





Code	Maximum opening	Clamping force	Inner	Master	
WF0710	1"	6.6 lbs	Δ	24	

Type of packaging: Card



PROFESSIONAL BRUSH

- · For all types of paint, enamel,
- varnish and lacquers
- Plastic handle
 100% natural bristle



to the same of the				
Code	Measure	Bristle length	Inner	Master
TC5275	1/2"	48 mm	12	72
TC5276	1"	48 mm	12	72
TC5277	1 1/2"	48 mm	12	72
TC5278	2"	48 mm	12	72
TC5279	2 1/2"	48 mm	12	72
TC5280	3"	53 mm	12	72
TC5281	4"	60 mm	12	72
TC5282	5"	66 mm	6	72
TC5283	6"	66 mm	6	72

Type of packaging: Bag

PREMIUM BRUSH

- · For all types of paint, enamel, varnish and lacquers



Code	Measure	Bristle length	Inner	Master
TC1494	1/2"	44 mm	12	144
TC1495	1"	44 mm	12	144
TC1496	1 1/2"	44 mm	12	144
*TC1497	2"	44 mm	12	72
TC1498	2 1/2"	44 mm	12	72
TC1499	3"	48 mm	12	72
*TC1500	4"	55 mm	12	48
TC1501	5"	60 mm	6	48
TC1502	6"	60 mm	6	48

Type of packaging: Bag

BRUSH PLASTIC HANDLE

- Plastic handle
- Bristle 80% natural and 20% artificial



Wolfox

Code	Measure	Bristle length	Inner	Master
WF0901	1/2"	38 mm	12	72
WF0902	1"	38 mm	12	72
WF0903	1 1/2"	38 mm	12	72
WF0904	2"	38 mm	12	72
WF0905	2 1/2"	38 mm	12	72
WF0906	3"	40 mm	12	72
*WF0907	4"	44 mm	12	72
*WF0908	5"	48 mm	12	72
WF0909	6"	48 mm	12	72

Type of packaging: Bag

BRUSH WOODEN HANDLE

- For paints, resins, glues, acetones and other solvents.
 100% natural bristle



9" HIGH DENSITY PAINT ROLLER

- High absorption capacity
 For the use of water based paints,
- on rough and smooth surfaces
- Handle with internal thread

9" LOW DENSITY PAINT ROLLER

- · High absorption capacity · For the use of water based paints,
- on rough and smooth surfaces
- Handle with internal thread





Code	Measure	Bristle length	Inner	Master
WF0716	1"	38 mm	12	360
WF0717	1 1/2"	38 mm	12	360
WF0718	2"	38 mm	12	288
WF0719	2 1/2"	38 mm	12	288
WF0720	3"	38 mm	12	240
WF0721	4"	38 mm	12	144

Type of packaging: Bag



Code	Plush	Thickness	Inner	Master
TC4552	9"	5/8"	24	24
TC4553	9"	3/4"	24	24
TC4554	9"	1"	24	24
TC4555	9"	1 1/4"	24	24

Type of packaging: Bag



Code	Plush	Thickness	Inner	Master
TC2793	9"	5/8"	24	24
TC2794	9"	3/4"	24	24
TC2795	9"	1"	24	24
TC2796	9"	1 1/4"	24	24

Type of packaging: Bag

PAINTINGS | ROLLERS | TRAYS

9" HIGH DENSITY ROLLER COVER

- High absorption capacity
 For the use of water based paints, on rough and smooth surfaces





Code	Plush	Thickness	Inner	Master
TC4556	9"	5/8"	12	24
TC4557	9"	3/4"	12	24
TC4558	9"	1"	12	24
TC4559	9"	1 1/4"	12	24

Type of packaging: Bag

9" LOW DENSITY ROLLER COVER

- High absorption capacity
 For the use of water based paints, on rough and smooth surfaces






Code	Plush	Thickness	Inner	Master
TC2797	9"	5/8"	12	24
TC2798	9"	3/4"	12	24
TC2799	9"	1"	12	24
TC2800	9"	1 1/4"	12	24

Type of packaging: Bag

9" PAINT ROLLER FRAME

- · 5 1/4" galvanized wire bars
- Anti-slip plastic end caps
- Reinforcement threaded handle



Type of packaging: Bag

4"FOAMPAINTROLLER

- For all paint and dye types
- For retouching and reduced spaces



Code	Foam	Thickness	Inner	Master
TC4560	4"	3/8"	12	48
Type of pack	cading: Bad			

4" FOAM PAINT ROLLER COVERS, 10-PIECE SET

- · For all paint and dye types
- For retouching and reduced spaces with smooth surfaces




			C	of 10 pieces
Code	Foam	Thickness	Inner	Master
TC4561	4"	3/8"	6	60
Type of pa	ckaging: Blis	ter		

*Price per blister

4" SINGLE PAINT ROLLER FRAME

For 4" plush and foam



Code	Measure	Inner	Master
TC4562	4"	12	48
Type of packag	ging: Bag		

PLASTIPROTECTOR

- Made in polypropylene.
- Multipurpose
- Recommended to protect furniture when painting

BRUSH AND TRAY

Tray made of polypropylene

Low density plush roller (9") 2" brush (WF0904)



Code	Measure	Use	Gauge	Inner	Master
TC5201	5 m x 3 m	Light	0.016 mm	6	48
TC5200	5 m x 2 m	Heavy	0.020 mm	6	48
	–				



SET O	F ROLLEF	₹,		Wo	lfox.
Type of	packaging: E	Bag			
TC5200	5 m x 2 m	Heavy	0.020 mm	6	48

Code	Tray Measure	Inner	Master
WF0623	26 x 35 cm	10	10

Type of packaging: Shrinking

ALUMINUM EXTENSION FOR ROLLER

· Telescopic extension · Tip with thread to assemble in rollers and brushes to paint



SET OF ROLLER AND TRAY

- · Tray made of polypropylene
- · Low density plush roller (9")



Wolfox[®]

Code	Tray Measure	Inner	Master
WF0622	26 x 35 cm	1	10

Type of packaging: Shrinking

PAINT ROLLER TRAY

- Made of high impact polypropylene
- Cross lines help remove paint excess on the roller



PAINT ROLLER TRAY

Made of polypropylene Cross lines help remove

paint excess on the roller



Code	Measure	Inner	Master
WF0621	26 x 35 cm	20	40
Type of pack		20	40

Type of packaging: Bulk

Wolfox[®]

PAINTINGS | AEROSOL SPRAYS

SPRAY PAINT, BASIC COLORS

- · For indoor and outdoor use
- Fast dry
- Content: 400 ml / 280 g / 13.5 oz
- Does not contain lead



SPRAY PAINT, METAL COLORS

- For indoor and outdoor use
- Content: 400 ml / 280 g / 13.5 oz
- Does not contain lead





Can of 400 ml

Code	Co	olor	Inner	Master
TC1645	Aluminum	III	6	12
TC1646	Chrome	III.	6	12
TC1655	Silver	III	6	12
TC1648	Bright gold		6	12
TC1651	Cadillac gold		6	12
TC1659	Blue		6	12
TC1664	Green		6	12
TC1665	Pure copper		6	12
TC3596	Red		6	12

Type of packaging: Can





Can of 400 ml

Code	Color	Inner	Master
TC1657	Light acrylic	6	12
TC1658	Sunflower yellow	6	12
TC1661	Ochre yellow	6	12
TC1654	Blue	6	12
TC1674	Light blue	6	12
TC1647	Royal blue	6	12
TC1653	Beige	6	12
TC4342	Ivory	6	12
*TC1642	Glossy White	6	12
TC1650	Matte White	6	12
TC1673	Scallop white	6	12
TC1656	Wood brown	6	12
TC1649	Machine gray	6	12
TC1668	Opaque gray	6	12
TC1671	Light violet	6	12
TC1660	Orange	6	12
TC1670	Chevy orange	6	12
*TC1641	Glossy black	6	12
*TC1643	Matte black	6	12
TC3595	Satin black	6	12
*TC1644	Bright red	6	12
TC4344	Vermillion	6	12
TC1667	Bright pink	6	12
TC1652	Dark green	6	12
TC1675	Fresh green	6	12
TC4343	Ecological green	6	12

Type of packaging: Can

Ideal for grills, motors, etc.

Fast dry Content: 400 ml / 280 g / 13.5 oz

HIGH TEMPERATURE PAINT

SPRAY PAINT, FLUORESCENT COLORS

- For indoor and outdoor use
- Fast dry
- Anti-corrosive
- Content: 400 ml / 280 g / 13.5 oz
- Does not contain lead





Can of 400 ml

Code	Color		Inner	Master	
TC1663	Orange		6	12	
TC1666	Green		6	12	
TC1669	Pink		6	12	
TC1672	Yellow		6	12	
Type of packaging: Can					

ANTI-CORROSIVE PAINT

- For indoor and outdoor use
- Use as base before painting
- Fast dry
- Content: 400 ml / 280 g / 13.5 oz
- Does not contain lead



Can of 400 ml



Code	(Color	Inner	Master
TC3597	Gray		6	12
TC3508	Red		6	12

Type of packaging: Can

HAMMERED SPRAY PAINT

- For indoor and outdoor use
- Fast dry
- Painting with acrylic resin
- Hammered texture
- 400 ml / 280 g / 13.5 oz
- Does not contain lead





Can of Does not harm the ozone layer 400 ml



Code	Color	Inner	Master
TC4578	Gray =	6	12
TC4579	Blue	6	12
TC4580	Green	6	12

Type of packaging: Can

PAINT BASIC COLORS

- · For indoor and outdoor use
- Fast dry
- Content: 300 ml / 200 g / 10 oz
- · Does not contain lead







Wolfox

Code	Color	Inner	Master
WF0692	Light acrylic	12	12
WF0693	Sunflower yellow	12	12
WF0685	Royal blue	12	12
WF0680	Glossy White	12	12
WF0688	Matte White	12	12
WF0691	Wood brown	12	12
WF0687	Machine gray	12	12
WF0679	Glossy black	12	12
WF0681	Matte black	12	12
WF0706	Satin black	12	12
WF0682	Bright red	12	12
WF0689	Dark green	12	12

Type of packaging: Can

SPRAY PAINT, METAL COLORS



- Fast dry
- Content: 300 ml
- / 200 g / 10 oz









Code	Color	Inner	Master
WF0684	Chrome	12	12
WF0705	Silver	12	12
WF0686	Bright gold	12	12

Type of packaging: Can



Resists 500 °C

Does not contain lead

Can of 400 ml

Code	Color		Inner	Master
TC3603	Black		6	12
TC3604	Aluminum	111	6	12

Type of packaging: Can

Wolfox

PAINTINGS | ENAMEL | VINYL | WATERPROOFING

SPRAY CAN FLOOR DISPLAY **RACK**

- PTR structure with foil and wire
- Arts in digital printing labeled on steel sheet. Electrostatic paint blue color

Capacity

Height: 155 cm Width: 50.5 cm Depth: 42.5 cm



SPRAY CAN COUNTER DISPLAY **RACK**

- Structure in wire and sheet with electrostatic painting finish
- Assemble of 2 pieces thermoformed in styrene

Height: 56 cm Width: 30 cm Depth: 28.5 cm



* Does not include product

Code	Capacity	Inner	Master
TC5434	20 cans	1	1

60 cans

* Does not include product

Content Inner Master

Inner Master

ENAMEL PAINT High performance

TC5435

- Maximum adherence
- Glossy finish

Code

· For indoor and outdoor use



TC3220	Canary Yellow	250 ml	6	6
TC3221	Canary Yellow	500 ml	6	6
TC3222	Canary Yellow	1 L	6	6
TC3273	Chrome Yellow	250 ml	6	6
TC3274	Chrome Yellow	500 ml	6	6
TC3275	Chrome Yellow	1 L	6	6
TC3224	Holland Blue	250 ml	6	6
TC3225	Holland Blue	500 ml	6	6
TC3226	Holland Blue	1 Liter	6	6
TC3228	Glossy White	250 ml	6	6
TC3229	Glossy White	500 ml	6	6
TC3230	Glossy White	1 L	6	6
TC3231	Glossy White	1 Gallon	2	2
TC3282	Matte White	250 ml	6	6
TC3283	Matte White	500 ml	6	6
TC3284	Matte White	1 L	6	6
TC3234	Brown	250 ml	6	6
TC3235	Brown	500 ml	6	6
TC3236	Brown	1 L	6	6
TC3285	Ivory	250 ml	6	6
TC3286	Ivory	500 ml	6	6
TC3287	Ivory	1 L	6	6
TC3240	Glossy black	250 ml	6	6
TC3241	Glossy black	500 ml	6	6
TC3242	Glossy black	1 L	6	6
TC3243	Glossy black	1 Gallon	2	2
TC3279	Matte black	250 ml	6	6
TC3280	Matte black	500 ml	6	6
TC3281	Matte black	1 L	6	6
TC3244	Red	250 ml	6	6
TC3245	Red	500 ml	6	6
TC3246	Red	1 L	6	6
TC3276	Oxide red	250 ml	6	6
TC3277	Oxide red	500 ml	6	6
TC3278	Oxide red	1 L	6	6
TC3248	Green	250 ml	6	6
TC3249	Green	500 ml	6	6
TC3250	Green	1 L	6	6

Type of packaging: Can

- Performance:
- 4 to 6 m² x liter
- Washable
- Quality: 3 years
- outdoor use



Code	Color	Content	Inner	Master	
TC4422	White	4 L	1	1	
*TC4423	White	19 L	1	1	
TC4424	Lime green	4 L	1	1	
TC4425	Lime green	19 L	1	1	
TC4426	Orange	4 L	1	1	
TC4427	Orange	19 L	1	1	
TC4428	Tangerine =	4 L	1	1	
TC4429	Tangerine	19 L	1	1	
TC4430	Medium blue	4 L	1	1	
TC4431	Medium blue	19 L	1	1	
TC4432	Intense yellow	4 L	1	1	
TC4433	Intense yellow	19 L	1	1	
TC4434	Ivory	4 L	1	1	
TC4435	Ivory	19 L	1	1	
TC4672	Black	■ 4 L	1	1	
Type of peakagings Bucket					

LATEX PAINT

Type of packaging: Bucket

CORROSION-RESISTANT ENAMEL PRIMER

- Use as base before painting
- High performance
- Maximum adherence
- Coating power
- Matte finish For indoor
- and outdoor use



Code	Color	Content	Inner	Master
TC3232	Red =	1 L	6	6
TC3233	Red =	4 L	2	2
TC3253	Gray =	1 L	6	6
TC3254	Gray =	4 L	2	2

Type of packaging: Can

5-YEAR WATERPROOFING **ROOF COATING**

- · New technology:
- no reinforcement mesh needed
- Performance: 1 m² x liter
 Drying time: 1.5 3 hr
- Made of acrylic
- styrene resin



EXTRACT SEALER 4 LTS

- Seals porosities on the substratum
- Use it before applying roof coating Performance: 3 m² x liter



TC4341

Code	Characteristics	Content	Inner	Master		
*TC4339	White	4 L	1	1		
*TC4340	Terracotta	4 L	1	1		
*TC4337	White	19 L	1	1		
*TC4338	Terracotta	19 L	1	1		
TC4341	Extract sealant	4 L	1	1		
TC4637	Extract sealant	19 L	1	1		
Type of packaging: Bucket						

Type of packaging: Bucket

IXTLE MULTIPURPOSE BRUSH

- Wooden brush
- Handle with thread





Code	Length	Inner	Master
TC4531	1.46 m	1	1

Type of packaging: Bulk

SPRAY GUNS

PROFESSIONAL HIGH PRESSURE **SPRAY GUN**

Aluminum gun body and cup Cup size: 0.95 liters



Type of packaging: Box

PROFESSIONAL HIGH PRESSURE **SPRAY GUN**

Aluminum gun body and cup

1/4" air inlet



Type of packaging: Box

LOWER PRESSURE SPRAY GUN Body made of aluminum alloy

Cup size: 1 liter



Type of packaging: Box

LOWER PRESSURE SPRAY GUN

- Cup size: 1 liter
- 1.3 mm nozzle



Code	Pressure	Air consumption	Inner	Master
TC1841	36 PSI	1 - 2 CFM	2	10
	–			

Aluminum gun body and cup

Reinforced ring cup

IC184	1 3	36 PS	
Type of	packa	aina:	Box

PROFESSIONAL GRAVITY FEED SPRAY GUN

Plastic cup

Cup size: 0.6 liters Fan opening: With 1.4 mm nozzle = 160 mm With 1.7 mm nozzle = 160 mm

With 2 mm nozzle = 220 mm 1/4" air inlet


Air pressure and paint-flow control



Code	Pressure	Air consumption	Inner	Master		
TC1840	43 - 72 PSI	2 - 5 CFM	1	10		
Type of packaging: Box						

GRAVITY FEED SPRAY GUN

- Plastic cup
- Cup size: 0.6 liters
- Fan opening: 170mm





Code	Pressure	Air
TC1839	43 - 72 PSI	2

consumption Inner Master 2 - 5 CFM 2 10 Type of packaging: Box

GRAVITY FEED TOUCH-UP SPRAY GUN

Plastic cup



Code	Pressure	Air consumption	Inner	Master	
TC4172	29 - 50 PSI	2 - 4.5 CFM	2	10	
Type of packaging: Box					

GRAVITY FEED SPRAY GUN

- Aluminum cup
- Cup size: 0.4 liters
- 1/4" air inlet



Code	Pressure	Air consumption	Inner	Master		
TC1838	43 - 72 PSI	2 - 5 CFM	2	10		
Type of packaging: Box						

GRAVITY FEED MINI SPRAY GUN

Aluminum cup

- Cup size: 0.2 liters
- 0.5 mm nozzle



Code	Pressure	Air consumption	Inner	Master		
TC1837	36 PSI	1 - 2 CFM	2	8		
Type of packaging: Boy						

Type of packaging: Box

LOW PRESSURE TOUCH-**UP SPRAY GUN**



The second	7				
Code	Pressure	Air consumption	Inner	Master	
TC4174	43 - 72 PSI	2 - 5 CFM	2	10	
Type of packaging: Box					

AIR COATING SPRAY GUN

- Aluminum body
- 9.6 mm nozzle
- Suction feed 1/4" air inlet
- For 25 and 50 liter tanks
- Cup not included





Code	Pressure	Air consumption	Inner	Maste
TC4173	30 - 120 PSI	2 - 5 CFM	5	20
Type of pa	ckaging: Box			

ELECTRIC PAINT SPRAYER

- 120V ~ 60 Hz
- 800 ml polypropylene cup
- Ergonomic handle Adjustable 3-way fan nozzle
- -Vertical
- -Horizontal
- -Circular
- Adjustable paint flow
- Adjustable nozzle 1.8 2.6 mn
- Dispersion range 25 cm
- Includes 1.8 m hose



- 30 min of work per
- 15 min rest
- Maximum daily 3 hr



Type of packaging: Box


SPRAY GUNS | PLIERS

ACCESSORIES FOR AIRBRUSH GUN

For fine spraying and continuous paint flow

AIRBRUSH GUN

- 7 ml cup 1/4" air inlet
- 0.3 mm nozzle
- Gravity feed





30 - 70 PSI

_					-
Type	of	pac	kaqi	na:	Case

TC4176

HOSE FOR AIRBRUSH GUN

- 1.8 m length Thread: 1/4" NPT
- Internal diameter: 5/32" (4 mm)
- Material: Nylon
- External diameter: 8mm



Code	Length	Inner	Master
TC4178	1.8 m	6	36
Type of package	ning: Blister		

Compatible with Inner Master TC4177 TC4176 6 36

Type of packaging: Blister

0.3 mm nozzle with needle

SPARE PART SET HIGH PRESSURE

- Contains 14 pieces:
- 1 spring
- 1 liquid nozzle
- 1 needle
- 2 retaining lock 3 gaskets
- 6 rings





Type of packaging: Blister

SPARE PART SET LOW PRESSURE

- Contains 9 pieces:
- 1 needle
- 1 liquid nozzle
- 2 fan nozzle
- 5 gaskets



Code	Characteristics	Inner	Master
TC1844	9 pieces	6	36
Type of packag	ing: Blister		

SPARE CUP, LOW PRESSURE

Cup size: 0.950 liters



Code	Compatible with	Inner	Master
TC1843	TC1841	2	10

Type of packaging: Box

ELECTRIC PAINT SPRAYER

- 800 ml polypropylene cup
- Ergonomic handle Adjustable fan nozzle
- Air flow control
- 120 V~ 60 Hz



Code	Power	Flow	Inner	Master
WF0598	110 W	350 ml / min	1	5
Type of packaging: Box				


Wolfox

30

- **GROUND PLIER** · Galvanized steel body with chrome plated finish
- Brass connections and clamps
- Double safety system for cable

Type of packaging: Box





GROUND PLIER

- · Galvanized steel body with chrome plated finish
- Brass connections and clamps
- Double safety system for cable



Wolfox

Wolfox



Code	Amperage	Inner	Master
WF0645	300 Amperes	6	36
WF0646	500 Amperes	6	36
Type of packaging: Box			

ELECTRODE HOLDER

- High temperature resistant fiber glass coating
- Brass connections and clamps
- Different positions available for placing the electrode
- Includes 1 hex key



Code	Amperage	Caliber cable	Inner	Master
TC5239	300 Amperes	2/0 AWG	4	16
TC5240	500 Amperes	4/0 AWG	2	16

Type of packaging: Box

ELECTRODE HOLDER

- High temperature resistant fiber glass coating
- Brass connections and clamps
- Different positions available for placing the electrode
- Includes 1 hex key





Code	Amperage	Caliber cable	Inner	Master
WF0643	300 Amperes	3 AWG	6	36
WF0644	500 Amperes	2 AWG	6	36

Type of packaging: Box

PLIERS

PROFESSIONAL ELECTRICIAN PLIERS **DUAL MATERIAL HANDLES**

Made of #55 carbon steel

Satin polished finish for better corrosion resistance

Cutting hardness: 55 - 65HRC 55 - 65HRC Hardy design





Code	Length	Inner	Master
TC4244	7"	4	36
TC4245	8"	4	36
TC4246	9"	4	36

Type of packaging: Card

ELECTRICIAN PLIERS, DUAL MATERIAL HANDLE

Made of #55 carbon steel

Satin polished finish for better corrosion



Type of packaging: Card

TC4247

TC4248

LONG NOSE PLIERS **DUAL MATERIAL HANDLES**

Made of #55 carbon steel

· Satin polished finish for better corrosion resistance



Code	Length	Inner	Master
TC4249	6"	4	36
TC4250	8"	4	36

Type of packaging: Card

DIAGONAL CUTTING PLIERS, DUAL-MATERIAL HANDLE

Made of #55 carbon steel

Satin polished finish



Code	Length	Inner	Master
TC4252	6"	4	36

Type of packaging: Card

6" BENT NOSE PLIERS

Satin polished finish for better



Code	Length	Inner	Master
TC4251	6"	4	36
Type of packaging: Card			

DUAL MATERIAL HANDLE

Made of #55 carbon steel

corrosion resistance Hardy design

11	/			
Code	Length	Inner	Master	
TC4251	6"	4	36	

HIGH LEVERAGE ELECTRICIAN PLIERS

Made of #55 carbon steel

Satin polished finish for better corrosion resistance

Vinyl covered handles

Cutting hardness: 55 - 65HRC



	55-65 HRC		
Code	Length	Inner	Master
TC4224	9"	3	36

Type of packaging: Card

PROFESSIONAL ELECTRICIAN PLIERS

- Made of #55 carbon steel
- Satin polished finish for better corrosion resistance
- Vinyl covered handles
- Cutting hardness: 55 65HRC 55-65 HRC Hardy design





9"

DIAGONAL	CUTTING	PLIERS

Made of #55 carbon steel

Type of packaging: Card

TC4227

Satin polished finish for better corrosion resistance

Vinyl covered handles Cutting hardness: 55 - 65HRC



55-65 HRC



Code	Length	Inner	Master
TC4234	5"	4	36
TC4235	6"	4	36
TC4236	7"	4	36

Type of packaging: Card

ELECTRICIAN PLIERS

- Made of #55 carbon steel
- Satin polished finish for better



36



Type	of	packaging:	Card
. 7		P 33.	

36 36

corrosion resistance

Vinyl covered handles Cutting hardness: 55 - 65HRC 55-65 HRC



* *			
Code	Length	Inner	Master
TC4228	6"	4	36
TC4229	7"	4	36
TC4230	8"	4	36

LONG NOSE PLIERS

- Made of #55 carbon steel
- Satin polished finish for better corrosion

55-65 HRC

- resistance
- Vinyl covered handles Cutting hardness: 55 - 65HRC





Type of packaging: Card

SLIP JOINT PLIERS

- Made of #45 carbon steel
- Satin polished finish for better
- corrosion resistance
- Vinyl covered handles Cutting hardness: HRC





, ,			
Code	Length	Inner	Master
TC4238	6"	4	36
TC4239	8"	4	36
TC4240	10"	4	36


Type of packaging: Card

GROOVE JOINT PLIERS

- Made of #45 carbon steel
- Satin polished finish for better corrosion resistance
- Vinyl covered handles
- Five adjustment position
- Jaw hardness 40-50 HRC



TC4242



36

36

TC4243 12" Type of packaging: Card

10"

Wolfox

Wolfox

Wolfox

FENCE PLIERS

- Made of #55 carbon steel
- Satin polished finish for better corrosion resistance
- Vinyl covered handles



TC4237				11"	
_			_		

Type of packaging: Card

RETAINING RING PLIERS

- For the automotive industry 4 6-1/4 easy interchangeable tips for external and internal rings
- 1 45° tip 1 90° tip
- 2 180° tip



Code	Length	Inner	Master			
TC0246	6 1/4"	6	36			
Time of markenings Dileton						

Type of packaging: Blister

Hardness: 50 HRC

ELECTRONIC CUTTING PLIERS

Forged in high carbon steel

Vinyl covered handle





Code	Size	Inner	Master
TC0335	5"	5	200

Type of packaging: Blister

HEAVY DUTY ELECTRICIAN PLIERS

- Made of carbon steel
- Polished finish
- Vinyl covered handles
- Hardy design





Inner 3

Code	Length	Inner	Master
WF0828	8"	6	48
WF0829	9"	6	48

Type of packaging: Blister

ELECTRICIAN PLIERS

- Made of carbon steel
- Polished finish
- Vinyl covered handles





Code	Length	Inner	Master	
WF0857	7"	6	72	
*WF0858	8"	6	60	
Type of poekogings Plieter				

Type of packaging: Blister

SLIP JOINT PLIERS

LONG NOSE PLIERS

- Made of carbon steel
- Polished finish

Wolfox

Wolfox

Wolfox

- Vinyl covered handles



Code	Length	Inner	Master
*WF0866	6"	6	96
WF0868	8"	6	60
Torrest of the selection of	DE-A		

Type of packaging: Blister

DIAGONAL CUTTING PLIERS

- Made of carbon steel Polished finish
- Vinyl covered handles





Code	Length	Inner	Master	
WF0879	6"	6	96	
WF0880	8"	6	60	
Type of packaging: Blister				

Wolfox

Master

36

Wolfox

- Made of carbon steel
 - Polished finish
 - Vinyl covered handles





Code	Length	Inner	Master
WF0876	6"	6	96
WF0878	8"	6	60
Type of packaging: Blister			

4-PIECE PLIER SET

- Made of carbon steel
- Polished finish
- Vinyl covered handles
- Includes:
- 8" Electrician Pliers
- 6" Long nose pliers
- 6" Diagonal Cutting Pliers
- 8" slip joint pliers



Code	Length	Inner	Master	
WF9353	6" and 8"	2	24	
Torre of a color along Dileton				

Type of packaging: Blister

3-PIECE PLIER SET

- Made of carbon steel Polished finish
- Vinyl covered handles
- Includes:

- 6" Diagonal Cutting Pliers



Code	Length	Inner	Master
WF9352	6"	2	36

Type of packaging: Blister

Wolfox* **3-PIECE PLIER SET**

- Made of carbon steel
- Polished finish
- Vinyl covered handles (except adjustable wrench)
- Includes:
- 6" slip joint pliers
- 6" adjustable wrench 6" Long nose pliers



Code	Length	Inner	Master
WF0610	6"	6	36

Type of packaging: Blister

4-PIECE PLIER SET

- Made of carbon steel
- Polished finish
- Includes:
- Mini 10oz hammer
- 6" slip joint pliers #2 x 4" Philips screwdriver
- 1/4" x 4" slotted screwdriver



Code	Pieces	Inner	Master
WF0611	4	2	24

Type of packaging: Blister

ROUND NOSE MINI PLIERS

Wolfox

ELECTRICIAN MINI PLIERS

- Wolfox
- **LONG NOSE MINI PLIERS** Forged in carbon steel

Vinvl covered handles

Wolfox

Master

60

Wolfox

Made of carbon steel Vinyl covered handles

- Made of carbon steel

Vinvl covered handles





Code	Length	Inner	Master
WF0110	4 1/2"	6	60
Type of packag	ing: Blister		

WF0106	4 3/4"	6	
Type of packag	ing: Blister		

Inner Master Length WF0112 4 3/4" 6 60 Type of packaging: Blister

LONG NOSE MINI PLIERS

Wolfox

- Made of carbon steel
- Vinyl covered handles



NEEDLE NOSE MINI PLIERS



Length

5 7/8"

Vinyl covered handles

Wolfox

STRIPPER Made of carbon steel

8" AUTOMATIC WIRE

- Black phosphate coat
- For cutting and crimping
- Cutting capacity: 0,26,0 - 0,2 mm
- Crimping caliper: 1.5 - 6 mm





Code	Length	Inner	Master
TC4620	8"	3	48

Type of packaging: Card





Type of packaging: Blister

- Made of carbon steel
- Black phosphate coat For cutting and crimping
- Cutting capacity: 10, 12, 14, 16, 18, 20 and 22







Code	Length	Inner	Master
TC4617	9"	6	48
Type of packaging: Card			

8" WIRE STRIPPER

Type of packaging: Blister

Made of carbon steel

WF0109

- Black phosphate coat For cutting and crimping
- Cutting capacity: 10, 12, 14, 16, 18, 20 and 22 AWG
- Crimping caliper:
- 10-16, 18-22





Inner Master

Code	Length	Inner	Master	
TC4618	8"	6	48	
Type of packaging: Card				

6" WIRE STRIPPER

- Made of carbon steel
- Black phosphate coat
- For cutting
- Cutting capacity: 0.6, 0.8, 1.0, 1.3,
- 1.6, 2.0 and 2.6 mm





Wolfox

Code	Length	Inner	Master
TC4619	6"	6	120
Type of packaging: Card			

6" PRECISION AUTOMATIC WIRE STRIPPER

- Made of zinc alloy Black phosphate coat
- For cutting
- Cutting capacity: 1 - 3.2 mm





Type of packaging: Card

7" AUTOMATIC WIRE **STRIPPER**

- Made of carbon steel
- Vinyl covered handles For cutting
- Cutting capacity:
- 0.5 6 mm



48



Wolfox

Code	Length	Inner	Master
WF0603	7"	6	48

Type of packaging: Blister

9 1/2" WIRE STRIPPER

- Made of low carbon steel
- For cutting
- Cutting capacity:

10,12,14,16,18, 20 and 22 AWG





Code	Length	Inner	Master
WF0083	9 1/2"	6	48

Type of packaging: Blister

CURVED JAW LOOKING PLIERS

Made of chrome vanadium steel









len Hex Kev inlet	

STRAIGHT JAW LOOKING PLIERS

Made of chrome vanadium steel Chrome plated finish





Code	Length	Inner	Master
TC0127	7"	3	36
TC0128	10"	3	36
TC4143	12"	3	24

Type of packaging: Card

Length TC0129 7" 36 3 10" TC0130 36 3 TC4144 12' 3 24

Type of packaging: Card

C-CLAMP LOOKING PLIERS, SWIVEL TIP

- Made of chrome vanadium steel
- Chrome plated finish
- Special for work on irregular surfaces



Onde	1	Lauren	Mandan
Code	Length	Inner	Master
TC4164	6"	3	30
TC0251	11"	3	30

Type of packaging: Card

C-CLAMP LOOKING PLIERS, STANDARD TIP

- Made of chrome vanadium steel
- Chrome plated finish
- For sheet metal work where pressure needs to be applied on hard to reach areas.
- Carbon steel clamps



ri g				
Code	Length	Inner	Master	
TC0250	11"	3	30	
Type of packaging: Card				

LONG NOSE LOOKING PLIERS · Made of chrome vanadium steel

- Chrome plated finish



Code	Length	Inner	Master	
TC4145	6"	3	36	
TC4146	9"	3	36	
Tuno of nackagings Card				

Type of packaging: Card

CLAMP WELDING LOOKING PLIERS


- Made of carbon steel
- Chrome plated finish
- For welding beams, "T" profiles, bars, tubes, etc.



Code	Length	Inner	Master
TC0249	9"	3	30
Type of packaging: Card			

SHEET METAL LOOKING PLIERS

- Made of carbon steel
- Chrome plated finish
- For sheet metal works, sheet and pipe welding



TC0248	8"	3	30
Type of packa	ging: Card		

CHAIN LOOKING PLIERS

- Made of carbon steel Chrome plated finish
- Allen Hex Key inlet

Code	Chain length	Inner	Master
TC4147	50 cm	3	30
Type of packaging: Card			

CURVED JAW LOOKING PLIERS

- Made of carbon steel Chrome plated finish



Code	Length	Inner	Master
WF0118	7"	6	48
WF0119	10"	6	48

Type of packaging: Blister

Wolfox*

STRAIGHT JAW LOOKING PLIERS

Made of carbon steel Chrome plated finish







Type of packaging: Blister

Wolfox

RIVETERS

FOLDING RIVETER

- Steel accordion Nozzles included:
- 1/8", 3/32", 5/32", 3/16" and 1/4"
- Wrench included



-	3	[je
1	1	1
-		ġ
1		Į

Code	Length	Maximum Riveting Thickness	Inner	Master
TC0207	32"	1/4"	2	12

Type of packaging: Box

ALUMINUM PROFESSIONAL RIVETER

- Made of aluminum
- Nozzles included: 1/8", 3/32", 5/32", 3/16"
- Wrench included





Code	Length	Maximum Riveting Thickness	Inner	Master
TC0315	10"	3/16"	4	24

Type of packaging: Blister

PROFESSIONAL RIVETER SET WITH 60 RIVETS

- Forged steel body and handle
- Nozzles included:
- 1/8", 3/32", 5/32", 3/16" Wrench included





Code	Length Maximum Riveting Thickness		Inner	Master
TC0126	10"	3/16"	4	24

Type of packaging: Blister

PROFESSIONAL RIVETER

- Forged steel body and handle
- Nozzles included: 1/8", 3/32", 5/32", 3/16" Wrench included



Code	Length	Maximum Riveting Thickness	Inner	Master
TC0007	10"	3/16"	6	24

Type of packaging: Blister

RIVETER WITH 40 RIVETS

- Forged steel body and handle Nozzles included:
- 1/8", 3/32", 5/32", 3/16"
- Wrench included





Code	Length	Maximum Riveting Thickness	Inner	Master		
WF0617	9 1/2"	"	6	24		
Type of packaging: Blister						

RIVETER

- Forged steel body and handle
- Nozzles included: 1/8", 3/32", 5/32", 3/16"
- Wrench included





Code	Length	Maximum Riveting Thickness	Inner	Master
WF6601	9 1/2"	11	6	24

Type of packaging: Blister

RIVET

Wolfox

Wolfox

- Made of aluminum AL5050
- Steel head





Bag 50 pieces

*Price per bag

Code	Model	Diameter / Grip	Rivet head	Inner	Master
TC5001	AS41	1/8" x 1/16"	1/4"	20	400
TC5002	AS42	1/8" x 1/8"	1/4"	20	400
TC5003	AS43	1/8" x 1/8"	1/4"	20	400
TC5004	AS44	1/8" x 1/8"	1/4"	20	400
TC5005	AS45	1/8" x 1/8"	1/4"	20	400
TC5006	AS46	1/8" x 1/8"	1/4"	20	400
TC5007	AS48	1/8" x 1/8"	1/4"	10	200
TC5008	AS52	5/32" x 5/32"	5/16"	10	200
TC5009	AS54	5/32" x 5/32"	5/16"	10	200
TC5010	AS56	5/32" x 5/32"	5/16"	10	200
TC5011	AS58	5/32" x 5/32"	5/16"	10	200
TC5012	AS610	3/16" x 3/16"	3/8"	5	100
TC5013	AS610LF	3/16" x 3/16"	17/32"	5	100
TC5014	AS612	3/16" x 3/16"	3/8"	5	100
TC5015	AS612LF	3/16" x 3/16"	17/32"	5	100
TC5016	AS62	3/16" x 3/16"	3/8"	10	200
TC5017	AS64	3/16" x 3/16"	3/8"	10	200
TC5018	AS64LF	3/16" x 3/16"	17/32"	5	100
TC5019	AS66	3/16" x 3/16"	3/8"	10	100
TC5020	AS66LF	3/16" x 3/16"	17/32"	5	100
TC5021	AS68	3/16" x 3/16"	3/8"	10	100
TC5022	AS68LF	3/16" x 3/16"	17/32"	5	100
TC5023	AS84	1/4" x 1/4"	1/2"	5	50
TC5024	AS86	1/4" x 1/4"	1/2"	5	50
TC5025	AS88	1/4" x 1/4"	1/2"	5	50
	_				

HACKSAW BLADES

BI-METAL HACKSAW BLADE

- Made of tempered steel
- Long life
- High flexibility
- Available in 18 dpp and 24 dpp



Code	DPP	Inner	Master			
TC1977	18	50	500			
TC1979	24	50	500			
Type of packaging: Bulk						

HSS HIGH SPEED U-SHANK JIGSAW BLADES, 5 PIECES

- Made of HSS steel
- Straight metal, plastic and aluminum cutting

BI-METAL HACKSAW BLADE, 2-PIECE BLISTER

- Made of tempered steel



Code	DPP	Inner	Master			
TC1978	18	20	120			
TC1980	24	20	120			
Torre of a selection Distance						

*Price per bag

Type of packaging: Blister 2 pcs

HSS HIGH SPEED T-SHANK JIGSAW BLADES, 5 PIECES

- Made of HSS steel
- Straight metal, plastic and aluminum cutting

CARBON STEEL T-SHANK JIGSAW BLADES, 5 PIECES

- Made of HCS steel
- Straight wood and PVC cutting





Blister 5 pieces

*Price per bag

Code	Characteristics	Length	Finish	DPP	Inner	Master
TC2339	TCT101B	4"	Fine	10	10	100
TC2340	TCT101BR	4"	Fine	10	10	100
TC2345	TCT119B	3"	Fine	12	10	100
TC2342	TCT111C	4"	Standard	8	10	100
TC2341	TCT101D	4"	Thick	6	10	100

Type of packaging: Blister

CARBON STEEL U-SHANK JIGSAW BLADE, 5 PIECES

- Made of HCS steel
- Straight cutting in wood





Blister 5 pieces *Price per bag

Code	Characteristics	Length	Finish	DPP	Inner	Master
TC2353	TCU118A	2 3/4"	Super fine	24	10	100
TC2354	TCU118B	3"	Fine	12	10	100

Type of packaging: Bister

				Blister 5 pieces *Price per bag			
Code	Characteristics	Length	Finish	DPP	Inner	Master	
C2343	TCT118A	3"	Super fine	21	10	100	

Thick

Fine

18 10 100

8 10 100

3 1/2"

TC2347 TCT127D 4" Type of packaging: Blister

TCT118AF





Code	Characteristics	Length	Finish	DPP	Inner	Master			
TC2350	TCU101B	4"	Fine	10	10	100			
TC2351	TCU101D	4"	Standard	6	10	100			
TC2352	TCU111C	3 1/2"	Thick	8	10	100			
TC2355	TCU144D	4"	Thick	6	10	100			
T	Torre of weatherstoon Dileton								

Type of packaging: Blister

CARBON STEEL T-SHANK JIGSAW BLADES, 5 PIECES

- Made of HCS steel
- Curved wood cutting

CARBON STEEL U-SHANK JIGSAW

Made of HCS steel

TC2344

Curved wood cutting

BLADE, 5 PIECES





Blister 5 pieces

*Price per bag

Code	Characteristics	Length	Finish	DPP	Inner	Master
TC2346	TCT119B	3"	Fine	12	10	100
TC2348	TCT244D	4"	Thick	6	10	100

Type of packaging: Blister





Blister 5 pieces *Price per bag

Code	Characteristics	Length	Finish	DPP	Inner	Master		
TC2349	TCU119B	2 3/4"	Fine	14	10	100		
Type of packaging: Blister								

HACKSAW BLADES

- Made of HCS steel
- 10 14 tooth per inch
- For metal, wood, and plastic cutting Input: M42+D64





Blister 2 pieces *Price per bag

*Price per bag

Width Length Inner Master TC4549 19 mm 100 6' 5 TC4550 q" 19 mm 5 100 TC4551 19 mm 12" 5 100

Type of packaging: Blister



5 RINGS FALL PROTECTION RESCUE HARNESS


- Forged steel "D" ring
- 100% polyester strip
 It has 2 lateral "D" rings"
 and 3 mobiles "D" rings in the back for correct height adjustment



	Front		Back		
Code	Size	Load capacity	Tensile Strength	Inner	Master
TC5292	40 - 44	150 kg	2,300 kg	1	12
Type of pag	ckaging: Blis	ster			

3 RINGS FALL PROTECTION RESCUE HARNESS


- Forged steel "D" rings
- 100% polyester strip
 It has 2 lateral "D" rings" and 1
 "D" ring in the back
- Special against falls and rescue



Code	Size	Load capacity	Tensile Strength	Inner	Master	
TC5291	40 - 44	150 kg	2,300 kg	1	12	
Type of packaging: Blister						

POSITIONING HARNESS

- Forged steel "D" ring 100% polyester strip It has 2 lateral "D" rings
- Special for working at heights



Code	Size	Load capacity	Tensile Strength	Inner	Master
TC2654	40 - 44	150 kg	2,300 kg	1	12

Type of packaging: Blister

FALL PROTECTION SAFETY HARNESS

- Forged steel "D" Ring
- 100% polyester strip
 It has 1 "D" ring in the back
 Special for working at heights



Code	Size	Load capacity	Tensile Strength	Inner	Master
TC2656	40 - 44	150 kg	2,300 kg	1	12

SAFETY | HARNESSES | BOOTS

SHOCK ABSORBING **SAFETY CABLE**

- Braided polyester body
- Forged steel ring

SAFETY CABLE WITH ANCHOR

- Braided polyester body Forged steel ring

ANCHOR

- Polyester body Fall protection system ring
- With: 4.5 cm





Code	Length	Tensile Strength	Inner	Master
TC2728	1.80 m	2,300 kg	1	6





Code	Length	Tensile Strength	Inner	Master
TC2727	1.80 m	2,300 kg	1	6

WHITE RUBBER BOOTS

Made with PVC injection

Abrasion, bending and tear resistant material

Nylon - polyester inner lining

Resistant to water, detergent,

Reinforced shark and toe cap

Slip resistant out sole and shoe

acids, corrosives, grease, mud, sludge, steam, etc.





Code	Length	Tensile Strength	Inner	Master
TC2651	90 cm	2,300 kg	6	12

Type of packaging: Bag

INDUSTRIAL RUBBER BOOTS

- Made with PVC injection
- Nylon polyester inner lining
- Abrasion, bending and tear resistant material
- Resistant to gas, oil and corrosive dilute acids (sulfuric acid, acetic acid, nitric acid, etc.) solvents, greases, detergents, mud, sludge, steam, etc.
- Reinforced shark and toe cap
- Slip-resistant out sole and heel cushion













removal in heel.







Master

Code	Size MX	Size USA	Total height	Inner	Master
TC5155	24	6	38 cm	2	12
TC5156	25	7	39 cm	2	12
TC5157	26	8	39 cm	2	12
TC5158	27	9	40 cm	2	12
TC5159	28	10	41 cm	2	12
TC5160	29	11	41 cm	2	12
TC5161	30	12	42 cm	2	12

Type of packaging: Bag

TC5169	24	6	33 cm	2	12		
TC5170	25	7	34 cm	2	12		
TC5171	26	8	34 cm	2	12		
TC5172	27	9	35 cm	2	12		
TC5173	28	10	36 cm	2	12		
TC5174	29	11	36 cm	2	12		
TC5175	30	12	37 cm	2	12		
Type of packaging: Bag							


Size USA Total height Inner

GARDENING RUBBER BOOTS

- Made with PVC injection
- Nylon polyester inner lining
- Abrasion, bending and tear resistant
- Resistant to water, detergent, mud, sludge, steam, etc.
- Reinforced shark and toe cap
- Slip resistant out sole and shoe removal in heel.







Type of packaging: Bag

LEATHER STEEL TOE WORK BOOTS

Size MX

- Made of 100% leather
- Steal toe with memory
- 6 arommets Anti-slip sole
- Latex with cotton sole





Code	Size MEX	Size USA	Inner	Master
TC2767	25	7	2	4
TC2768	25 1/2	7 1/2	2	4
TC2769	26	8	2	4
TC2770	26 1/2	8 1/2	2	4
TC2771	27	9	2	4
TC2772	27 1/2	9 1/2	2	4
TC2773	28	10	2	4
TC2774	28 1/2	10 1/2	2	4
TC2775	29	11	2	4
TC2776	29 1/2	11 1/2	2	4
TC2777	30	12	2	4

Type of packaging: Box

SAFETY | VEST

SAFETY VEST WITH DOUBLE HIGH VISIBILITY STRIPS

- Made of polyester Knitted on front

- and mesh fabric on back Strip width: 5cm For day and night use



Inner

5





Color

Orange

Yellow







- Made of polyester
 Knitted on front
- and mesh fabric on back Strip width: 5cm For day and night use









Wolfox

Code	Color	Inner	Master	
TC4300	Orange	5	50	
TC4301	Yellow	5	50	
Type of packaging: Bag				

SAFETY VEST WITH REFLECTIVE STRIPS

Made of polyester

TC4302

TC4303

Type of packaging: Bag

- Strip width: 5cm For day use



Master

50

50



For day use









Code	Color	Inner	Master
WF0285	Orange	5	50
WF0286	Yellow	5	50

Type of packaging: Bag



Code	Color	Inner	Master
WF0283	Orange	5	50
WF0284	Yellow	5	50

Type of packaging: Bag

SAFETY HELMET

- Padded sweatband for Customized height and fit
- Adjustment of 6 1/2" a 7 3/4"
- Made of hight impact polypropylene













NOM

* This product exceeds the \$	Standards C E(ANSI	* This product has certification
	Inner	Maste
	40	

Code	Color	Inner	Master
TC0575	Yellow	10	50
TC0576	Blue	10	50
*TC0577	Orange	10	50
*TC0795	White	10	50
TC0796	Red	10	50
TC0797	Green	10	50
Type of packaging: Bulk			

ROAD WARNING POST 1.15 M

- Made of ABS and PVC base Impact resistant
- Octagonal base
- Total weight: 7 kg



S	SAFETY	CONE
	Made of DV	IC.

- Made of PVC Impact resistant
- Non-deformable
- With reflective belt



Code	Base	Height	Reflection belt with	Inner	Master
TC3999	28 x 28 cm	45 cm	10 cm	1	5
TC4000	36 x 36 cm	70 cm	25 cm	1	5
TC4001	36 x 36 cm	90 cm	10 y 15 cm	1	5

Type of packaging: Bulk

Wolfox

Reflective width Inner Master Base (diameter) Height TC5259 40 cm 1.15 m 25 cm

Type of packaging: Bulk

45 CM FOLDABLE CONE

- Made of waterproof fabric
- Impact resistant
- With 2 reflective belts Polypropylene base



Code	Base	Height	Reflective width	Inner	Master
TC5258	24 x 24 cm	45 cm	3.5 cm	1	20

Type of packaging: Box

LIGHT SAFETY CONE 48 CM

*It is delivered in 2 bags

- Made of PVC
- Impact resistant Non-deformable



Code	Base	Height	Inner	Master
WF9349	38 x 38 cm	68 cm	1	5
Type of packaging: Bulk				

GUARDIAN SAFETY BARRIER FENCE

- Made of polyethylene
 110 mm x 30 mm opening
 Tension resistance: 17 kgf
 Weight per linear meter: 120 g
- Roll weight: 3.6 kg (8lbs)



Code	Size	Inner	Master
TC2855	1.20 m x 30.5 m	1	1

Type of packaging: Roll



PLASTIC CHAINS

· Made of high density polyethylene · 25 m reel





Code	Color	Thickness	Inner	Master
WF9354	White	1/4"	2	2
WF9355	Yellow	1/4"	2	2
WF9356	Orange	1/4"	2	2
WF9357	Black	1/4"	2	2
WF9358	White	5/16"	2	2
WF9359	Yellow	5/16"	2	2
WF9360	Orange <a>	5/16"	2	2
WF9361	Black	5/16"	2	2

Type of packaging: Cardboard reel

Wolfox[®]

- **NON-SLIP TAPE** · Made of polyurethane with 0.75 mm thickness · Acrylic adhesive of great
- sensitivity to pressure
- · Weather resistant · High friction texture
- · Special for steps and bath





Code	Size	Color	Inner	Master	
TC5102	25 mm x 5 m	Black	6	72	
TC1077	50 mm x 5 m	Black	6	72	
TC5269	50 mm x 5 m	Clear	6	72	
TC5270	50 mm x 5 m	Black / Yellow	6	72	
Time of neckoning Pay					

Type of packaging: Box

SELF STICK SAFETY STRIPE TAPE

- Made of polyethylene
- Thickness: 0.130 mm Length: 30 m
- Acrylic adhesive

- Thickness: 0.04 mm
- Length: 1000' / 300 m



Code	Color	Inner	Master
TC5098	Yellow / black	6	36
TC5099	Red / white	6	36

Type of packaging: Bulk

BARRICADE TAPE

- Made of polyethylene 3" wide
- Great resistance



Code	Characteristics	Inner	Master
TC0994	"Precaución" / "Caution"	6	12
TC0995	"Peligro" / "Danger"	6	12
TC0996	"Prohibido el paso" / "No trespassing"	6	12

Type of packaging: Roll

BARRICADE TAPE

- Made of 3" width polyethylene
- Thickness: 0.03mm Length: 300' / 90 m



Wolfox*



Code	Characteristics	Inner	Master
WF0725	"Precaución" / "Caution"	6	36

Type of packaging: Bulk

SAFETY | KNEE PAD | PLUGS | GOGGLES

ELECTRONIC HELMET FOR WELDING

- Made of polypropylene
- Polycarbonate lens
- The lens darkens automatically
- Protection in ARC, MIG, MAG and TIG welding
- UV / IR protection: up to shade DIN 13
- Power supply: photocell and battery
- Safety test button
- Battery life (interchangeable): 2,000 hrs









Printed in Spanish and English Code	Color	Model	Shadow	Inner	Master
TC3874	Black	Electronic	H-300	1	6
TC5306	Grey / Blue	Electronic	H-300	1	6
TC5307	Flames	Electronic	H-300	1	6
		Spare parts			
TC5372		Front / back lenses		10	640

Type of packaging: Box (Masks), bag (TC3872)

WELDING HELMET

- Made of high impact polypropylen
- Fold-up window
- Adjustable plastic head band
- Includes: shade and lens



* This product exceeds the Standards C EANSI

Code	Model	Inner	Master
TC0581	Traditional	6	6
	Spare parts		
TC1055	Shade 11	100	500
TC1056	Shade 12	100	500
TC1060	Clear	100	500

Type of packaging: Bag

ELECTRONIC HELMET FOR WELDING

- Made of polypropylene
- Polycarbonate lens
- The lens darkens automatically
- Welding protection for ARC, MIG, MAG and TIG
- UV / IR protection: up to shade DIN 13
- Source power:
- photocell and battery
- Safety test button
- Battery life (not interchangeable): 1.000 hrs







Wolfox

		_		
Code	Model	Shadow	Inner	Master
WF0714	Electronic	H-100	1	6
Spare parts				
WF0727	Front / back	lenses	10	720

Type of packaging: Box (WF0714), bag (WF0727)

WELDING HELMET

- Made of polypropylene
- Fold-up window
- Includes shade Adjustable plastic head band





Wolfox

Code	Model	Inner	Master
WF9639	Traditional	6	2
4 Spare parts			
TC1055	Shade 11	100	500
TC1056	Shade 12	100	500
TC1060	Clear	100	500

Type of packaging: Bag

RIGID KNEE PAD

- PVC covered

Breathable lining Elastic strap





Code	Characteristics	Inner	Master				
TC1813	Rigid	2	40				
Type of packa	ging: Bag		Type of packaging: Bag				

FLEXIBLE KNEE PAD

REUSABLE EAR PLUG

37dB (SNR) noise reduction ratting

- Made of foam rubber
- Flat surface Elastic strap



CORDED

32 dB (NRR)

Made of polyurethane



Code	Characteristics	Inner	Master
TC1814	Flexible	2	40
Type of pack	caging: Bag		

ADJUSTABLE EAR MUFFS

25dB (SNR), 17dB(SNR) noise reduction ratting





Type

* This product exceeds the Standards C EANSI

Code	Characteristics	Inner	Master
TC1807	Adjustable	3	60
vpe of packa	ging: Bag		

Made of polyurethane 37dB (SNR), 32dB (SNR) noise reduction ratting

REUSABLE CORDED EAR PLUG

CORDED EAR PLUGS

- Made of soft rubber
- 25dB noise reduction ratting
- Case included









Type of packaging: Plastic case







Code	Characteristics	Inner	Master
TC1806	Reusable	50	2000

Type of packaging: Bag







Code	Characteristics	Inner	Master	
TC1805	Reusable	100	2000	
Type of poekosings Pos				

Type of packaging: Bag

SAFETY | GLASSES

FACTORY SAFETY SUPPORT GLASSES





Code	Color	Inner	Master
TC4264	Transparent	12	300
*TC4265	Grey	12	300
TC4266	Yellow	6	300
TC4267	Green	12	300
TC4268	Blue	12	300
TC4269	Silver mirror	12	300
TC4270	Blue Mirror	12	300

Type of packaging: Bag

FREEDOM SAFETY SPORT GLASSES

- Anti-scratch polycarbonate lens
- Peripheral vision design Adjustable arms



Code	Color	Inner	Master
TC4273	Transparent	12	300
TC4274	Grey	12	300

* This product exceeds the Standards C EANSI

Type of packaging: Bag

NUVO SAFETY GLASSES

- Polycarbonate lens
- Adjustable arms



Code	Color	Inner	Master
TC1798	Clear	12	300
TC1799	Smoke	12	300
TC1800	Amber	12	300

Type of packaging: Bag

FUEL SAFETY SPORT GLASSES

- Anti-scratch polycarbonate lens Sport and comfortable design
- Light weight for prolonged use



Type of packaging: Bag

NEO SAFETY GLASSES

- Polycarbonate lens
- Light design





SUPERVISOR SAFETY GLASSES TRICOLOR FRAME

- Polycarbonate lens
- Adjustable arms



Type of packaging: Bag

SUPERVISOR SAFETY GLASSES

- Polycarbonate lens
- Adjustable arms



MARCO NEGRO



Wolfox

SUPERVISOR SAFETY GLASSES YELLOW FRAME

- Polycarbonate lens
- Adjustable arms



VISITOR SAFETY GLASSES

- Polycarbonate lens
- Anti-fog slots



Code	Color	Inner	Master
*TC0791	Clear	12	300
TC0572	Smoke	12	300
TC0571	Amber	12	300
Type of packaging: Bag			

GLASSES

- Polycarbonate lens
- Light model



	-(
Inner	Master
12	300
□ 12	300
	= "-

Type of packaging: Bag

ADJUSTABLE FACE SHIELD



Inner Master TC0794 Transparent lens 6 24 Type of packaging: Bag

FACE SHIELD

- Lens made of polycarbonate
- Adjustable belt





Code	Characteristics	Inner	Master
TC0872	Transparent lens	10	60

Type of packaging: Bag

FLIP-UP WELDING GOGGLES

- Frame made of ABS
- Polycarbonate lens
- Ventilation valve

FLIP-UP WELDING GOGGLES

- Frame made of ABS
- Polycarbonate lens
- Ventilation valve







Code	Shadow	Inner	Master
TC0793	#5	4	60
Type of packaging	: Bag		

Inner	Master
4	60



* This product exceeds the Standa		ndards C E ANSI	
Code	Shadow	Inner	Master
TC0873	#5	4	120
Type of packaging	: Bag		

CLEAR SAFETY GOGGLES INDIRECT VENTILATION

- Frame made of PVC
- Polycarbonate lens

CLEAR SAFETY GOGGLES DIRECT VENTILATION

- Frame made of PVC
- Polycarbonate lens
- With small holes to prevent the

lenses from fogging up

SAFETY GOGGLES TRANSPARENT DIRECT **VENTILATION**

- Made polypropylene
- · With small holes to prevent the lenses from fogging up





Code	Ventilation	Inner	Master	
TC1804	Indirect	10	100	
Type of packaging: Bag				





* This product exceeds the Standards C EANSI







* This product exceeds the Standards C EANSI

Wolfox

Code	Ventilation	Inner	Master	
WF9636	Direct	15	150	
Type of packaging: Bag				

RESPIRATOR, 2 FILTERS

- Double respirator for interchangeable cartridges
- Adjustable elastic belts Cartridge not included

RESPIRATOR, 1 FILTER

- Respirator for interchangeable cartridges
- Adjustable elastic belts
- Cartridge not included

DUST MASK

- Recommended for dust, alfalfa, pollen and non-toxic paint
- Elastic band for custom fit
- Metal nose clip for a better fit







Type of packaging: Bag



Code	Characteristics	Inner	Master
TC1808	1 filter	6	3
6 Spare parts			
TC1810	For dust	10	200
TC1811	For organic steam	10	200
TC1812	For spray paint	10	200

Type of packaging: Bag





SAFETY | GLASSES

LAMBSKIN LEATHER GLOVES

· Elastic on wrist for better fit

For handling construction, gardening and farming materials



Code	Size	Inner	Master
TC1685	One size fits all	3	48

Type of packaging: Card

COWHIDE LEATHER GLOVES

Elastic on wrist for better fit

For handling construction,





Code	Size	Inner	Master
TC1686	One size fits all	3	48

Type of packaging: Card

GOATSKIN LEATHER GLOVES

· Made of: Goat skin: 50%

Leather 50% · For construction work, driving, household work,

hand tools, livestock industry, etc.



Size

One size fits all



3

48

Type of packaging: Card

LEATHER WELDER GLOVES

- Heavy-duty leather
- Cotton inner lining



Code	Size	Inner	Master
TC3405	One size fits all	3	36
Type of packaging: Card			

LEATHER GLOVES

- Cotton inner lining
- Reinforced palm
- General use and material handling



01/1/1			-	-
Code	Size	Cuff	Inner	Master
TC1689	One size fits all	Short	6	48
TC0757	One size fits all	Length	3	72
Type of packaging: Card				

CANVAS AND FABRIC GLOVES, REINFORCED

Soft inner lining

TC4179

- Reinforced fingertips and knuckle
- General use, material handling



Code	Size	Inner	Master
TC0754	One size fits all	6	72
Type of packaging: Card			

CANVAS AND LEATHER GLOVES

- Soft inner lining Reinforced palm, one single piece
- General use and material handling





_			
Code	Size	Inner	Master
TC2646	One size fits all	6	120
WF9446	One size fits all	6	120
Type of packaging: Card			

CANVAS AND LEATHER GLOVES WITH STRIPES

- Soft inner lining Elastic on wrist for better fit
- For gardening





Code	Size	Inner	Master
TC0830	One size fits all	6	120
Type of packaging: Card			

MECHANIC GLOVES

- Made of cotton
- Adjustable with velcro
- Synthetic leather covered palm and fingers





Code	Size	Inner	Master
TC1688	One size fits all	3	48
Type of packaging: Card			

ANTI-SLIP GLOVES

- Elastic on wrist for better fit
- Canvas Fabric on the back
- PVC points on the palm for better grip
- For gardening


Code	Size	Inner	Master
TC0623	One size fits all	6	60

Type of packaging: Card

JERSEY GLOVES

- Elastic on wrist for better fit Made of cotton and polvester
- For manual tool handling









Code	Size	Inner	Master
TC1082	One size fits all	6	288

Type of packaging: Card

CANVAS GLOVES

For gardening

Elastic on wrist for better fit

ANTI-SLIP GLOVES PALM AND BACK

- Toolcraft Glove covered in PVC dots on palm and back
- Wolfox Glove covered in
- PVC dots on palm Ideal for handling slippery





Code	Size	Inner	Master
TC1687	One size fits all	6	48
WF9638	One size fits all	12	300

Type of packaging: Card

RUBBER-COATED COTTON GLOVES

- For construction use
- Cut resistant



TC4182	One size fits all
Type of packagin	ng: Card

RUBBER-COATED COTTON GLOVES

· Rough anti-skid finish

For construction and manual tool handling





Code	Size	Inner	Master
TC1437	Medium	6	120
TC1438	Large	6	120

Type of packaging: Card

NITRILE-COATED ELASTIC NYLON **GLOVES**

- Maximum sensibility
- Cut resistant
- For construction, manual and mechanical tool handling





Code	Size	Inner	Master
TC4287	Medium	6	120
TC4288	Large	6	12

Code	Size	Inner	Master
TC4287	Medium	6	120
TC4288	Large	6	12
0 Type of packa	ging: Card		

POLYURETHANE-COATED ELASTIC NYLON GLOVES

120

Inner Master 6

- · Maximum sensibility for fragile manipulation
- Abrasion resistant
- For mechanical work
- For construction or electric tool handling among others.





TC4285	Medium	6	120
TC4286	Large	6	120
Type of packag	ing: Card		

NITRILE-COATED COTTON GLOVES

- Resistant to cuts and abrasion For oily and wet environments
- For material handling and general
- maintenance



Code	Size	Inner	Master
TC4183	One size fits all	12	120
Type of packag	ing: Card		

Wolfox

HEAVY DUTY LATEX GLOVES

- Made of 100% latex
- For industrial use
- High adherence in dry and wet environments

Wolfox[®]

High abrasion protection





Code	Cuff	Size	Inner	Master	
TC0748	Short	Medium	12	144	
TC0749	Short	Large	12	144	
Type of packaging: Card					

LATEX-COATED **POLYESTER GLOVES**

- Rugged non-slip design for maximum grip
- Abrasion resistant
- Multi-use



Code	Size	Inner	Master
WF0014	One size fits all	6	120

Type of packaging: Card

MULTIPURPOSE RUBBER GLOVES

- Made of 100% latex





. shin.				
Code	Cuff	Size	Inner	Master
WF0017	Length	Medium	12	144
WF0018	Length	Large	12	144

Type of packaging: Card

DISPOSABLE GLOVES

- Made of latex
- Ideal for handling objects in laboratories
- Contains talc inside
- 25 piece box





10 Type of packaging: Dispatch box 25 pieces

80

Inner Master

Wolfox

SAFETY | VEST | RAINCOATS

ELASTIC BACK SUPPORT BELT WITH SUSPENDERS

- Made of polypropylene and elastic



Code	Size	Inner	Master
TC5195	Small	4	24
TC2696	Medium	4	24
TC2695	Large	4	24
TC2697	Extra Large	4	24

Type of packaging: Bag

ELASTIC MESH BACK SUPPORT BELT WITH SUSPENDERS

- Made of elastic mesh
- Velcro closure





	1 Tolic	CK _	Yes.
Code	Size	Inner	Master
TC5196	Small	4	24
TC5197	Medium	2	24
TC5198	Large	4	24
TC5199	Extra Large	4	24

Type of packaging: Bag

2-PIECE RAIN SUIT

- Polyester lining
- 0.32 mm thick



Code	Size	Inner	Master
TC2760	Small	3	20
TC2761	Medium	3	20
TC2762	Large	3	20
TC2763	Extra Large	3	20
	_		

Type of packaging: Bag

WATERPROOF RAINCOAT

- Polyester lining
- 0.32 mm thick PVC 100%



Code	Size	Inner	Master	
TC2806	Small	5	20	
TC2805	Medium	5	20	
TC2758	Large	5	20	
TC2759	Extra Large	5	20	
Time of postporing Don				

Type of packaging: Bag

Wolfox

PONCHO

- PVC 100% material
- One size fits all



Code	Characteristic	Thickness	Inner	Master
TC2764	Light	0.1 mm	5	30
TC3557	Reinforced	0.2 mm	5	30

Type of packaging: Bag

PONCHO

- Made of polystyrene Measurements: 100 x 125 cm




Code	Characteristic	Thickness	Inner	Master
WF9633	Ultra light	0.021 mm	12	200

Type of packaging: Bag

DISPOSABLE COVERALL

- Made of non-abrasive fluid-resistant polypropylene · With zipper





TC4151 Type of packaging: Bag

PLATINUM HANDSAW

- Carbon steel blade
- Blade thickness: 0.9 mm
- 4 clamp screws between blade and handle





Code	Size	DPP	Inner	Master
TC5050	22"	7	6	36
TC5051	24"	6	6	36
TC5052	26"	6	6	36
TC5053	28"	6	6	36

Type of packaging: Bulk

PROFESSIONAL HANDSAW

- Carbon steel blade
- Blade thickness: 0.9 mm
- 3 clamp screws between blade and handle



Code	Size	DPP	Inner	Master
TC0320	18"	9	6	36
TC0321	20"	7	6	36
TC0322	22"	7	6	36
TC0323	24"	6	6	36

Type of packaging: Bulk

BACK SAW

- Carbon steel blade
- Blade thickness: 0.8 mm
- Steel sheet back

2 clamp screws between blade and handle



Code	Size	DPP	Inner	Master
TC0325	12"	12	6	36
TC0326	14"	12	6	36

Type of packaging: Bulk

HANDSAW

- Carbon steel blade
- Carbon steel blade





Code	Size	DPP	Inner	Master
WF0618	16"	7	12	48
WF1666	18"	7	12	48
WF1667	20"	7	12	48
WF1668	22"	7	12	24

Type of packaging: Bulk

MITER SAW

Wolfox

Wolfox*

- Blade length: 22"
- Blade width: 1 1/2"
- 5 cutting positions: 90°, 45°, 36°, 30° and 22°
- 14 DPP blade included



attiener.			
Code	Characteristics	Inner	Master
TC0327	22" (558.8 mm)	1	4
	Spare parts		
TC0328	18 dpp	4	16
TC0329	24 dpp	4	16

Type of packaging: Box (TC0327) / Card (TC0328, TC0329)

MITER BOX WITH SAW

Saw blade made of carbon steel Plastic box engraved in centimeter

For straight and 45° cutting Blade thickness: 0.7 mm

inches





Code	Size	DPP	Inner	Master
WF0609	12"	12	4	16

WOLFOX

Type of packaging: Bulk

12" CIRCULAR SAW FOR METAL Tungsten carbide tips

For cutting non-ferrous

metals like aluminum, copper and plastics.



-		San Comments of the Comments o			
Code	Arbor	Number of teeth	Tooth type	Inner	Master
TC2337	1"	80	TCG	2	6
TC2338	1"	100	TCG	1	6

12"

Type of packaging: Blister

10" CIRCULAR SAW FOR METAL

- Tungsten carbide tips
- For cutting non-ferrous metals like aluminum, copper and plastics.





Code	Arbor	Number of teeth	Type of tooth	Inner	Master
TC2331	5/8"	80	TCG	3	12
TC2334	1"	80	TCG	3	12

Type of packaging: Blister

12" CIRCULAR SAW FOR WOOD

Tungsten carbide tips



Code	Arbor	Number of teeth	Type of tooth	Inner	Master
TC2335	1"	40	ATB	1	12
TC2336	1"	60	ATB	1	12

Type of packaging: Blister

10" CIRCULAR SAW FOR WOOD

Tungsten carbide tips



Code	Arbor	Number of teeth	Type of tooth	Inner	Master
TC2329	5/8"	40	ATB	3	12
TC2330	5/8"	60	ATB	3	12
TC2332	1"	40	ATB	3	12
TC2333	1"	60	ATB	3	12

Type of packaging: Blister

7 1/4 CIRCULAR SAW FOR WOOD

Tungsten carbide tips





Code	Arbor	Number of teeth	Type of tooth	Inner	Master
TC2326	5/8"	16	ATB	4	16
TC2327	5/8"	24	ATB	4	16
TC2328	5/8"	40	ATB	4	16

Type of packaging: Blister

BI-METAL HOLE SAW

- For cutting metal sheet, plate, wood, non ferrous metals
- Saw body made of thermally treated tempered steel
- Perforated base for better attachment with hole saw arbor





Code	Diameter	Inner	Master
TC2368	9/16"	6	36
TC2369	5/8"	6	36
TC2370	3/4"	6	36
TC2371	7/8"	6	36
TC2372	1"	6	36
TC2373	1 1/16"	6	36
TC2374	1 1/8"	6	36
TC2375	1 3/16"	6	36
TC2376	1 1/4"	6	36
TC2377	1 3/8"	6	36
TC2378	1 1/2"	6	36
TC2379	1 9/16"	6	36
TC2380	1 3/4"	6	36
TC2381	2"	6	36
TC2382	2 1/8"	6	36
TC2383	2 1/4"	6	36
TC2384	2 3/8"	6	36
TC2385	2 1/2"	6	36
TC2386	2 3/4"	6	36

HOLE SAW KIT, 5-PIECES

Type of packaging: Blister

- · For installation of locks, peepholes, etc.
- For drilling on wood and non ferrous metals
- Hole saw arbor



Code	Characteristics	Inner	Master
TC0447	5 pieces	5	20
Type of packaging:	Blister		

HOLE SAW FOR INSTALLATIONS OF LOCKS, **3-PIECE KIT**

- 7/8 spade bit
- Hole saw arbor 2 1/8 hole saw







Type of packaging: Blister

HOLE SAW KIT, 15-PIECE KIT

Contains 12 saws

1 3/8" 2"

- For installation of locks, peepholes, etc. For drilling on different sizes
- of wood and non ferrous metals
- Includes:
- 2 hole saw arbor
- 1 hex key
- 12 saws



Code	Characteristics	Inner	Master
TC2365	15 pieces	3	12
Type of packaging:	Plastic Box		

- **HOLE SAW KIT, 8-PIECE** · For installation of locks, peepholes,
- etc.
 For drilling on wood and non ferrous





Includes
6 saws
1"
1 1/4"
1 1/2"
1 3/4"
2"
2 1/2"

47.87	
1	

			2 1/2"
Code	Characteristics	Inner	Master
TC2364	8 pieces	3	12

Type of packaging: Plastic Box

HOLE SAW KIT, 4-PIECE

- · For installation of locks, peepholes, etc.
- For drilling on different sizes of wood and non ferrous metals
- · Hole saw arbor



Size 1/4' 1 1/2" 2 1/8"



Size	
7/8"	
1"	
2 1/8"	

Code	Characteristic	Inner	Master
TC2362	4 pieces	6	60
Type of packaging: B	lister		

ARBOR FOR HOLE SAW

· Threaded steel body for

mounting hole saw





Code	Size	Inner	Master
TC2366	9/16" a 1 3/16"	6	72
TC2367	1 1/4" a 2 3/4"	6	36

Type of packaging: Blister

SILICONES | CEMENT FOR CPVC | CONTACT GLUE

DON'T USE NAILS ADHESIVE

- Multi-purpose adhesive
- Glues materials such as: wood, cement,
- ceramics, steel and much more. Apply on clean and dry bases.
- For indoor and outdoor use
- Temperature range: -40 ° C to 90 ° C
- 5 kgf / cm ^{2 Adhe}





Code	Color	Contents	Inner	Master
TC5379	White	100ml	12	48
TC5373	White	300ml	1	24

Type of packaging: Cartridge / Blister (TC5379)

CPVC CEMENT

- Yellow color
- For use in PVC and CPVC pipes.
- For wet and dry condition.
 For 40 schedule pipes a maximum
- diameter of 8" is recommended
- · For 80, schedule pipes a maximum diameter of 6" is recommended
- Medium viscosity, fast drying.



Code	Contents	Inner	Master
TC3396	118 ml / 4 oz	12	48
TC3397	236 ml / 8 oz	12	48
TC3398	473 ml / 16 oz	6	24

PVC CEMENT FOR SANITARY USE

- Clear
- For use in PVC piping.
- For wet and dry condition.
- For 40 schedule pipes a maximum diameter of 6" is recommended
- For 80, schedule pipes a maximum diameter of 4" is recommended
- Regular viscosity, fast drying.



Code	Contents	Inner	Master
TC1628	118 ml / 4oz	12	24
TC1629	236 ml / 8oz	12	24
TC1630	473 ml / 16oz	6	12

Type of packaging: Tin

CONTACT CEMENT Color yellow

Use to glue rubber, leather, natural and synthetic sole, plastic, laminated sheet, wood, fiber, cork, aluminum.



Code	Contents	Inner	Master
TC3256	125 ml	6	24
TC3257	250 ml	6	24
TC3258	500 ml	4	24
TC3259	1 lt	4	12

Type of packaging: Tin, blister (TC3255)

PVC CEMENT, WET CONDITIONS

Blue color

- For use in PVC, CPVC and ABS pipes.
- For wet and dry condition.
- For 40 schedule pipes a maximum
- diameter of 8 "is recommended
- For 80 schedule pipes a maximum diameter of 6" is recommended.
- Regular viscosity, fast drying.



Code	Contents	Inner	Master
TC3392	118 ml / 4oz	12	48
TC3393	236 ml / 8oz	12	48
TC3394	473 ml / 16oz	6	24

Type of packaging: Tin

CPVC CEMENT

- Color vellow
- Resists high pressure and
- temperatures up to 80°C

 For pipes with a diameter of up to 10 cm (4") 40 and 60 schedule
- · 15 min drying time





Code	Contents	Inner	Master	
TC3395	60 ml	12	72	
Type of packaging: Blister				

PVC CEMENT FOR SANITARY USE

- For bonding plumbing piping and PVC fittings.
- For pipes with a diameter of up to 15 cm (6"), 40 schedule.
- 15 min drying time Applicator included







CONTACT CEMENT

Type of packaging: Blister

Color yellow

Use to glue rubber, leather, natural and synthetic sole, plastic, laminated sheet, wood, fiber, cork, aluminum.






Code	Contents	Inner	Master
TC3255	30 ml	12	144

Type of packaging: Tin and Blister (TC3255)

SILICONES | CAULKING GUNS

POLYURETHANE FOAM

- · For small household repair, for insulation and sealing of tubes and pipes, as well as filling small gaps.
- Temperature range: 8°C to 50°C













Does not harm the ozone layer

Code	Contents	Inner	Master
TC2643	250 g / 300 ml	12	12
TC2644	450 g / 500 ml	12	12
TC2645	680 g / 750 ml	6	12

Type of packaging: Tin

SILICON USO GENERAL

USE TO GLUE

For indoors and outdoors



Code	Color	Contents	Inner	Master
*TC3288	Clear	85 g	6	48
*TC0316	Clear	300 ml	12	12
*TC0318	White	300 ml	12	12
TC0317	Black	300 ml	12	12

Type of packaging: Cartridge, Blister (TC4131)

Mold resistant

bathtubs, etc

For places with permanent

moisture like kitchens, kitchen

and bathroom sink, showers,

For indoors and outdoors



KITCHEN AND BATHROOM SILICONE

Type of packaging: Cartridge, Blister (TC4131)

AUTOMOTIVE SILICONE SEALANT

- High temperature resistance Range: 0°C - 320°C
- Lasting flexibility even after application





Code	Color	Contents	Inner	Master
TC3384	Black	85 g	6	48
TC3385	Red	85 g	6	48

Type of packaging: Blister

Acrylic Sealant

- To be used in masonry, on brick, walls, aluminum glass.
- Paintable and washable
- * Transparent sealer: at the triansparent sealer: at tries time of application, the sealant has a white color and becomes transparent 24 hours after being applied, this helps to visualize the application of the product on the surface to be worked.



Code	Color	Contents	Inner	Master
WF9640	White	280 ml	1	12
WF0132	Clear	280 ml	12	12

Type of packaging: Cartridge

Wolfox

SILICONE EXHIBITOR **TOOLCRAFT**

- Made of wire 8 and 11 caliber with black electrostatic paint application.
- Arts in styrene cal 40
- Measurements: Height: 23 cm With: 23 cm Depth: 10 cm



Capacity

Wolfox

REINFORCED SKELETON CAULK GUN

- Double pressure and measuring rod
- Ergonomic handles



Code	Characteristics	Inner	Master	
TC1955	Reinforced	6	24	
Type of packaging: Bulk				

HEAVY-DUTY CAULK GUN

- Heavy duty die cast metal gun.
- Gator trigger



Code	Characteristics	Inner	Master	
TC0227	Spring trigger	12	48	
Type of packaging: Bulk				

SKELETON CAULK GUN

Metal gun

Spring trigger

TC5440



Code	Characteristics	Inner	Master	
*WF6302	Skeleton type	12	48	
Type of packaging: Bulk				

CAULK GUN WITH GATOR TRIGGER

Metal gun Gator trigger



Code	Characteristics	Inner	Master		
WF6301	Spring trigger	24	48		
Type of packaging: Bulk					

ELECTRIC MINI GLUE GUN

Made of plastic

Wolfox

4" x 5/16" mini electric gun (3 glue sticks included)



Code	Characteristics	Inner	Master
WF6321	4" x 5/16" Mini gun	6	48
WF6331	12 glue sticks set 4" x 5/16" measurements	24	144

Type of packaging: Blister

ELECTRIC GLUE GUN

Made of plastic

4" x 1/2" Electric Gun (2 glue sticks included)



Wolfox

120V~

60 Hz 20W



Specifica	tions
Voltage	120V~
Frequency	60 Hz
Power	20W

Wolfox

Code	Characteristics	Inner	Master
WF6320	4" x 1/2" Gun	6	24
WF6330	6 glue sticks set 4" x 1/2" measurements	24	144

Type of packaging: Blister

WELDERS | WELDING CABLES | CLAMPS | ELECTRODES

WELDING CABLES

- · For electric arc welders
- 3 m #4 AWG with connector and ground clamp
- · 4.5 m #4 AWG cable with connector (with no electrode base)
- · TC2747 and TC3307 can be used with our models



250 A

	TC3525	
Туре о	f packaging:	Box

ELECTRODE HOLDER

- · High temperature resistant fiber glass coating
- Brass connections and clamps
- Different positions available for placing the electrode
- · Includes 1 hex key





Code	Amperage	Caliber cable	Inner	Master
WF0643	300 Amperes	3 AWG	6	36
WF0644	500 Amperes	2 AWG	6	36

Type of packaging: Box

GROUND PLIER

- · Galvanized steel body with chrome plated finish.
- · Brass connections and clamps
- Double safety system for cable





Code	Amperage	Inner	Master
WF0645	300 Amperes	6	36
WF0646	500 Amperes	6	36

Type of packaging: Box

ELECTRODE HOLDER

- · High temperature resistant fiber glass coating
- Brass connections and clamps
- Different positions available for placing the electrode
- · Includes 1 hex key





Code	Amperage	Caliber cable	Inner	Master
TC5239	300 Amperes	2/0 AWG	4	16
TC5240	500 Amperes	4/0 AWG	2	16

Type of packaging: Box


GROUND PLIER

Wolfox*

- · Galvanized steel body with chrome plated finish.
- Brass connections and clamps
- · Double safety system for cable







Wolfox **6013 ELECTRODE**

- Made of soft iron with green coloring coating
 For iron work and household works 2
- · For welding overlapping or fillet thin steel sheets on light structures.
- CA/CO reel type





Bag 1 kg Price per bag


Diameter Required Amps Master Inner 40 - 90 A TC2085 3/32" TC2086 1/8" 110 - 165 A

MOSQUITO NET | PLIERS

GREY PLASTIC MOSQUITO NET

- Made of 100% polyethylene
- 15 threads per square inch
- Laminated finish
- Reinforced edges






Type of packaging: Roll

BLACK PLASTIC MOSQUITO NET

- Made of 100% polyethylene
- 15 threads per square inch
- Laminated finish
- Reinforced edges





GREEN PLASTIC MOSQUITO NET

- Made of 100% polyethylene
- 15 threads per square inch
- Laminated finish
- Reinforced edges

Code	Size	Inner	Master
TC1018	0.60 m x 30 m	1	1
TC1017	0.75 m x 30 m	1	1
TC1016	0.90 m x 30 m	1	1
TC1015	1.05 m x 30 m	1	1
TC1019	1.20 m x 30 m	1	1
TC1014	1.50 m x 30 m	1	1
TC1021	1.70 m x 30 m	1	1



TILE NIPPER

- Made of steel
- PVC plastic-coated handles
- Polished body
- Spring keeps them open for easy handling



Code	Size	Inner	Master
TC0244	8 1/2"	4	60

Type of packaging: Blister

END NIPPER PLIERS

- Made of steel
- Non-slip vinyl-coated handles
- Polished body



Type of packaging: Blister

CARPENTER PLIERS

- Made of steel
- Non-slip vinyl-coated handles Polished body



Code	Size	Inner	Master
TC0377	8"	4	60

Type of packaging: Blister

TINNER SPINS

- Body forged on carbon steel Straight pattern and tempered by
- induction



Code	Size	Inner	Master
TC0122	7"	3	60
TC0123	10"	3	36
TC0124	12"	3	24
TC0125	14"	3	24

Type of packaging: Card

AVIATION TIN SNIPS

Forged steel saw blades Non-slip dual material handle



_					_	
Type	OT	paci	caaıı	na: ı	CO	/ei

TC0121

Wolfox*

Wolfox

MULTIPURPOSE SCISSORS

Wolfox

Wolfox

Wolfox

Wolfox*

- Stainless steel blades
- Plastic ergonomic handles



Type of packaging: Cover

TAILOR SCISSORS

- Made of Stainless Steel
- Bright polished finish



Code	Size	Inner	Master
WF0064	8"	4	36
WF0065	10"	4	36
WF0066	12"	4	36

Type of packaging: Cover

SEWING / OFFICE SCISSORS, ENLARGED RING


Straight

6

48

Wolfox

- Made of Stainless Steel
- Bright polished finish



Type of packaging: Cover

SEWING / OFFICE SCISSORS

Made of Stainless Steel Bright polished finish





Code	Size	Inner	Master
WF0057	4"	12	60
WF0058	5"	12	60
WF0059	6"	12	60
WF0060	7"	12	60
WF0061	8"	12	60
Time of needs	min m. Caucan		

Type of packaging: Cover

HAIR-THINNING SCISSORS

- Made of Stainless Steel
- Bright polished finish



¥		Glossy finish		
Code	Size	Inner	Master	
WF0067	7 1/2"	6	60	
Type of packaging: Cover				

- Made of Stainless Steel
- Bright polished finish

HAIR-CUTTING SCISSORS WITH HOOK

Made of Stainless Steel



V		/		
Code	Size	Finish	Inner	Master
WF0049	5"	Satin	6	60
WF0051	5"	Bright polished	6	60
WF0050	7"	Satin	6	60
WF0052	7"	Bright polished	6	60

Type of packaging: Cover

HAIR-CUTTING SCISSORS WITHOUT HOOK

Made of stainless steel





Code	Size	Finish	Inner	Master
WF0053	5"	Satin	6	60
WF0055	5 1/2"	Bright polished	6	60
WF0054	7"	Satin	6	60
WF0056	7 1/2"	Bright polished	6	60

Type of packaging: Cover

TOENAIL CLIPPER

- Wolfox^{*}
- **NAIL SCISSORS** Made of Stainless Steel
- Bright polished finish

Wolfox*

Wolfox

NAIL SCISSORS

- Made of Stainless Steel
- Bright polished finish







Type of packaging: Cover



Type of packaging: Cover

SCISSORS | BENCH VISES

CUTICLE SCISSORS

Made of Stainless Steel Bright polished finish

Wolfox

SCISSORS Made of Stainless Steel

EMBROIDERY

Bright polished finish



Glossy finish Inner Master

60

12

HOME / OFFICE SCISSORS

Made of Stainless Steel











Code	Size	Inner	Master
WF0074	6"	24	240
WF0075	7"	12	144
WF0076	9"	12	72

Type of packaging: Cover





Wolfox[®]

Blade made of stainless steel

SCHOOL TYPE SCISSORS

- Plastic ergonomic handles
- Blunt tip



METAL CHALK LINE REEL

Strong cotton and polyester line

Type of packaging: Cover

4 oz extra fine blue chalk

WF0073



Code	Characteristics	Inner	Master	
TC0397	Metal / 100 feet with chalk	12	48	
TC0399	8 oz chalk spare part	12	60	
Type of packaging: TC0397 Blister / TC0399 Bulk				

PLASTIC CHALK LINE REEL WITH LEVEL **AND CHALK**



Extra fine blue chalk







Code	Length	Inner	Master
TC0398	15 m	12	48
TC0399	8 oz chalk spare part	12	60

Type of packaging: TC0397 Blister / TC0399 Bulk

MULTIPURPOSE BENCH VISE

Type of packaging: Cover

- Cast Iron body
- Swivel flat base
- Flat base for striking Rectified spindle
- Flat and V jaws



Code	Size	Inner	Master
TC5061	5"	1	1
Type of packaging: B	ox		

CROSS-SLIDING BENCH VISE

- Cast Iron body Sliding base
- Forged and interchangeable jaws
- Rectified spindle





Code	Size	Inner	Master
TC5062	5"	1	1
Type of packaging:	Box		

INDUSTRIAL BENCH VISE

- Swivel flat base
- Steel body Flat base for striking
- Forged and interchangeable jaws
- Rectified spindle





Code	Size	Inner	Master
TC2535	4"	1	1
TC2536	5"	1	1
TC2537	6"	1	1
TC2538	8"	1	1

Type of packaging: Box

LIGHT BENCH VISE

- Swivel flat base
- Steel body Flat base for striking
- Forged and interchangeable jaws
- Rectified spindle





Code	Size	Inner	Master
TC2539	3"	1	4
TC2540	4"	1	4

Type of packaging: Box

VARIOUS | FIRST AID KIT | MAILBOX

METAL MEDICINE CABINET

- Made of varnished steel metal
- Includes lock hasp
 Measurements: Width: 20.5 cm Height: 29.5 cm Depth: 6.5 cm



Weight

1.08 kg

Wolfox

Wolfox[®]

METAL MAILBOX Made of varnished steel metal

- Lid with hinge
- Includes lock hasp
- Measurements: Width: 18 cm Height: 30.5 cm Depth: 8.5 cm




Code	Material	Weight	Inner	Master
WF1202	Metal	0.98 kg	2	18

Type of packaging: Bulk

WF1201 Type of packaging: Bulk

DOG CHAIN

- Made of chrome steel



Material

Metal

Code	Link diameter	Length	Leash color	Inner	Master
WF1654	2 mm	1.2 m	Blue	12	144
WF1655	2.5 mm	1.2 m	Blue	12	144
WF1656	3 mm	1.2 m	Blue	12	72
WF1657	3.5 mm	1.2 m	Blue	12	72
WF1658	4 mm	1.2 m	Blue	12	72
WF9737	2 mm	1.2 m	Red	12	144
WF9738	2.5 mm	1.2 m	Red	12	144
WF9739	3 mm	1.2 m	Red	12	72
WF9740	3.5 mm	1.2 m	Red	12	72
WF9741	4 mm	1.2 m	Red	12	72

Type of packaging: Bag

DOG CHOKE CHAIN

- · Made of chrome steel
- Ring in both ends



Wolfox



Code	Link diameter	Length	Inner	Master
WF1659	2 mm	40 cm	12	144
WF1660	2.5 mm	45 cm	12	144
WF1661	3 mm	50 cm	12	144
WF1662	3.5 mm	55 cm	12	72
WF1663	4 mm	65 cm	12	72

Type of packaging: Bag

BICYCLE PADLOCK

Master

18

- Steel cable coated in PVC
- Includes 2 keys

Inner

2







Wolfox

Wolfox

Code	Length	Inner	Master
WF8907	58 cm	12	120
Type of packaging: Hanger			

4 1/2 DOUBLE SUCTION CUP

- Polypropylene body Rubber disks
- For lifting and moving smooth-surface, heavy objects.



4-DIGIT HAND TALLY COUNTER

- Made of chrome metal
- Easy to read and reset 4-digit reading





Code	Characteristics	Inner	Master
WF1890	4 digit	12	48

Type of packaging: Blister

4 1/2" SINGLE SUCTION CUP

- Polypropylene body Rubber disks
- For lifting and moving smooth-surface, heavy objects.





ICE PICK

Wolfox*

- Tempered carbon steel Wooden handle



Code	Size	Inner	Master
WF1350	7"	24	96

Type of packaging: Bulk

Wolfox[®]

VARIOUS | PLUNGER | KNIVES

DRAIN AUGER

- Polypropylene body and handle Stainless steel cable that works as screw driver
- Conic guide



Code	Length	Inner	Master
TC3378	4.5 m	4	12
TC2084	7.6 m	4	12

Frequency

Type of packaging: Bulk

RUBBER PLUNGER

- Made of rubber 40 cm wood handle
- For toilet, sink and dishwasher pipes.



Code	Diameter	Inner	Master
WF1696	6"	20	40
Type of packaging: Bulk			

9W ELECTRONIC INSECT KILLER

- Includes an useful tray to collect bugs on the lower part of the insect killer.
- Safe insect killer
- Ultraviolet light wavelength: 365 mm
- Lamp shelf life:
- more than 5,000 hours



Tension

120 V~





BUG ZAPPER RACKET

- Rechargeable
- Powerful 2-layer grid for catching and eliminating
- flying insects
- It has a led lamp
- Safe insect killer Retractable plug





WF9731	Rechargeable	
Type of packaging: Bag		

Characteristics	
chargeable battery	

Tensio Frequency 120 V

n	Inner	Master
~	6	24

Wolfox[®]

Wolfox[®]

Wolfox

Wolfox[®]

Type of packaging: Box

LINOLEUM KNIFE

High carbon steel blade Wood handle

WF9730

For linoleum, vinyl, etc.



Power

Code	Size	Inner	Master
TC0305	7 1/2" (190 mm)	12	120
Type of packag	jing: Blister		

KITCHEN KNIFE POLYPROPYLENE HANDLE

NOM

Master

Stainless steel blade

Inner

- Fixed with aluminum rivets
- Smooth edge



•			
Code	Size	Inner	Master
WF1712	6"	12	60
WF1713	7"	12	60
WF1714	8"	12	60
Type of packaging: Blister			

Wolfox


Wolfox*

TABLE KNIFE PLASTIC HANDLE Stainless steel blade

Fixed with aluminum rivets

60Hz





Type of packaging: Blister

STRAIGHT KNIFE **WOODEN HANDLE**

- Stainless steel blade
- Fixed with aluminum rivets
- Smooth edge





Type of packaging: Blister

KITCHEN KNIFE **WOODEN HANDLE**

- Stainless steel blade Fixed with aluminum rivets
- Smooth edge




Wolfox[®]

Code	Size	Inner	Master
WF1703	5"	12	60
WF1704	6"	12	60
WF1705	7"	12	60
WF1706	8"	12	60

Type of packaging: Blister

TABLE KNIFE WOODEN HANDLE

Stainless steel blade







Code	Edge	Size	Inner	Master
WF1701	Serrated	5"	24	120
WF1702	Smooth	5"	24	120

Type of packaging: Blister

VARIOUS | MIXERS | MILLS | VERNIER

HIGH CARBON SEMICONIC TAP

· For pipe connections and inner thread



*Price per piece

Wolfox*

Wolfox*

Code	Size	Thread type	Channels	Inner	Master
TC1381	1/8" x 27	NPT	4	2	72
TC1382	1/4" x 18	NPT	4	2	72
TC1383	3/8" x 18	NPT	4	2	72
TC1384	1/2" x 14	NPT	4	2	20

Type of packaging: Bulk

HIGH CARBON SEMICONIC TAP

For hand-threaded applications For all general purpose threading

NC: Standard rone

NF: Fine	rope			Price per	piece
Code	Size	Thread type	Channels	Inner	Master
TC1335	1/8" x 40	NC	3	3	180
TC1336	5/32" x 32	NC	3	3	180
TC1337	3/16" x 24	NC	3	3	105
TC1338	1/4" x 20	NC	3	3	90
TC1340	5/16" x 18	NC	3	3	90
TC1342	3/8" x 16	NC	3	3	30
TC1344	7/16" x 14	NC	3	3	30
TC1346	1/2" x 13	NC	3	3	30
TC1348	9/16" x 12	NC	3	3	30
TC1350	5/8" x 11	NC	3	3	18
TC1352	3/4" x 10	NC	3	3	21
	–				

Type of packaging: Bulk

24-PIECE TAP AND DIE SET

Case with 24 pieces

Includes:



Tipo de empaque: Case

CUTTING HAIR MACHINE FAMILY KIT

- 120 V~ 60Hz
- Wireless cutting hair
- machine and accessories · Includes:
- 2 combs

WF1664

Made of zinc

Chrome finish

ABS Handle

NPT Taps

right guide and left guide)



10.5 W

Type of	f pac	kaging:	В	lister
---------	-------	---------	---	--------

ANGLE STOP VALVE 1/2"

X 1/2" WITHOUT LOCKNUT

CUTTING HAIR MACHINE

120 V~ 60Hz

Wireless cutting hair machine

and accessories Includes:

1 comb

1 cleaning brush

2 guide combs adjustable to 7 height 6 guide combs (3mm, 6mm, 9mm,

12mm, right guide and left guide)

Professional use

Code



WF1665	10,5 W	3 W
Type of r	ackanina: Blietor	

Wolfox[®]

4" BATHROOM **FAUCET**

- Brass assembly ABS body and handles
- Ceramic cartridge
- 1/4" turn
- With aerator







Code	Handle	Inner	Master
*WF9510	Lever	2	40
Type of packa	ging: Box		

ANGLE STOP VALVE

24 pieces

- 1/2" X 1/2" WITHOUT LOCKNUT
- Made of zinc NPT Taps
- Satin finish

TC2870

Wolfox

NOM

Master

ABS Handle



8

Wolfox[®]

Wolfox

Wolfox



Code	Maximum pressure	Inner	Master	
WF9659	100 PSI	6	240	
Type of packaging: Bulk				

8" KITCHEN FAUCET GOOSE NECK

Brass assembly ABS body and handles

- Ceramic cartridge
- 1/4" turn
- With aerator







Code	Handle	Inner	Master
*WF9509	Lever	2	20
	_		

Type of packaging: Box

MOUNTABLE MANUAL MEAT MINCER

Type of packaging: Bulk



WF9660





More angular keys in the YARDEN section Page 226

Maximum pressure

100 PSI

Inner

6

Wolfox[®]

Code	Characteristics	Inner	Master
WF1643	#12	2	6
WF1644	#22	1	2
WF1645	#32	1	2

Type of packaging: Box

MANUAL MINCER FOR PRESSED MEAT

- Tinned iron body
- Mill with low hopper Pressed type fitting
- Spare blade included





Wolfox

Code	Characteristics	Inner	Master
WF1640	#5	2	6
WF1641	#8	2	6
WF1642	#10	2	4

Type of packaging: Box

GRAIN MILL

- Tinned iron body
- Mill with low hopper
- Pressed type fitting For cereal and grain



	Į.		
Code	Characteristics	Inner	Master
WF2541	MANUAL MILL	2	6
Type of packagi	ng: Box		

VARIOUS | VERNIER | FISHING EQUIPMENT

6" ANALOG VERNIER WITH CASE

- Made of stainless steel
- Etched with 2 measuring scales (cms and inches)
- Tolerance: 0.002" / 0.05 mm
- Includes plastic case

6" ANALOG VERNIER

- Made of carbon steel
 Etched with 2 measuring scales (cms and inches)
- Tolerance: 0.016" / 0.4 mm

Wolfox*

- **5" ANALOG PLASTIC VERNIER**
- · Etched with 2 measuring scales (cms and inches)
- With metal guide and support Recommended for school and domestic use

Wolfox

Wolfox

Wolfox





Code	Length	Inner	Master		
WF0599	6"	6	72		
Type of nackaging: Blister					

Wolfox



WF9725	5"	10	120
ype of pack	kaging: Bag		

FISHING ROD WITH REEL

Length

- Fiber glass fishing rod with graphite
- Open line reel with anti-lock system
- 2-position handle and 2-section rod
- Reinforced grommets

Type of packaging: Case

TC4565



Master

24

Inner

TELESCOPIC FISHING ROD WITH REEL AND **ACCESSORIES**

- Open line reel with anti-lock system 2-position handle
- Fiber glass fishing rod and reinforced grommets
- Includes:
- 1 fishing rod
- 1 reel
- 1 fishing bait
- 1 float 1 fishing lure
- 3 fishing sinkers
- 5 fishing hooks with line





Code	Rod length	Inner	Master
WF6101	1.8 m	2	10
WF6102	2.1 m	2	10
Time of most conin	n. Diatas		

Wolfox

Type of packaging: Blister



Code	Rod length	Inner	Master
WF6103	1.8 m	2	20
WF6104	2.1 m	2	20
	-n .		

Type of packaging: Blister

MULTICOLOR NYLON FISHING LINE

- 100% Polyamide
- High resistance
- 100m reel Multi-use

(Plumbing, construction, handcrafts, etc)

BLUE NYLON FISHING LINE

- 100% Polyamide
- High resistance
- 100m reel
- Multi-use

(plumbing, construction, handcrafts, etc)

Wolfox

FISH HOOK, 100 PIECES BOX

- Made of high-carbon steel
- Nickel coating
- Round eye
 "Knife edge" straight tip
- Blister presentation (100 pieces)



Box 10 threads

Code	Gauge	Inner	Master
WF9513	0.30 mm	10	240
WF9514	0.35 mm	10	240
WF9515	0.40 mm	10	240
WF9516	0.50 mm	10	240
WF9517	0.60 mm	10	240
WF9518	0.70 mm	10	240
WF9519	0.80 mm	10	180
WF9520	0.90 mm	10	180
WE0521	1 mm	10	100

Type of packaging: Reel



Box 10 threads

Code	Gauge	Inner	Master
WF9696	0.30 mm	10	240
WF9697	0.35 mm	10	240
WF9698	0.40 mm	10	240
WF9699	0.50 mm	10	240
WF9700	0.60 mm	10	240
WF9701	0.70 mm	10	240
WF9702	0.80 mm	10	180
WF9703	0.90 mm	10	180
WF9704	1 mm	10	180

Type of packaging: Reel



Box 100 pieces *Price per blister

Code	Size	Inner	Master
WF9381	#8	10	80
WF9382	#9	10	160
WF9383	#10	10	160
WF9384	#11	10	160
WF9385	#12	10	160
WF9386	#13	10	160
WF9387	#14	10	160
WF9388	#15	10	160
WF9389	#16	10	160
WF9390	#18	10	160
WF9391	#20	10	160

Type of packaging: Blister





ILUMINATION

ELECTRIC ARTIFACTS

WIRES

MULTIMETERS

VIDEO AND TELEPHONY

HOME



- Lights up instantly
 For indoor and outdoor use
 Energy saving and lower heat emission
 Do not use with light dimmers
- · Available in three types of light color



120 - 240 V~



60 Hz



Lifespan

15,000 hr



NOM



14/					114	~ i		-
W	А	к	N	L	_1(ЯI	П	П

WANIVI LIGHT					
Code	Watts	Light similar to	Lumens	Inner	Master
FP0208	5 W	35 W	450 lm	10	60
FP0211	9 W	50 W	720 lm	10	60
FP0214	12 W	60 W	1,200 lm	10	60
FP0217	15 W	70 W	1,400 lm	10	60
FP0220	18 W	90 W	1,600 lm	10	60
COLD LIGHT					
FP0207	5 W	35 W	450 lm	10	60
FP0210	9 W	50 W	720 lm	10	60
FP0213	12 W	60 W	1,200 lm	10	60
FP0216	15 W	70 W	1,400 lm	10	60
FP0219	18 W	90 W	1,600 lm	10	60
DAYLIGHT					
FP0206	5 W	35 W	450 lm	10	60
FP0209	9 W	50 W	720 lm	10	60
FP0212	12 W	60 W	1,200 lm	10	60
FP0215	15 W	70 W	1,400 lm	10	60
FP0218	18 W	90 W	1,600 lm	10	60

Type of packaging: Blister

- · Lights up instantly
- For indoor and outdoor use
 Energy saving and lower heat emission
 Do not use with light dimmers



Día, 6,500 K











FU1678



FU1679

FU1680

FU1681



HIGH WATAGE LED	BULB, DAYLIGHT		L27 120 - 240 V~	00 112	13,000 111
Code	Watts	Light similar to	Lumens	Inner	Master
FU1678	30 W	140 W	2,400 lm	2	24
FU1679	40 W	205 W	3,200 lm	2	24
FU1680	50 W	250 W	4,000 lm	2	12
FII1681	75 W	375 W	6 000 lm	1	4Ω





LED LIGHT BULBS









FP0083 - FP0086

FP0079 - FP0082

FP0087 - FP0090



Voltage	Frequency	Lifespan
100 1/ 000 1/	00.11-	45 000 b-















- For indoor and outdoor useDo not use with light dimmers
- Energy saving and lower heat emission against dichroic reflectors

FP0187 / FP0190

Type of packaging: Box

Type of packaging: Box

FP0186 / FP0189

FP0185 / FP0188

			Base	Voltage	Frequency Lifespan	_ 444	
PAR LED BULB			E27	120 V~ 220 Vca	60 Hz 15,000 hr	Warm: 2,700 K	Día, 6,500 K
Code	Product	Type of light	Watts	Light similar to	Lumens	Inner	Master
FP0187	LED bulb, PAR-38	Daylight	13 W	75 W	950 lm	12	48
FP0190	LED bulb, PAR-38	Warm light	13 W	75 W	950 lm	12	48
FP0186	LED bulb, PAR-30	Daylight	10 W	55 W	750 lm	12	48
FP0189	LED bulb, PAR-30	Warm light	10 W	55 W	750 lm	12	48
FP0185	LED bulb, PAR-20	Daylight	7 W	40 W	450 lm	12	48
FP0188	LED bulb, PAR-20	Warm light	7 W	40 W	450 lm	12	48




















TUBE
[T8]













LED TU	IBE, DAYLIGHT	- Aluminur	n body -	- Polycarbonate	diffuser		
Code	Product	Length	Watts	Light simi- lar to	Lumens	Inner	Master
FP0183	White LED tube	60 cm	10 W	40 W	800 lm	5	20
FP0184	White LED tube	120 cm	19 W	80 W	1,600 lm	5	20
FP0099	Transparent LED tube	60 cm	9.5 W	40 W	800 lm	5	20
FP0100	Transparent LED tube	120 cm	19 W	80 W	1,600 lm	5	20

LED R BULB, WARM LIGHT

Code	Watts	Light similar to	Lumens	Inner	Master
FU1210	8W	45W	450	4	48
FU1211	13W	65W	750	4	48
FU1212	16W	75W	1,065	4	48

Type of packaging: box







- Lights up instantly
 For indoor and outdoor use





Lifespan 120 V~ 10,000 hr 60 Hz



TUBE [T5]











FU0692

FU0267

FU0693

FU0694

FU1041

SPIRAL ENERGY-EFFICIENT, LIGHT BULB, DAYLIGHT

		·				
Code	Watts	Light similar to	Lumens	Current	Inner	Master
FU0692	45 W	45 W = 150 W	2,700 lm	550 mA	5	20
FU0267	65 W	65 W = 300 W	4,225 lm	765 mA	5	25
FU0693	85 W	85 W = 400 W	5,525 lm	985 mA	5	20
FU0694	105 W	105 W = 500 W	6,825 lm	1.30 A	5	20
FU1041	120 W	120 W = 600 W	7,800 lm	1.60 A	2	12

Type of packaging: Box

MINI SPIRAL ENERGY-EFFICIENT **DAYLIGHT E27** 120 V 60 Hz 10,000 hr TUBE Code Watts Light similar to Lumens Current Inner Master Lights up instantly Saves 75% energy FU0686 9 W 9 W = 40 W 450 lm 120 mA 12 60 [T2] Do not use with light dimmers FU0027 11 W 11 W = 50 W 550 lm 135 mA 12 60 FU0028 13 W 13 W = 55 W 650 lm 155 mA 12 60 FU0768 15 W 15 W = 60 W 780 lm 205 mA 24 NOM FU0769 1,140 lm 20 W 20 W = 80 W 260 mA 24 1,500 lm FU0770 25 W 25 W = 90 W 330 mA 24 4 PIECES FU0863 20 W 20 W = 80 W 1,140 lm 260 mA 10 10 FU0864 25 W 25 W = 90 W 1,500 lm 330 mA 10 10 WARM LIGHT FU0317 11 W 11 W = 50 W 550 lm 135 mA 12 60 FU0319 15 W 15 W = 60 W 780 lm 205 mA 12 60 20 W 20 W = 80 W 1,140 lm 260 mA 12 60 FU0320 FU0321 25 W 25 W = 90 W 1,500 lm 12 60 Día, 6,500 K Warm: 2,700 K 330 mA Type of packaging: Blister

LIGHTING | ENERGY-EFFICIENT

TUBE **[T4]**



- Lights up instantlySaves 75% energyDo not use with light dimmers



3U ENERGY-EFFICIENT. DAYLIGHT

3U ENERGY-EF	FICIENT, DAYL	IGHT		E27 120 V	60 Hz	Día, 6,500 K	L171
Code	Watts	Light similar to	Lumens	Current	Lifespan	Inner	Master
FU0022	15 W	15 W = 60 W	780 lm	205 mA	10,000 hr	12	60
FU0024	20 W	20 W = 80 W	1,140 lm	260 mA	10,000 hr	12	60
FU0026	25 W	25 W = 90 W	1,500 lm	330 mA	10,000 hr	12	60
Type of packaging	: Blister						





- · Lights up instantly
- Saves 75% energyDo not use with light dimmers



2U ENERGY-EI	FFICIENT, DAY	LIGHT		Base Voltage E27 120 V~	Frequency 60 Hz	Día, 6,500 K	TUBE [T4]
Code	Watts	Light similar to	Lumens	Current	Lifespan	Inner	Master
FU0016	9 W	9 W = 40 W	450 lm	120 mA	10,000 hr	12	60
FU0018	11 W	11 W = 50 W	550 lm	135 mA	10,000 hr	12	60
FU0020	13 W	13 W = 55 W	650 lm	155 mA	10,000 hr	12	60
Type of packaging	g: Blister						





- · Lights up instantly · Saves 75% energy
- · Do not use with light dimmers



ENERGY-EFFICIENT GLOBE LIGHT BULB. DAYLIGHT

ENERGY-EFFICI	ENT GLOBE LIG	IN I BULB, DATLIG	пп				
Code	Watts	Light similar to	Lumens	Current	Lifespan	Inner	Master
FU0032	15 W	15 W = 50 W	650 lm	150 mA	10,000 hr	10	20
FU0865	25 W	25 W = 80 W	1,125 lm	320 mA	10,000 hr	5	20
FU1102	30 W	30 W = 110 W	1,750 lm	425 mA	10,000 hr	5	20
Type of packaging:	Blister						



Día, 6,500 K

TUBE



- Saves 75% energy
 Do not use with light dimmers



SPIRAL ENER	GY-EFFICIEN	IT LIGHT BULB, DA	YLIGHT	Base Voltage Frequency E27 120 V~ 60 Hz	Día, 6,500 K		[T4]
Code	Watts	Light similar to	Lumens	Current	Lifespan	Inner	Master
FU0029	15 W	15 W = 60 W	780 lm	205 mA	10,000 hr	12	60
FU0030	20 W	20 W = 80 W	1,140 lm	260 mA	10,000 hr	12	60
*FU0031	25 W	25 W = 90 W	1,500 lm	330 mA	10,000 hr	12	60
FU1043	30 W	30 W = 105 W	1,950 lm	350 mA	10,000 hr	10	60
Type of packaging:	Blister						



LIGHTING | CIRCULAR LAMPS | LIGHT BULBS | LAMPHOLDER



- · Do not use with dimmer
- Illuminates similar to the 70 W spotlights



- FU0041 is spare parts FU0040
- FU0042 is spare parts FU0043
- Design to work with fluorescent light bulb electronic ballasts T9

FU0040 / FU0043

FU0041 / FU0042







CIRCULAR LIGHT	FBULB, DAYLIGHT			000 hr Día, 6,500 l	<u> </u>
Code	Watts	Light similar to	Lumens	Inner	Master
FU0040	22 W	70 W	770	20	20
FU0043	32 W	120 W	1,200	20	20
FU0041	22 W	70 W	770	20	20
FU0042	32 W	120 W	1,200	20	20
Type of packaging: Bo	x				

















FIXED CR	OWN L	IGHT	BULB
----------	-------	-------------	------

· The clear and opaque models contain 10 lightbulbs of each colors; blue, orange, green, red and yellow

I IXED CITOWITE	IGITI BOLD IIIo dioda da la op	adde modele comain to lightbalbe of	odor obloro: blac, craingo, groom, roa ana ye	5.10 11	
Code	Color	Watts	Lumens	Inner	Master
FU0052	Clear	7.5 W	36	250	2000
FU0054	Transparent	7.5 W	38	250	2000
INTERMITTENT (CROWN LIGHT BULB				
FU0055	Clear	7.5 W	36	100	2000
FU0057	Transparent	7.5 W	38	100	2000
Type of packaging: Bo	x				

It is delivered in a box with 50 pieces











FU0302 / FU0360

FU0303 FU0304

FU0300 / FU0301

LIGHT BULB	- Frecuencia 60 Hz					Voltage 120 V~	Frequency 60 Hz	Lifespan 1,200 hr
Code	Product	Color	Base	Watts	Lumens	Inner	N	/laster
FU0302	Flame light bulb	Pearl	E27	40 W	340 lm	100		400
FU0360	Flame light bulb	Clear	E27	40 W	380 lm	100		400
FU0303	Candle light bulb	Clear	E27	40 W	380 lm	100		400
FU0304	Candle light bulb	Clear	E14	40 W	380 lm	100		400
FU0300	Oven / Fridge light bulb	Pearl	E27	40 W	360 lm	100		400
FU0301	Oven / Fridge light bulb	Pearl	E27	25 W	190 lm	100		40







FU0870

- 120 V~
- Halogen dichroic reflector For indoor use



Base for dichroic MR16 flood light Includes lamp holder, ground cable

and fastening ring (does not include reflector, nor voltage reducer)



- Base for MR16 flood light bulb and LED
- To operate at 12 V ~ (purchase separately to reduce the voltage)





FLOOD LIGHT	BULB HOLDER			120 V~	60 HZ 2,000 nr
Code	Product	Watts	Temperature	Inner	Master
FU0870	MR-16 Flood light bulb	50 W	2,700 K	20	200
FU0871	Flood light bulb base and holder	50 W	-	12	48
FU0872	Flood light bulb lamp holder	50 W	-	50	600







LIGHTING | LED LIGHT BULBS





FU1386



FU1387



FU1388

Aluminium box

- Tempered glassHermetic seal for indoor and outdoor use
- · Power cable: 30 cm (3 x18 AWG)
- Light temperature: 6,500 K
- · The sensor works during the day and night
- · Sensor:
- Detection range 8-12m
- Detection angle: 120 °
 High-potency LED



60 Hz







MOTION SENSOR LED LIGHT BUILBS DAYLIGHT

MICTICIA SENSOIT	LLD LIGITI DOLDO, DAILIO	4111			
Code	Watts	Light similar to	Lumens	Inner	Master
FU1386	20 W	200 W	1,600 lm	1	10
FU1387	30 W	300 W	2,400 lm	1	4
FU1388	50 W	500 W	4,000 lm	1	4





110-220 V~















- Aluminium box
- 4 mm tempered glass
- Hermetic seal for indoor and outdoor use
 Power cable: 30 cm (3 x18 AWG)
- · High-potency LED









TIFE OF FACIN	Adilla. DOX		110 220 V	- 00 112 00,000 111
Code	Watts	Lumens	Inner	Master
FU1670	20 W	1,600 lm	1	10
FU1671	30 W	2,400 lm	1	10
FU1672	50 W	4,000 lm	1	4
FU1673	100 W	8,000 lm	1	2
FU1674	150 W	12,000 lm	1	2
Type of packaging: B	Box			

















- Aluminum box4 mm tempered glass
- Hermetic seal for indoor and outdoor use
 Power cable: 30 cm (3 x18 AWG)
 High-potency LED



ULIKA IHIN LED	FLOORDLIGHT, DAYLIGHT		120 V~	60 Hz 15,000 hr
Code	Watts	Lumens	Inner	Master
FP0200	10 W	700 lm	2	24
FP0201	20 W	1,500 lm	2	24
FP0202	30 W	2,400 lm	2	20
FP0203	50 W	3,800 lm	1	12









LIGHTING | CABINET FIXTURES | EMERGENCY LIGHT BULBS



· Works with 4 "AAA" batteries not included



FP0051

- Easy to adhere, includes self
- adherent strip on the back Works with 3 (AAA) batteries not included



· Easy to adhere, includes self adherent strip on the back

not included

Works with 3 (AAA) batteries



FP0053



Code	Product	Voltage	Lumens	Lifespan	Inner	Master
FP0052	Round 14 cm	6 V	25 lm	30,000 hr	12	48
FP0051	Round 7 cm (2-piece set)	4.5 V	9 lm	30,000 hr	12	48
FP0053	Rectangular 18 x4.5 cm	4.5 V	15 lm	30,000 hr	12	48
Type of packaging:	Blister					





· Aluminum base

· Polycarbonate screen

Includes power cable (without plug) and interconnection cable

· Lightbulb body:

1.8cm wide x 3.2cm high



simultaneously

TYPE OF P	ACKAGING: BOX			110 - 220 V~	60 Hz 40,000 hr	Día, 6,500 K
Code	Length	Watts	Lumens	# LEDS	Inner	Master
FU1434	60 cm	18W	1,440 lm	96	3	20
FU1435	120 cm	36W	2,880 lm	192	2	20
Type of packag	ging: Box					







· Base made of ABS

Includes power cable and interconnection

Light bulb body:

3.3 cm wide x 3.5 cm high



* Can connect more than 2 luminaires simultaneously

CABINET LED LIG	CABINET LED LIGH BULB					Día, 6,500 K
Code	Length	Watts	Lumens	# LEDS	Inner	Master
FU1331	30 cm	6 W	500 lm	48	4	20
FU1332	60 cm	11 W	950 lm	72	4	20
FU1333	90 cm	19 W	1,650 lm	96	4	20
FU1334	120 cm	24 W	2,100 lm	120	4	20





Type of packaging: Box



FU0581



- Includes rechargeable batteryLights up automatically when there is no power
- Light-up nylon strap (Except FU0580)
- Charging cable included 2 functions: lamp and emergency lamp



EMERGENCY LIG	INT TORCH, DAY	LIGHT				20 V~ 00 112	Dia, 6,500 K
Code	Watts	Length	# LEDS	Battery	Battery life	Inner	Master
FU0785	5 W	66.5 cm	90	3 x 4 V	20 hr	2	6
FU0581	5 W	40 cm	60	2 x 4 V	20 hr	4	16
FU0580	3 W	21 cm	30	2 x 4 V ***	13 hr	4	16





LIGHTING | MOTION SENSORS | SMOKE DETECTOR



FU0013



FU1119

- Wall mounting
 Photocell with motion sensor and brightness sensor
- Sensors with motion sensitivity adjustment
- It does not work when exposed to light
- Sensor:
- Maximum detection areas: 9 m
- Detection angle: 180°
- Timer: 10 sec to 7 min Bulbs not included





MOTION SENSOR LIGHT PAR 38

MICTION SENSON	THON SENSON EIGHT FAIL SO			120 V~ 60 Hz
Code	Color	Max watts	Inner	Master
FU0013	Black	300 W	4	24
FU1119	White	300 W	4	24
Type of packaging: Box				





FU1117

- Sensor coverage radius: 1 to 9 m
 Timer: 10 sec to 5 min

INFRARED MOTIO	E27	120 V~ 60 Hz		
Code	Color	Max watts	Inner	Master
FU1118	Black	60 W	4	20
FU1117	White	60 W	4	20
Type of packaging: Box				



NOM



- · Installation: Ceiling / wall
- Smoke alarm with buzzer Button with LED indicator
- Alarm voltage: 6.5 V ~ 7.5 V Alarm volume: > 85 db (3 m)
- Battery: DC 9 V (included)
- Working temperature range: -10 $^{\circ}\text{C}$ a 40 $^{\circ}\text{C}$



- It does not work when exposed to solar light
- For indoor use
- Maximum detection area: 6m 360°
- With 3 option adjustment switch
- Timer: 10 sec to 7 min
- Includes 2 screws and 2 pegs for installation





Voltage	Frequency
120 V~	60 Hz



SMOKE DETECTOR

Code	Characteristics	Inner	Master	
FU0916	U0916 Smoke detector		24	
Type of packaging: Blister				

MOTION SENSOR FOR CEILING

Code	Max watts	Inner	Master
FU0794	800 W	4	24
Type of packaging:	Blister		



- Installation: Ceiling / wall
- It does not work when exposed to solar ligh
- For indoor and outdoor use
- Maximum detection area: 6m - 360°
- Timer: 10 sec to 5 min
- For energy-efficient and incandescent bulb



			2
Socket	Voltage	Frequency	23
E27	120 V~	60 Hz	

SOCKET WITH MOTION SENSOR

Code	Max watts	Inner	Master
FU0904	60 W	4	48

Type of packaging: Blister



ALARM AND

WITH MOTION SENSOR

Type of packaging: Blister

- · For indoor use
- Detection angle: 110°
- Maximum detection area:
- 9m 110° · Sound level: 60 db
- · Installation: wall
- Uses one 9 V alkaline battery (not included)





Master



- Installation: ceiling
- It does not work when exposed to solar light
- For indoor and outdoor use
- Maximum detection area: 8m - 180°
- Timer: 15 sec to 11 min



NOM

		Voltage	Frequency
INTRUDER ALERT		120 V~	60 Hz
III III OD EII AEEIII	A SECTION AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN		

WALL MOTION SENSOR

Code	Max watts	Inner	Master
FU0795	800 W	4	24



LIGHTING | LED TAPES | HANGING PANELS | FALSE CEILING









- Aluminum body
- Polypropylene screen Includes 1m hangers and driver



LED PANEL, I	DAYLIGHT					30,000 hr	Día, 6,500 K
Code	Watts	Lumens	Measurement	Thickness	#LEDS	Inner	Master
FU1346	36 W	2,500 lm	60 x 60 cm	1 cm	180	1	5
FU1347	48 W	3,400 lm	120 x 30 cm	1 cm	240	1	5
FU1348	72 W	5,000 lm	120 x 60 cm	1 cm	360	1	2
Type of packagi	na. Box						















· Metal base and acrylic cover












BUILT-IN CEILING LED, DAYLIGHT

BUILT-IN CEILING LED, DAYLIGHT						Voltage 110-220 V~	Frequency 60 Hz	Lifespan 30,000 hr
Code	Watts	Lumens	Exterior diam- eter	Installation ameter	di-	#LEDS	Inner	Master
FU1242	6 W	300 lm	12 cm	11 cm		30	4	10
FU1243	12 W	750 lm	17 cm	16 cm		60	4	10
FU1244	18 W	1,100 lm	22 cm	21 cm		90	4	10
Type of packaging: Box								



CEILING	LED, DAYLI	110-220 V~	60 Hz	30,000 hr			
Code	Watts	Lumens	# of LEDS	Diameter	Inner	Master	
FU1255	10 W	700 lm	52	26 cm	4	10	
FU1256	15 W	1,050 lm	76	33 cm	4	10	
FU1257	19 W	1,400 lm	105	38 cm	2	8	
Type of packaging: Box							











Voltage 110-220 V~



LED STRIP	- 60 LEDs per meter	- Includes self-adhesive strip along t	he entire tape	- Adjustable size, can be cut	every 5 cm

	 		,		
Code	Product	Strip measurement	Watts	Inner	Master
FU1200	Multicolor LED strip	5 m x 10 mm	39.5 W	1	2
FU1199	Daylight LED strip	5 m x 8 mm	18.5 W	1	2



LIGHTING | CANDLE LAMPS | LANTERNS

Master

60

60

60

60



FU0168

Turns on automatically with the sunset Switch not included



FU0268 F

- Fabricada en plástico resistente al calor - Incandescent type

Product

Night light with photocell

Rectangular

Flower

Bear

Moon

Butterfly



Watts

4 W

4 W

4 W

4 W

FU0429

- On/Off button - Frecuencia 60 Hz - 120 V~



FU0428

Inner

12

12 12

12



FU0166





FU0428 FU0166 Type of packaging: Blister

FU0168

FU0268

FU0167

FU0429

NIGHT LIGHT









Lifespan

1,200 hr

1,200 hr

1,200 hr

1,200 hr

1,200 hr

1,200 hr

FU0336



	F	U	0

NIGHT LIGHT	- Fabricada en plástico resistente al calor Incar	ndescent type - On/Off button - I	Frecuencia 60 Hz - 120 V~		
Code	Product	Watts	Lifespan	Inner	Master
FU0430	Duck	4 W	1,200 hr	12	60
FU0425	Shell	4 W	1,200 hr	12	60
FU0337	Football	4 W	1,200 hr	12	60
FU0324	Baseball	4 W	1,200 hr	12	60
FU0336	Soccer	4 W	1,200 hr	12	60
FU0335	Basketball	4 W	1,200 hr	12	60
Type of packaging: Blister	•				



NOM









	FUU/03		100	02		1 00070		
LANTERN	- Made of aluminium.	- Beveled clear glass	- Base E-27	- For outdoors and gardens	- Bulb not included		Voltage 120 V~	Frequency 60 Hz
Code		Product		Type	Height	Maximum power	Inner	Master
FU0783	White colonial	wall lantern with back	plate		45 cm	100 W	2	10
FU0782	White colonial	wall lantern with bac	k plate		35 cm	100 W	2	10
FU0670	White classic	wall lantern, with bac	k plate		35 cm	100 W	2	10
FU0671	White classic	wall lantern			35 cm	100 W	2	10





Type of packaging: Box





FU0781





FU0672

U0673	3		
	N	0	N



LANTERN	- Made of aluminium.	- Beveled clear glass	- Base E-27	- For outdoors and ga	ardens - Bulb not inclu	ded		Voltage 120 V~	Frequency 60 Hz
Code		Product		Туре	Height	Maximum power	Inner	Ma	aster
FU0784	Black colonia	al wall lantern, with b	ack plate		45 cm	100 W	2		10
FU0781	Black square	e wall lantern, with ba	ck plate		35 cm	100 W	2		10
FU0672	Black classic	wall lantern, with ba	ick plate		35 cm	100 W	2		10
FU0673	Black classic	wall lantern			35 cm	100 W	2		10




LIGHTING | SUBURBAN LIGHTBULB | STREET LIGHTS



Includes 1 daylight energy-efficient bulb, 85W (FU0693) Outdoor use









Includes 1 big energy-efficient spiral bulb, daylight 65W (FU0267)

Outdoor use



FU0710

ENERGY EFFICIENT SUBURBAN STREET

LIGHT WITH ALUMINIUM FIXTURE

FU1079

Maximum power

85 W

65 W


65 W

Type

Energy-efficient

Energy-efficient

Energy-efficient



3,575

4 225

2,250

	Base	Voltage	Frequency
	E27	120 V~	60 Hz
Maximum o	current	Inner	Master

FU0157



NOM

FU0157 Type of packaging: Box

FU0710

FU1079



Aluminium fixture without arm

Plastic fixture without arm

Plastic fixture without arm



Suburban type

0.98 A

0.68 A

0.50 A

Cable length: 25 cm

· With photocell for automatic on and off

Includes arm, clamp and screws

· Diffusing acrylic diameter: 10"

· For outdoor use

* Includes non-replaceable lamp





4



FOW LED CLIDDDAN STDEET LIGHT WITH ADM. DAYLIGHT

50W LED SURBBAN STREET LIGHT WITH ARM, DAYLIGHT					120 V	20,000 111	, -,
Cod	e	Watts	Туре	Lumens	Current	Inner	Master
FU10	78	50 W	LED	4000	0.5 A	1	4
Type of packa	ging: Box						



FU0422:

FU0295:

photoelectric switch

Made of plastic

Dual voltage



- Body made of ABS and acrylic screen
- With photocell for automatic on and off
- Includes arm, clamp and screws
- Includes 2 energy-efficient bulbs: 4 U 36 W, daylight
- For outdoor use





NOM







Compatible

PHOTOCELL CONTACT

Code	Characteristics	Frequency	Inner	Master
FU0422	125 V~ 15 A	60 Hz	10	100
FU0295	120 V~ / 220 V~	50 - 60 Hz	5	50

Type of packaging: Box

ENERGY EFFICIENT SUBURBAN STREET LIGHT WITH ARM 2 X 36 W

	IOILITI GODOI	DANCEL	LIGHT WITH ALL	11 2 7 00 11		
Code	Type	Lumens	Maximum power	Maximum current	Inner	Master
FU1080	Energy-efficient	3,800	72 W	0.6 A	1	4
Type of packaging: Box						







FU0669



Polycarbonate screen

For exteriors and interiors Includes big energy-efficient bulb 3U daylight, 20 W (FU0024)





STREET LIGHT			E2		60 Hz
Code	Product	Watts	Inner	Master	
FU0668	Jelly-jar wall light	20 W	2	10	
FU0669	Globe wall light	20 W	2	10	



NOM

Type of packaging: Box







FU1462 / FU1463



FU1465



FU1460 / FU1461



FU1464



FU1458 / FU1459



PI ATF

ILAIL			
Code	Product	Inner	Master
FU1466	2 Grounded Contacts Plate	10	200
FU1465	Contact Landing Plate	10	200
FU1464	Simple switch plate + Grounded contact	10	200
FU1462	3 single switches plate	10	200
FU1463	2 Single switches plate + 3 Way switcher	10	200
FU1460	2 single switches plate	10	200
FU1461	Single switch plate + 3 way switcher	10	200
FU1458	Single switch plate	10	200
FU1459	3 way switch plate	10	200



- · Screws included
- · The switches, contacts and plate of the DEOCR line are compatible only between them.
- · Frequency 60 Hz













FU1327

Max USB output is 2.1A

FU1325

FU1324 FU1323 / FU1322

CONTACT				NOM
Code	Product	Characteristics	Inner	Master
FU1327	Double grounded contact GFCI with plastic plate	Brass terminals	4	50
FU1328	Single grounded contact + double USB	Brass terminals	4	200
FU1326	Double grounded contact	Brass terminals	20	200
SWITCH				
FU1325	Triple switch	-	10	200
FU1324	Double switch	-	10	200
FU1323	3 way switch	-	20	200
FII1322	Single switch	_	20	200

Type of packaging: Bag







- "DECOR Line"
- · Made of ABS
- · Screws included

PLASTIC PLATE

Code	Characteristics	Inner	Master	
FU1319	1 Window	80	640	
FU1320	2 Window	60	480	
FU1321	3 Window	40	320	
Town of months who we Dow				













FU1450



FU1451 / FU1452



FU1448 / FU1449



FU1446 / FU1447



FU1454



FU1455



FU1456



FU1457



PLATE				
Code	Product	Composed of articles:	Inner	Master
FU0900	Plate Kit and 2 ground contacts	-	10	200
FU1450	Simple Plate Switch + Ground contact	FU0891 + FU0895 + FU0894	10	200
FU1451	3 single switches plate	FU0892 + FU0895	10	200
FU1452	2 Single switches plate + 3 Way switcher	FU0892 + FU0895 + FU0896	10	200
FU1448	2 Single plate switch	FU0891 + FU0895	10	200
FU1449	Single switch plate + 3 way switcher	FU0891 + FU0895 + FU0896	10	200
FU1446	Single switch plate	FU0890 + FU0895	10	200
FU1447	3 way switch plate	FU0890 + FU0896	10	200
FU1454	Door bell plate	FU0890 + FU0899	10	200
FU1455	TV connector plate	FU0890 + FU0897	10	200
FU1456	Telephone jack plate	FU0890 + FU0898	10	200
FU1457	Rotating Dimmer Plate	FU0890 + FU0911	10	200

ELECTRICAL APPLIANCES | CLASSIC LINE











CONTACT - Made in Polycarbonate The switches, contacts and plates of the classic line are only compatible between them. - Frecuencia 60 Hz

Code	Product	Characteristics	Inner	Master
FU0894	Grounded contact	120 V~ 15 A	20	600
FU0893	Polarized contact	120 V~ 15 A	20	600
SWITCH				
FU0899	Doorbell	120 V~ 10 A	20	600
FU0896	3 way switch	120 V~ 10 A	20	600
FU0895	Simple switch	120 V~ 10 A	20	600
Type of packaging: Bag				



NOM







FU0897

 $\textbf{CONNECTOR} \ \ \text{-Made in Polycarbonate} \quad \ \text{The switches, contacts and plates of the classic line are only compatible between them.}$

Code	Product	Specifications	Characteristics	Inner	Master
FU0911	Rotary Dimmer	120 V~ 60 Hz 150 W	For dimmable bulbs	10	600
FU0898	Telephone Connector	-	4 lines	20	600
FU0897	TV Connector	70 Ohms	For TV, zinc connector	20	600
Type of packaging:	Bag				









FU0892

PLASTIC PLATE	- Made of polycarbonate Includes screws		
Code	Characteristics	Inner	Master
FU0892	3 Window	20	480
FU0891	2 Window	20	480
FU0890	1 window	20	480
Type of packaging: Bag			











FU1442



FU1443



FU1444



FU1441

NOM

PLAIE				
Code	Product	Composed of articles:	Inner	Master
FU1445	2 simple contact plate	FU0764 + FU0702	10	200
FU1442	Simple contact plate	FU0763 + FU0702	10	200
FU1443	Simple switch plate + Simple Contact	FU0764 + FU0702 + FU0699	10	200
FU1444	2 single switches plate	FU0892 + FU0895	10	200
FU1441	Single switch plate	FU0763 + FU0699	10	200

ELECTRICAL APPLIANCES | ITALIAN LINE









FU0143

ALUMINUM PLATE	- Made of aluminium	- Plastic chassis	- Includes screws	- For Italian type switches	- Thickness: 0.8mm

	31		
Code	Product	Inner	Master
FU0765	3 Windows aluminum plate	30	300
FU0764	2 Windows aluminum plate	30	300
FU0763	1 Window aluminum plate	30	300
FU0143	Blank aluminum plate	30	300
Type of packaging: Bag			



NOM

NOM







FU0702 FU0699 FU0701

CONTACT AND SWITCH

- - Made of bakelite - Frecuencia 60 Hz

	made of Bartonie Trouderiola 66 Fiz			
Code	Product	Characteristics	Inner	Master
FU0702	Simple contact	120 V~ 15 A	50	500
FU0699	Single switch	120 V~ 10 A	50	500
FU0701	Toggle switch	120 V~ 10 A	50	5
Type of packaging: Bulk				





FU0718 FU0698



Code	Product	Characteristics	Inner	Master
FU0698	Flourescent single switch	120 V∼ 10 A	50	500
FU0718	Flourescent toggle switch	120 V∼ 10 A	50	500

ELECTRICAL APPLIANCES | PLATES











FU0141

FU0153

ALUMINUM PLATE	Includes screws				
Code	Product	Use	Thickness	Inner	Master
FU0144	Pilot plate	For cabble connections	0.8 mm	30	300
FU0143	Blank plate	Rectangular Switch Box	0.8 mm	30	300
FU0141	Duplex contact plate	For contacts and duplex switches	0.8mm	30	300
FU0142	Simple contact plate	For simple contacts	0.8 mm	30	300
FU0153	Vertical lever plate	For lever switch	0.8mm	30	300



Type of packaging: Bag





FU0152

ы	ASTI(? PI /	ΔTF	Includes screws

Code	Product	Use	Inner	Master
FU0148	Blank plate	Rectangular Switch Box	30	300
FU0152	Vertical lever plate	For lever switch	30	300
Type of packaging: E	Bag			











FU0149

FU1621

PLAST	IC DI	ΔTE	Includes screws
FLAGI	IU PL	AIL	II ICIUUES SCIEWS

Code	Product	Use	Inner	Master
FU0149	Pilot plate	For cabble connections	30	300
FU0151	Single toggle plate	For single outlets	30	300
FU0154	Duplex contact plate	For contacts and duplex switches	30	300
FP0046	Duplex contact plate	For contacts and duplex switches	50	400
FU1621	Hospital duplex plate (1.05 mm)	For contacts and duplex switches	30	300



ELECTRICAL APPLIANCES | PLATES







FU1627 · Centered hole



FU1628

· Hole on one side

METAL PLATE (STEEL)

Includes screws

Code	Product	Use	Thickness	Inner	Master
FU1626	Simple contact plate	For simple contacts	0.8 mm	30	300
FU1627	Single contact plate duplex box	For single outlets	0.8 mm	30	300
FU1628	Single contact plate duplex box	For single outlets	0.8 mm	30	300
Type of packagii	ng: Bag				







FU1625



FU1623



FU1622



FU1624

METAL PLATE (STEEL)

Includes screws

	•				
Code	Product	Use	Thickness	Inner	Master
FU1625	Simple contact plate	For simple contacts	0.8 mm	30	300
FU1623	Duplex contact plate	For contacts and duplex switches	0.8 mm	30	300
FU1622	Vertical lever plate	For lever switch	0.8 mm	30	300
FU1624	Blank plate	Rectangular Switch Box	0.8 mm	30	300
Type of packagin	ng: Bag				





FU0395






FP0041

WEATHER RESISTANT PLASTIC PLATE

Variable	weather	resistar

Code	Product	Use	Inner	Master
FU0395	Weather resistant single plate	For single contacts	10	60
FU0155	Weather resistant duplex plate	For duplex contacts	10	60
FP0041	Weather resistant duplex plate	For duplex contacts	15	300





ELECTRICAL APPLIANCES | CONTACTS







CONTACT Made of polycarbonate Includes screws - Frequency 60 Hz

Code	Product	Characteristics	Inner	Master
FU1614	Duplex contact	120 V~ 20 A	20	200
FU1615	Duplex contact	250 V~ 20 A	20	200
FU1616	Single contact	120 V/ 220~ 20 A	10	200
Type of packaging: R	an .			



FU0283







CONTACT Made of polycarbonate - Includes screws (FU0283)

CONTACT	wade of polycarbonate - includes screws it obzody - inequality of the				
Code	Product	Tipe of connection	Characteristics	Inner	Master
FU0283	Simple mixed contact	Metal pressure terminals	120 V~ 20 A	20	200
FU0094	Simple grounded contact	Metal pressure terminals	120 V~ 15 A	20	200
FU0093	Double outlet	With screws and with pressure terminals	250 V~ 15 A	20	200
FU1617	Double outlet	With screws and with pressure terminals	220 V~ 20 A	20	200
Type of packaging: Bag					













FU0431 / FU0090 / FP0029

CONTACT	Includes screws - Frequency 60 Hz				
Code	Product	Tipe of connection	Characteristics	Inner	Master
FU0431	Duplex contact 10 pcs	With screws and with pressure terminals	120 V~ 15 A	2	20
FU0090	Duplex contact	With screws and with pressure terminals	120 V~ 15 A	20	200
FP0029	Duplex contact	With screws and with pressure terminals	120 V~ 15 A	20	400
FU0092	Double contact	With screws and with pressure terminals	250 V~ 15 A	20	200
FU1618	Duplex hospital contact	With screws	120 V~ 15 A	10	200
FU1619	Duplex hospital contact	With screws	120 V~ 20 A	10	200



Packing type: FU Bag / FP0029 Bulk / FU0431 Box

ELECTRICAL APPLIANCES | CONTACTS | SWITCH











FU0401 / FP0034

N	0	M
Τ		

r

SWITCH - Includes screws (FU0401, FP0034, FU0122 y FU0129) - Frequency 60 Hz

Code	Product	Material	Characteristics	Inner	Master		
FU0401	Grounded combination switch	Bakelite	120 V~ 15 A	15	150		
FP0034	Grounded combination switch	Bakelite	120 V~ 15 A	20	200		
FU0122	Polarized combination switch	Bakelite	120 V~ 15 A	15	150		
FU0129	Double lever switch	Bakelite	120 V~ 15 A	15	150		
FU0359	Vertical single switch	Polycarbonate	120 V~ 15 A	20	200		
FU0130	Vertical single switch	Polycarbonate	120 V~ 15 A	25	250		
Type of packaging:	Type of packaging: FU Bag / FP Granel						











FU0408 / FP0044

FU0100 / FP0026

FU0096

FU0095

FU1620

CONTACT	- Includes base and screws (FU0096)	- Includes screws (FU0095)	- Frequency 60 Hz
CONTIACT	- II ICIUUES DASE AI IU SCIEWS (I UUUSU)	- IIICIUUES SCIEWS (I 00033)	- I requericy our iz

Code	Product	Material	Characteristics	Inner	Master
FU0408	Polarized surface duplex contact	ABS	120 V~ 15 A	20	200
FP0044	Polarized surface duplex contact	ABS	120 V~ 15 A	20	200
FU0100	Grounded surface duplex contact	ABS	120 V~ 15 A	20	200
FP0026	Grounded surface duplex contact	ABS	120 V~ 15 A	20	200
FU0096	Flat visible single receptacle	ABS	120 V~ 6 A	20	400
FU0095	Oval visible single receptacle	PVC	120 V~ 6 A	20	300
FU1620	Grounded surface duplex contact	Polycarbonate	120 V~ 15 A	20	200











FU0125



FU0124



FU0126

SWITCH	- IVIAUE OI ADO	- Iliciddes base aild screws	- Frequency 00 Fiz
Code		Product	

Code	Product	Characteristics	Inner	Master
FU0123	Oval visible single switch	120 V∼ 6 A	30	300
FP0042	Oval visible single switch	120 V∼ 15 A	30	300
FU0125	Visible single switch	120 V∼ 6 A	30	300
FU0124	Flat visible single switch	120 V∼ 6 A	40	240
FU0126	Visible single switch	120 V∼ 6 A	40	240





- · Aluminum lamp holder
- · E27 Base
- · Frequency 60 Hz











FU0419 FU0080 FU0081 FU0079 / FP0028 FU0082

LAMP HOLDER

LAMP HOLDER					
Code	Product	Material	Voltage	Inner	Master
FU0419	Turn-knob lamp holder	Bakelite	250 V~ 250 W	20	200
FU0080	Push-botton lamp holder	Bakelite	250 V~ 250 W	20	200
FU0081	Pull-chain lamp holder	Bakelite	200 V~ 250 W	20	200
FU0079	Simple lamp holder	PVC	125 V~ 4 A	20	200
FP0028	Simple lamp holder	PVC	125 V~ 4 A	20	400
FU0082	Two-socket lamp holder	Bakelite	250 V~ 660 W	15	150
Type of packaging:	FU Bag / FP Granel				







FU0075 / FP0025





FU0077 / FP0031



FU0076

TWO OUTLIET LAMP HOLDED - Made of bakelite - Aluminum thread 2 polarized contacts - F27 Rase - Frequency 60

IWO OUTLET LAMP	HOLDER - Made of bakefile - Aluminum	m triread 2 polarized contacts - E27 Base -	Frequency 60 Hz	
Code	Product	Characteristics	Inner	Master
*FU0075	Pull-chain lamp holder	120 V~ 660 W	20	200
*FP0025	Pull-chain lamp holder 120 V~ 660 W		50	400
FU0078	Pull-chain lamp holder	120 V~ 660 W	20	200
FU0077	Two outlet lamp holder	120 V~ 660 W	20	200
FP0031	Two outlet lamp holder	120 V~ 660 W	50	400
FU0076	Two outlet lamp holder	120 V~ 660 W	20	200



ELECTRICAL APPLIANCES | LAMPHOLDER





FU0420



FU0286

NOM

LAMP HOLDER · - Made of aluminium - Aluminum thread - E27 Base - Frecuencia 60 Hz







ROUND LAMP HOLDER	 Aluminum thread (copper FP0027) 	- E27 Base	 Frequency 60 Hz

Code	Product	Measurement	Material	Characteristics	Inner	Master
FU0407	Ceiling lamp holder with chain and polarized contact	4"	Porcelain	250 V~ 660 W	6	60
FU0406	Ceiling lamp holder with chain	4"	Porcelain	250 V~ 660 W	6	60
FU0070	Round lamp holder	3"	Porcelain	250 V~ 660 W	10	80
FU0071	Round lamp holder	4"	Porcelain	250 V~ 660 W	10	80
FU0265	Round lamp holder	4"	Bakelite	250 V~ 660 W	20	200
*FP0027	Round lamp holder	4"	Porcelain	250 V~ 660 W	10	80
There are a section when	FILD / FD Over al					





Type of packaging: FU Box / FP Granel













FU0073 / FP0038

FU0085 / FP0039

FU0072

FU0266

FU0404

FU0257

LAMP HOLDER - Aluminum thread (FU0266 y FU0404 bakelite) - Frequency 60 Hz

Code	Product	Material	Base	Characteristics	Inner	Master
FU0073	Square base lamp holder	Porcelain	E27	250 V~ 660 W	20	200
FP0038	Square base lamp holder	Porcelain	E27	250 V~ 660 W	20	240
FU0085	Mini lamp holder	Porcelain	E12	250 V~ 660 W	20	400
FP0039	Mini lamp holder	Porcelain	E12	250 V~ 660 W	50	500
FU0072	Mini-base lamp holder	Porcelain	E26	250 V~ 660 W	20	200
FU0266	Lamp holder adapter	Bakelite	E27	120 V~ 660 W	20	400
FU0404	Lamp holder adapter	Bakelite	E27	120 V~ 660 W	20	400
FU0257	Lamp holder to outlet adapter	PVC	E27	120 V~ 15 A	40	400



NOM

ELECTRICAL APPLIANCES | LAMPHOLDERS | WEATHER-RESISTANT PLATE



LAMP HO	OLDER · Aluminum lamp holder - Frequency 60 Hz							
Code	Product	Material	Cable measurements	Base	Characteristics	Inner	Master	
FU0316	Weatherproof lamp holder with cables	Aluminum / Porcelain lamp holder	15 cm	E27	250 V~ 150 W	10	60	
FU0086	Reinforced weatherproof rubber lamp holder with cables	Rubber	12 cm	E27	200 V~ 660 W	20	200	
FP0030	Weatherproof rubber lamp holder with cables	Rubber	12 cm	E27	200 V~ 660 W	20	400	
FU0088	Square base Lamp holder with cables	Porcelain	15 cm	E27	250 V~ 660 W	20	200	
FU0089	Niple support for mini base lamp holder with cables	Porcelain	15 cm	E27	250 V~ 660 W	20	200	
FU0087	Mogul base lamp holder	Porcelain	-	E39	600V~ 1500W	10	100	
Type of p	Type of packaging: FU Bag / FP Granel							



NOM







FU0236 / FU0237

LAMP HOLD	Frequency 60 Hz							
Code	Product	Material	Base	Characteristics	Inner	Master		
FU1358	Lamp holder	PBT Plastic	G13	600 V~	20	200		
FU0405	Slimline lamp holder with spring	Bakelite	-	Male 1000 V~ / Female 600 V ~	10	100		
FU0236	Flourescent lamp starte	Plastic	-	FS-2 / 20 W / 120 V~	100	2000		
FU0237	Flourescent lamp starte	Plastic	-	FS-4 / 40 W / 120 V~	100	2000		
Type of packagir	Type of packaging: Bag / Box FU0236 and FU0237							







FU0288





WEATHER RESISTANT CIRCULAR LAMP HOLDER COVER - Made of aluminium Includes screws and packaging

WEATHER REGIONAL ON OUT TO THE TOTAL						
Code	Product	Inner	Master			
FU0288	Weather resistant circular lamp holder cover, 1 Outlet hole	10	120			
FU0289	Weather resistant circular lamp holder cover, 2 Outlet hole	10	120			
FU0291	Weather resistant circular lamp holder cover, 3 Outlet hole	10	120			



ELECTRICAL APPLIANCES | SWITCHES























FU0411

FU0413

LEVER SWITCH

- Bakelite base - Brass switch - Frequency 60 Hz

Code	Product	Plate	Characteristics	Inner	Master
FU0712	Lever switch, 2 screws	2 positions	120 V~ 15 A	20	400
FU0412	Lever switch, 4 screws	2 positions	120 V~ 15 A	20	400
FU1636	Lever switch, 6 screws	2 positions	120 V~ 15 A / 250 V~ 10 A	20	400
FU0128	Lever switch	2 positions	120 V~ 6 A	20	400
FU0411	Lever switch, 3 screws	3 positions	120 V~ 15 A	20	400
FU0413	Lever switch, 6 screws	3 positions	120 V~ 15 A	20	400





Type of packaging: Bag















FU0343

FU0277

SWITCH - Frecuencia 60 Hz

Code	Product	Material	Characteristics	Inner	Master
FU0274	2 position chain switch	ABS	250 V~ 3 A	20	400
FU1637	2 position chain switch	ABS	125 V~ 6 A / 250 V~ 3 A	20	400
FU1638	2 position knob switch	Plastic	125 V~ 6 A / 250 V~ 3 A	10	400
FU1639	2 position knob switch	Metallic	125 V~ 6 A / 250 V~ 3 A	10	400
FU0343	Push-botton mechanism switch	ABS	120 V~ 3 A	50	300
FU0277	Push-button switch	ABS	120 V~ 3 A	40	400



Type of packaging: Bag

ELECTRICAL APPLIANCES | PEGS | INDUSTRIAL CONTACTS



FU1583



FU1584





FU1589

Industrial Use

TWIST LOCK PLUG AND	SAFETY	CONTACT
Codo		Characteristic

TWIST LOCK PLUG AND SAFETY CONTACT		- Frecuencia 60 Hz			
Code	Characteristics	Material	Inner	Master	
FU1583	250 V~ 20 A	Bakelite	5	200	
FU1584	250 V~ 20 A	Rubber	5	100	
FU1589	250 V~ 20 A	Nylon	3	100	
FU1594	250 V~ 20 A	Nylon	3	200	
Type of packaging: Bag					









FU1585 / FU1586 / FU1587



FU1595 / FU1596 / FU1597

Industrial Use

TWIST I OCK	PILIG AND S	AFFTY CONT	TACT, 3 POLES

TWIST LOCK PLUG AI	ND SAFETY CONTACT, 3 POLES - Made of nylon -	Industrial use - Frequency 60 Hz	
Code	Characteristics	Inner	Master
FU1590	120 V~ 15 A	3	200
FU1585	120 V~ 15 A	5	200
FU1595	120 V∼ 15 A	3	200
FU1591	250 V~ 15 A	3	200
FU1586	250 V~ 15 A	5	200
FU1596	250 V~ 15 A	3	200
FU1592	277 V∼ 15 A	3	200
FU1587	277 V∼ 15 A	5	200
FU1597	277 V~ 15 A	3	200





Type of packaging: Bag / FU1595 Bulk



FU1593



FU1588



FU1598

Industrial Use





NOM

Type of packaging: Bag

ELECTRICAL APPLIANCES | PEGS | CONTACTS











FU0114 / FP0032

FU0105 / FP0045

- Frequency 60 Hz

FU0118 / FP0036

FU0711



GROUNDED	ARMORED	PLUG	AND	CONTA	CT
----------	---------	------	-----	-------	----

Code	Product	Characteristics	Inner	Master		
FU0115	Armored Plug and Connector with clamp	250 V~ 15 A	25	400		
FU0293	Armored Plug and Connector with clamp	250 V ~ 15 A	20	200		
FU0114	Grounded armored plug	120 V~ 15 A	25	400		
FU0105	Grounded armored contact	120 V~ 15 A	20	200		
FP0032	Grounded armored plug	120 V~ 15 A	25	500		
FP0045	Grounded armored contact	120 V~ 15 A	25	500		
FU0118	Armored plug	120 V~ 15 A	25	400		
FU0711	Armored contact	120 V ~ 15 A	20	200		
FP0036	Armored plug	120 V~ 15 A	50	500		
Type of packaging: FU Bag / FP Granel						

- Made of ABS















FU1137 FU1142

FU0415

FU0414

FU0417

FU0416



PLASTIC GROUNDED ARMORED PLUG AND CONNECTOR

PLASTIC GROUNDED ANMONED PLUG AND CONNECTOR		- Made of ABS - Frecuencia 60 Hz			
Code	Product	Characteristics	Inner	Master	
FU1137	Armored Plug and Connector with clamp	120 V~ 15 A	20	200	
FU1142	Armored Plug and Connector with clamp	120 V ~ 15 A	20	200	
FU0415	Grounded armored plug	120 V~ 15 A	20	200	
FU0414	Grounded armored contact	120 V ~ 15 A	20	200	
FU0417	Armored plug	120 V~ 15 A	20	200	
FU0416	Armored contact	120 V ~ 15 A	20	200	
Type of packaging: Bag					







FU1139











FU1138 FU1140

FU0112 / FP0043

FU1472

REINFORCED PLUG AND CONTACT WITH METALLIC CLAMP

FU1141

ALIM ONCED	FLOG AND CONTACT WITH MILIALLIC CLAMF	- Iviade di ADS - i lecdelicia d	0 112	
Code	Product	Characteristics	Inner	Master
FU1139	Grounded armored plug	120 V∼ 15 A	25	400
FU1141	Grounded armored plug	120 V ~ 15 A	20	200
FU1138	Grounded armored reinforced plug	120 V~ 15 A	25	400
FU1140	Grounded reinforced contact	120 V ~ 15 A	20	200
FU0112	Reinforced Plug with clamp	120 V~ 15 A	25	400
FU1472	Reinforced contact with clamp	120 V~ 15 A	20	200
FP0043	Reinforced Plug with clamp	120 V~ 15 A	25	500



NOM

ELECTRICAL APPLIANCES | PEGS



FU0418



FP0035

FU0103



FU0111 / FP0040

PLUG	- Frequency 60 Hz

Code	Product	Material	Characteristics	Inner	Master
FU0418	Armored plug	Steel	120 V~ 15 A	25	200
FP0035	Armored plug	Steel	120 V~ 15 A	25	300
FU0111	Round rubber plug	Polycarbonate	120 V~ 15 A	50	400
FP0040	Round rubber plug	Polycarbonate	120 V~ 15 A	50	400
Time of pooksaina, ELL	Pag / ED Cropol				



NOM

Type of packaging: FU Bag / FP Granel



FU0421





NOM

RUBBER PLUG AND CONNECTOR

 Made or 	t rubber	-	Frecuencia	60	Hz	

Code	Product	Characteristics	Inner	Master
FU0421	Plastic plug	120 V∼ 15 A	25	200
FU0103	Plastic contact	120 V∼ 15 A	25	500
FP0033	Plastic plug	120 V∼ 15 A	50	500
Type of packaging: FU	Bag / FP Granel			





FU0314



FU0109







FU0384

PLASTIC PLUG

- Made of rubber - Frecuencia 60 Hz

LACTIOTECA					
Code	Product	Color	Characteristics	Inner	Master
FU0313	Plastic plug	Brown	120 V~ 15 A	50	1000
FU0314	Plastic plug	Ivory	120 V~ 15 A	50	1000
FU0109	Plastic plug	Black	120 V~ 15 A	50	1000
FU0385	Oval rubber plug	Brown	120 V~ 10 A	50	1000
FU0386	Oval rubber plug	Ivory	120 V~ 10 A	50	1000
FU0384	Oval rubber plug	Black	120 V~ 10 A	50	1000
Type of packaging: Ba	ag				















FU0402

FU0403

FU0106

FP0037

FU0107

PLU	JG	CO	N۷	ER	TE	R
		Code				

- Frecuencia 60 Hz
Product

Code	Product	Material	Characteristics	Inner	Master
FU0402	Flat plug converter	Polycarbonate	120 V~ 15 A	25	1000
FU0403	Round plug converter	Polycarbonate	120 V~ 15 A	25	500
FU0106	Grounded plug converter	PVC	120 V ~ 15 A	50	500
FP0037	Grounded plug converter	Thermoplastic	120 V~ 15 A	100	1000
FU0107	Grounded plug converter	ABS	120 V~ 15 A	40	400



Type of packaging: FU Bag / FP Granel



- · Made of galvanized steel
- · Thickness: 0.22 mm









PVC COATED FLEXIBLE TUBING FLEXIBLE TUBE

I LEXIDEL TODE						
Code	Diameter	Length	Weight x meter	Weight x roll	Inner	Master
FU1418	3/8"	50 m	158 g	7.90 kg	1	1
FU1419	1/2"	50 m	172 g	8.60 kg	1	1
FU1420	3/4"	50 m	233 g	11.65 kg	1	1
FU1421	1"	50 m	346 g	17.30 kg	1	1
FU1422	1 1/4"	30 m	469 G	14.07 kg	1	1
FU1423	1 1/2"	30 m	793 g	23.79 kg	1	1
FU1424	2"	30 m	1031 g	30.93 kg	1	1

WEATHER RESISTANT PVC COATED

Code	Diameter	Length	Weight x meter	Weight x roll	Inner	Master
FU1425	3/8"	50 m	120 g	6.00 kg	1	1
FU1426	1/2"	50 m	130 g	6.50 kg	1	1
FU1427	3/4"	50 m	168 g	8.40 kg	1	1
FU1428	1"	50 m	256 g	12.80 kg	1	1
FU1429	1 1/4"	30 m	330 G	9.90 kg	1	1
FU1430	1 1/2"	30 m	585 g	17.55 kg	1	1
FU1431	2"	30 m	753 g	22.59 kg	1	1

Type of packaging: Roll

ELECTRICAL APPLIANCES | MUFAS | CONNECTORS







FU0465

FU0348

FU0745 Light model

ENTRANCE HEADS

- Made of aluminium - With 1 1/4" (31.75 mm) - For wiring and connection installations

Code	Product	Inner	Master		
FU0465	Reinforced service entrance head with threaded connection	10	100		
FU0348	Reinforced service entrance head with clamp	10	100		
FU0745	Service entrance with threaded connection	35	210		
Type of packaging: Bulk					

EMT FOR ELBOW

- Made of steel - Galvanized finish

Code	Measurement	Thickness	Weigth	Inner	Master
FU1517	1/2"	1 mm	76 g	10	50
FU1518	3/4"	1 mm	129 g	10	50
FU1519	1"	1 mm	243 g	10	20
FU1520	1 1/4"	1.5 mm	477 g	5	20
FU1521	1 1/2"	1.5 mm	621 g	5	10
FU1522	2"	1.5 mm	1030 g	10	10
Type of pa	ackaging: Bul	k			

Type of packaging: Bulk







LIQUID TIGHT STRAIGHT CONNECTOR

- Made in zamac

Type of packaging: Bulk

Code	Measurement	Weigth	Inner	Master
FU1571	1/2"	48 g	10	250
FU1572	3/4"	70 g	10	200
FU1573	1"	125 g	10	100
FU1574	1 1/4"	220 g	10	50
FU1575	1 1/2"	240 g	10	50
FU1576	2"	286 g	10	50

LIQUID TIGHT CURVED CONNECTOR

- Made in zamac

Code	Measurement	Weigth	Inner	Master					
FU1577	1/2"	76 g	10	250					
FU1578	3/4"	110 g	10	100					
FU1579	1"	170 g	10	100					
FU1580	1 1/4"	300 g	10	50					
FU1581	1 1/2"	360 g	10	50					
FU1582	2"	500 g	10	20					
Type of pac	Type of packaging: Bulk								



- Made in zamac - Includes locknut

ı	Code	Mea- sure-	Thick- ness	Internal diameter	External diameter	Weigth	Inner	Master
L		ment	11622			_		
	FU1535	3/8"	1.2 mm	9.5 mm	20 mm	18.7 g	10	500
	FU0062	1/2"	1.2 mm	15 mm	20 mm	26.4 g	10	200
	FU0063	3/4"	1.2 mm	22 mm	25.5 mm	33.2 g	10	100
	FU0064	1"	1.5 mm	25.6 mm	32 mm	68.8 g	10	100
	FU1536	1 1/4"	1.5 mm	34 mm	41 mm	89.9 g	10	100
	FU1537	1 1/2"	1.8 mm	39.8 mm	46.8 mm	130.9 g	10	60
	FU1538	2"	1.8 mm	51.6 mm	58.6 mm	172.1 g	10	40

Type of packaging: Bulk



CURVED METAL FLEXIBLE CONDUIT CONNECTOR

- Made in zamac - Includes locknut

Code	Mea- sure- ment	Thickness	Internal diameter	External diameter	Weigth	Inner	Master
FU1539	3/8"	0.8 mm	9.5 mm	20 mm	35 g	10	200
FU0065	5 1/2"	0.8 mm	15 mm	20 mm	51.6 g	10	200
FU0066	3/4"	1.1 mm	22 mm	25.4 mm	70.3 g	10	100
FU0067	1"	1.1 mm	25.6 mm	32 mm	119.7 g	10	100
Туре	of pack	aging: Bu	lk				



STRAIGHT CABLE CONNECTOR

- Made in zamac - Includes locknut

Code	Mea- sure- ment	Thick- ness	Internal diameter	External diameter	Weigth	Inner	Master
FU154	10 3/8"	0.8 mm	15.8 mm	20 mm	17 g	10	1000
FU154	1/2"	0.8 mm	15.8 mm	20 mm	17 g	10	1000
FU154	12 3/4"	0.8 mm	21 mm	25.4 mm	32.3 g	10	500
FU154	13 1"	1 mm	27 mm	32 mm	48 g	10	250

Type of packaging: Bulk



LOCKNUT

- IVIAUE III 2	annac						
Code	Mea- sure- ment	Thick- ness	Internal diameter	External diameter	Weigth	Inner	Master
FU1529	1/2"	3 mm	19 mm	25 mm	3.2 g	20	1000
FU1530	3/4"	3.3 mm	25.5 mm	30.5 mm	4.2 g	20	1000
FU1531	1"	4.3 mm	30.9 mm	39 mm	8.4 g	20	1000
FU1532	1 1/4"	4 mm	40 mm	50 mm	9.9 g	20	1000
FU1533	1 1/2"	4.5 mm	45 mm	55 mm	16.9 g	20	1000
FU1534	2"	5mm	57 mm	69 mm	29.3 g	20	1000

Type of packaging: Bulk

ELECTRICAL APPLIANCES | PIPE COUPLER | CLAMPS



THREADED MONITOR

- Made in zamac

Code	Measure- ment	Internal diameter	External diameter	Weigth	Inner	Master
FU1523	1/2"	16MM	25.5 mm	6.4 g	25	2000
FU1524	3/4"	19 mm	31 mm	8.6 g	25	1000
FU1525	1"	26.8 mm	39.4 mm	13.5 g	25	400
FU1526	1 1/4"	34.5 mm	47.3 mm	23.4 g	25	320
FU1527	1 1/2"	40.4 mm	53.5 mm	23.5 g	25	200
FU1528	2"	52 mm	66.3 mm	45.5 g	25	200
Type of p	oackaging	: Bulk				



RIGID TUBE COUPLER

- Made of steel - Galvanized finish

Code	Mea- sure- ment	Thick- ness	Internal diameter	External diameter	Weigth	Inner	Master
FU1544	1/2"	2 mm	20 MM	24 mm	32 g	20	500
FU1545	3/4"	2 mm	25 mm	29 mm	37.8 g	20	250
FU1546	1"	2 mm	31 mm	35 mm	51.4 g	20	200
FU1547	1 1/4"	2.5 mm	40 mm	45 mm	104.4 g	20	150
FU1548	1 1/2"	2.6 mm	45.5 mm	50.6 mm	110.1 g	20	120
FU1549	2"	2.5 mm	58 mm	63 mm	141.4 g	20	80

Type of packaging: Bulk



CED-40 TUBE CLOUPER

- Made of steel - Galvanized finish

Code	Mea- sure- ment	Thick- ness	Internal diameter	External diameter	Weigth	Inner	Master
FU1550	1/2"	3.5 mm	20 MM	26 mm	60 g	20	200
FU1551	3/4"	3.5 mm	25 mm	32 mm	81.7 g	20	100
FU1552	1"	3.7 mm	31.8 mm	39 mm	125.2 g	20	50
FU1553	1 1/4"	4 mm	40 mm	48 mm	187.2 g	20	50
FU1554	1 1/2"	4 mm	46 mm	54 mm	204.3 g	20	50
FU1555	2"	4.5 mm	58 mm	67 mm	317.8 g	20	40
Time	6	D	II.				

Type of packaging: Bulk



ALUMINUM REDUCTION

- Made of aluminium.

Code	Measure (reduction)	Weigth	Inner	Master
FU1556	3/4" a 1/2"	6.4 q	25	1000
FU1557	1" a 1/2"	18.6 g	25	600
FU1558	1" a 3/4"	10.8 g	25	600
FU1559	1 1/4" a 1/4"	40.5 g	25	400
FU1560	1 1/4" a 1/4"	32.1 g	25	400
FU1561	1 1/4" a 1/4"	19.5 g	25	400
FU1562	1 1/2" A 1/2"	60.1 G	25	300
FU1563	1 1/2" a 3/4	52.6 g	25	300
FU1564	1 1/2" a 1/2"	40.1 g	25	300
FU1565	1 1/2" a 1 1/4"	35.6 g	25	300
FU1566	2" a 1/2"	119.8 g	25	200
FU1567	2" a 3/4"	111.2 g	25	200
FU1568	2" a 1"	96.4 g	25	200
FU1569	2" a 1 1/4"	91.9 g	25	200
FU1570	2" a 1 1/2"	44.5 g	25	200
Type of pa	ackaging: Bulk			



ONE-CHANNEL CLAMP

- Made of steel - Galvanized finish

Code	Measure- ment	Thickness	Weigth	Inner	Master
FU1493	1/2"	1.5 mm	49.7 g	50	250
FU1494	3/4"	1.5 mm	52.6 g	50	250
FU1495	1"	1.5 mm	62.4 g	50	250
FU1496	1 1/4"	1.5 mm	73.8 g	50	300
FU1497	1 1/2"	1.5 mm	78.1 g	20	240
FU1498	2"	1.5 mm	91.1 g	20	200
FU1499	2 1/2"	1.8 mm	119.3 g	20	140
FU1500	3"	1.8 mm	141.1 g	20	140
FU1501	4"	1.8 mm	167.7 g	20	100

Type of packaging: Bulk



"U" TYPE CLAMP

- Made of steel - Galvanized finish

Code	Measurement	Inner	Master
FU1502	1/2"	50	500
FU1503	3/4"	50	500
FU1504	1"	50	500
FU1505	1 1/4"	50	500
FU1506	1 1/2"	50	500
FU1507	2"	50	500
FU1508	2 1/2"	25	100
FU1509	3"	25	100
FU1510	4"	25	100

Type of packaging: Bulk



CONDUIT STRAP OMEGA TYPE

- Made of steel - Matte finish

Code	Measurement	Thickness	Inner	Master
FU0251	1/2"	1 mm	350	1400
FU0252	3/4"	1 mm	200	800
FU0253	1"	1.2 mm	150	600
FU0365	1 1/4"	1.2 mm	50	200
FU0366	1 1/2"	1.5 mm	35	140
FU0367	2"	1.5 mm	25	100

Type of packaging: Bulk



1-HOLE CONDUIT CLAMP

- Made of steel - Matte finish

Code	Measurement	Thickness	Inner	Master
FU0248	1/2"	1 mm	500	2000
FU0249	3/4"	1 mm	250	1000
FU0250	1"	1.2 mm	250	1000
FU0362	1 1/4"	1.2 mm	75	300
FU0363	1 1/2"	1.5 mm	50	200
FU0364	2"	1.5 mm	50	200

Type of packaging: Bulk



"O" TYPE CLAMP

- Made of steel - Galvanized finish

Code	Measure- ment	Thickness	Weigth	Inner	Master
FU1511	1/2"	1.5 mm	27.5 g	25	500
FU1512	3/4"	1.5 mm	30.9 g	25	400
FU1513	1"	1.5 mm	34.4 g	25	200
FU1514	1 1/4"	1.5 mm	49.6 g	25	200
FU1515	1 1/2"	1.5 mm	55.2 g	20	160
FU1516	2"	1.5 mm	62.5 g	20	80

Type of packaging: Bulk

ELECTRICAL APPLIANCES | METAL BOXES







FU0245 / FU0246 FU0869 / FU0867



FU0244 / FU0866

3OX	- Made from galvanized steel
SUX	 Made from galvanized steel

Code	Product	Measurement	Entry	Thickness	Inner	Master
FU0247	Square box	4" x 4"	1/2" y 3/4"	0.76 mm	50	50
FU0868	Reinforced square box	4" x 4"	1/2" y 3/4"	1 mm	24	24
FU0245	Hex box	3" x 3"	1/2"	0.76 mm	50	50
FU0246	Hex box	4" x 4"	1/2" y 3/4"	0.76 mm	50	50
FU0869	Reinforced hex box	3" x 3"	1/2"	1 mm	24	24
FU0867	Reinforced hex box	4" x 4"	1/2" y 3/4"	1 mm	24	24
FU0244	Rectangular box	2" x 4"	1/2"	0.76 mm	50	50
FU0866	Reinforced rectangular box	2" x 4"	1/2"	1 mm	24	24
ne of nackaging Bulk						









FU1629

FU1632

FU1630

FU1631

COVER / FRAME - Made from galvanized steel

Code	Product	Measurement	Exit	Thickness	Inner	Master
FU1629	Square box cover	4" x 4"	1/2"	1 mm	25	200
FU1632	Hex box cover	4" x 4"	1/2"	1 mm	10	200
FU1630	Simple frame reduction	4" x 4"	-	1 mm	10	100
FU1631	Double frame reduction	4" x 4"	-	1 mm	10	100

Type of packaging: Bulk







FU1634



FU1635

METALLIC BOX EXTENSION - Made from galvanized steel

Code	Product	Measurement	Exit	Depth	Thickness	Inner	Master
FU1633	Square box metallic extension	4" x 4"	8 1/2" / 4 3/4" exits	1 1/2"	1 mm	24	24
FU1634	Hex box metallic extension	4" x 4"	2 1/2" exits 2 3/4" exits	1 1/2"	1 mm	24	24
FU1635	Rectangular box metallic extension	4" x 4"	8 1/2" exits	1 3/4"	1 mm	24	24

ELECTRICAL APPLIANCES | CONDULET | HOSES







FU1476 / FU1477 / FU1478

FU1479 / FU1480 / FU1481

FU1482 / FU1483 / FU1484

CONDULET	- Made of aluminium.	- Threaded entry	- Includes cover and packaging

Code	Product	Measurement	Inner	Master
FU1476	Condulet type LB	1/2"	10	120
FU1477	Condulet type LB	3/4"	10	90
FU1478	Condulet type LB	1"	10	60
FU1479	Condulet type LR	1/2"	10	120
FU1480	Condulet type LR	3/4"	10	90
FU1481	Condulet type LR	1"	10	60
FU1482	Condulet type LL	1/2"	10	120
FU1483	Condulet type LL	3/4"	10	90
FU1484	Condulet type LL	1"	10	60







FU1485 / FU1486 / FU1487



FU1488 / FU1489 / FU1490



FU1491 / FU1492

CONDULET	- Made of aluminium.	- Threaded entry	- Includes cover and packing (Except FU1491 and FU1492)
CONDULL			

Code	Product	Measurement	Inner	Master
FU1485	Condulet type T	1/2"	10	120
FU1486	Condulet type T	3/4"	10	75
FU1487	Condulet type T	1"	10	50
FU1488	Condulet type C	1/2"	10	120
FU1489	Condulet type C	3/4"	10	90
FU1490	Condulet type C	1"	10	60
FU1491	Condulet box Fs	1/2"	10	50
FU1492	Condulet box Fs	3/4"	10	50







- Resistance to temperature without deforming: 5°C to 60°C

 · 20 calibre steel wire guide





- Made of high density polyethylene
- To install built-in lights
 Electrical and anticorrosive insulation · Maximum voltage: 1,000 VAC

- Maximum current: 65 A
 It has 8 inputs for flexible tube 2 de 1/2"
- 2 de 1"



CORRUGATED FLEXIBLE PIPELINE

Code	Length	Diameter	Characteristics	Wall thickness	Inner	Master
FU0583	100 m	1/2"	Without guide	0.36 mm	1	1
FU0584	50 m	3/4"	Without guide	0.47 mm	1	1
FU0746	100 m	1/2"	With guide	0.36 mm	1	1
FU0747	50 m	3/4"	With guide	0.47 mm	1	1

Type of packaging: Roll

HEAT SINK

	•				
Code	Depth	External diameter (b)	Internal diameter (c)	Inner	Master
FU1409	9 cm	17 cm	11cm	10	90
FU1410	9 CM	17 cm	8CM	10	90
FU1407	12.5cm	17 cm	11cm	10	90
FU1408	12.5cm	17 cm	8CM	10	90

Type of packaging: Bulk

ELECTRICAL APPLIANCES | METAL CABINETS | ELECTRIC PANEL BOX





- · For wall mounting
- Reinforced door
- Lock with key
- Temperature range: -20°C a 70°C For uses in electricity, keypads, telephony, control panels, contactors, etc.



METALLIC CABINET

- Water protection: IP65

Code	Height (a)	Width (b)	Depth (c)	Inner	Master
FU1413	40 cm	30 cm	20 cm	1	1
FU1414	50 cm	40 cm	20 cm	1	1
FU1415	60 cm	40 cm	20 cm	1	1
FU1416	70 cm	50 cm	20 cm	1	1
FU1417	80 cm	60 cm	30 cm	1	1
Type of packaging: Box	(









FU1016

Type of packaging: Bulk

FU1018

FU1020

FU1401

NOM

BUILT-IN LOAD CENTER

- Made of steel sheet - Frecuencia 60 Hz

DOIET IN EOAD CENTER			···					
	Code	# of poles	Phase	Characteristics	Maximum current	Inner	Master	
	FU1016	1	1	110-220 V~	70 A	10	10	
	FU1018	2	1	110-220 V~	70 A	10	10	
	FU1020	4	1	110-220 V~	70 A	6	6	
	FII1401	6	1	110-220 V~	70 A	1	6	









FU1017

FU1019

FU1021

FU1402

BUILT-IN LOAD CENTER

- Made of steel sheet

Code	# of poles	Phase	Characteristics	Maximum current	Inner	Master
FU1017	1	1	110-220 V~	70 A	10	10
FU1019	2	1	110-220 V~	70 A	10	10
FU1021	4	1	110-220 V~	70 A	6	6
FII1402	6	1	110-220 V~	70 A	1	6

NOM

ELECTRICAL APPLIANCES | FUSES | SWITCHES







FU1030 / FU1032

FU0752 / FU0858

FU0755 / FU0857

FUSE	- Brass sheet washer	- Flame resistant polycarbonate body	- H Class

Code	Product	Characteristics	Voltage	Inner	Master
FU1030	Reinforced fuse with handle	30 A	250 V~	10	400
FU1032	Reinforced fuse with handle	60 A	250 V~	10	300
FU0752	Reinforced fuse	30 A	250 V~	10	400
FU0858	Reinforced fuse	60 A	250 V~	10	300
FU0755	Fuse	30 A	250 V~	10	800
FU0857	Fuse	60 A	250 V~	10	300





Type of packaging: Box 10 pieces / FU1030 y FU1032 Bulk







FU1034

FU1033 FU1031

FU	SE	- Brass sheet washer - Flame resistant polycarbonate body - H Class				*Price per blister
	Code	Product	Characteristics	Voltage	Inner	Master
	FU1031	Reinforced fuse with handle, 30 A, set 2 Pieces	30 A	250 V~	10	100
SP	ARE PARTS					
	FU1033	Replacement fuse	30 A	250 V~	50	20000
	FU1034	Replacement fuse	60 A	250 V~	50	2000





Type of packaging: Box / FU1031 Blister



- Made of plasticOn range:30 PSI adjustable
- 50 PSI adjustable

HP capacity for 2 poles						
V~	1ø	3ø				
115	1.5	2	0.25			
230	2	3	0.25			
32	-	-	0.25			
A60	00					

* 60° / 75° CCU only.







FU0880 / FU0881 / FU0882

- Flame resistant
- · Protects against power overloads and short circuits Interruption range: 10,000 A
- NMX J 515 ANCE 2008 For 110 / 220 V~



NOM

THERMOMAGNETIC CIRCUIT BREAKER - Manufactured in bakelite

Code	Product	Characteristics	Inner	Master		
FU0883	Thermomagnetic circuit breaker, 2 poles	2 X 15 A	5	50		
FU0884	Thermomagnetic circuit breaker, 2 poles	2 X 20 A	5	50		
FU0885	Thermomagnetic circuit breaker, 2 poles	2 X 30 A	5	50		
FU0880	Thermomagnetic circuit breaker, 1 pole	1 X 15 A	10	100		
FU0881	Thermomagnetic circuit breaker, 1 pole	1 X 20 A	10	100		
FU0882	Thermomagnetic circuit breaker, 1 pole	1 X 30 A	10	100		
Type of packaging: Bulk						

PRESSURE SWITCH

THEODOME OWITON					
Code	Characteristics	Inner	Master		
FU0294	Plastic	5	50		
Type of packaging: Box					



NOM









- Metallic body SJT 3C x 14 AWG cable Cable length: 90cm Illuminated switch Plug and grounded contacts Protects against current spikes

MULTICONTACT INDUSTRIAL BAR

- Mettalic body - Frecuencia 60 Hz







FU	1364	FU1363	SJT 3C x 14 AWG cable Cable length: 180cm Illuminated switch Plug and grounded contacts Protects against current spikes



MULTICONTACT A	ALUMINUM BAR - Aluminum b	ody - Frecuencia 60 Hz				
Code	Product	Outlet	Voltage	Current	Inner	Master
FU1364	Aluminum multi-contact bar	12 contacts	120 V~	15 A	2	8
E111262	Aluminum multi contact har	9 contacts	120 V-	15 A	2	10



Type of packaging: Case

ELECTRICAL APPLIANCES | MULTI-CONTACT BARS



FU1035



SJT 3x 16 AWG cable

- Cable length 50 cm Plug and grounded contacts Domestic and indoor use
- Protects against voltage and current peaks

SPECIFICATIONS		
USB Voltage Output	5 V	
USB power output	2.1 A	

SPECIFICATION	VS .
Voltage Output	5 V
power output	2.1 A

MULTI CONTACT BARS WITH USB

- Made of self-extinguishing ABS- Frecuencia 60 Hz

Code	Product	Outlet	Voltage	Current	Inner	Master
FU1035	450 Joules multi-contact bar 2 USB with suppressor	6 contacts	120 V~	13 A	2	20
FU1025	245 Joules multi-contact bar 2 USB with suppressor	3 contacts	120 V~	13 A	4	24









FU0329



FU0578



SJT 3 x 14 AWG Cable Cable length: 75cm

Plug and grounded contacts

Protects against voltage and current peaks

MULTICONTACT BAR

Made of self-extinguishing ABS - Frecuencia 60 Hz

50 cm cable FU1667

Protects only against current spikes



Code	Product	Outlet	Voltage	Current	Inner	Master
FU0577	450 Joules multi-contact bar with suppressor	5+1 contacts	120 V~	15 A	4	60
FU0329	270 Joules multi-contact bar with suppressor	4+2 contacts	120 V~	15 A	4	60
FU0578	270 Joules multi-contact bar with suppressor	8 contacts	120 V~	15 A	4	60
FU1667	Multi-contact bar without suppressor	8 contacts	120 V~	15 A	4	36

Type of packaging: Case / FU0578 Box







FU0175 · SJT 3 x 14 AWG Cable



FU0981 · Heavy duty cable: 16 AWG

- · Cable length: 50cm
- · Illuminated switch
- Plug and grounded contacts
- · Protects against voltage and

current peaks



MULTICONTACT BAR

Made of self-extinguishing ABS - Frecuencia 60 Hz

Code	Product	Outlet	Voltage	Current	Inner	Master
FU0175	110 Joules multi-contact bar with suppressor	6 contacts	120 V~	15 A	4	60
FU0981	270 Joules multi-contact bar with suppressor	6 contacts	120 V~	15 A	4	60
Type of packaging: Box						





Multi contact bar



15 A

FU1405 · Cable length: 30cm

120 V~

	CITO	v 16	ANNO	(hoosa)	dutal	aah

- Cable length: 50cm
- · Illuminated switch
- Plug and grounded contacts Protects against current spikes

Master

60

60

· The FU1405 bar is black



100	
	H
	Ħ
12	9
19	An .
100	
	(a)

FU0173 ·	Cable	length:	50cn
----------	-------	---------	------

MULTICONTA	ACT BAR Made of self-extinguis	shing ABS - Frecuencia 60 Hz		
Code	Product	Outlet	Voltage	Current
*FU0173	Multi contact bar	6 contacts	120 V~	15 A

6 contacts

		F01403	
Type	٥f	nackaging.	Roy

ELECTRICAL APPLIANCES | MULTI-CONTACT BARS



 $\textbf{FU0328} \quad \cdot \quad \text{SJT 3 x 16 AWG (heavy duty) cable}$

· Cable length: 50cm



FP0047 · Cable 16 AWG · Cable length: 30cm

· Illuminated switch

· Plug and grounded contacts

Protects against current spikes



	- 1
Á	U
	I
-	
-7	′
11	

	Mι	JLTI	CON	ITACT	BAR
--	----	------	-----	-------	-----

Made of self-extinguishing ABS - Frecuencia 60 Hz

Code	Product	Outlet	Voltage	Current	Inner	Master
FU0328	Multi contact bar	4 contacts	120 V~	15 A	4	60
FP0047	Multi contact bar	5 contacts	120 V~	15 A	4	60

Type of packaging: Box



- Metallic body
- Heavy duty 14 AWG cable
 - Cable length: 75cm
- Illuminated switch
- Plug and grounded contacts
- Protects against voltage and current peaks
- Frequency 60 Hz







600 JOULES MULTI CONTACT METALLIC BAR

	Code	Outlet	Voltage	Current	Inner	Master
	FU0979	6 contacts	120 V~	15 A	2	24
٦	Type of packaging: Box					



- Multi-contact bar 270 J (FU0173), made of ABS,
- cable 50 cm 16 AWG, 120 V ~ 60 Hz
- Multi-contact 3 inputs (FU0178)
- Multi-contact 6 inputs (FU0177)
 3 Grounded plug converter (FU0106) Converts from ground plug into a polarized plug
- Extension cord 16 AWG x 2 (FU0182)
- · Frequency 60 Hz



NOM

MULTI-CONTACT SET AND ACCESSORIES, 7 PIECES

Code	Voltage	Current	Inner	Master
FU0536	120 V~	15 A	6	12
Type of packaging: I	Blister			



- Multi-contact bar with 5 outlets, cable 20 cm 16 AWG, 127 V ~ 60 Hz, 270 J
- 1.8 m electrical extension, SPT-2 cable, 16 AWG Multi-contacts with 3 grounded contacts
 Frequency 60 Hz



- Made of self-extinguishing ABS
- Cable length: 30cm
- Illuminated switch
 Plug and grounded contacts
- Protects against current spikes Frequency 60 Hz



SET OF MULTI-CONTACT AND EXTENSION, 3 PIECES

Code	Voltage	Current	Inner	Master
FP0057	120 V~	15 A	6	12

Type of packaging: Blister



MULTI CONTACT BAR, 2-PIECE SET *Price						
Code	Outlet	Voltage	Current	Inner	Master	
FP0056	5 contacts	120 V~	15 A	4	12	

ELECTRICAL APPLIANCES | MULTICONTACTS | EXTENSIONS



SPECIFICATIONS	
Voltage Output USB	5 V
Output Current:	0 0
Using 1 USB port	2.1 A
Using 2 USB port	1 A



SPECIFICATION	IS
USB Voltage Output	5 V
USB Output Current	2.1 A
USB Output Current	2.1 A





FU1024

FU1023 FU1022



MULTI-CONTACTS	- Made of self-extinguishing ABS	- Domestic use Protects again:	st voltage and current peaks	- Frecuencia 60 Hz		
Code	Outlet	Voltage	Power	Suppressor	Inner	Master
FU1024	2 contacts + 2 USB	120 V~	1,875 W	300 J	4	120
FU1023	1 contact + 1 USB	120 V~	1,875 W	150 J	4	120
MULTI CONTACT,	2-PIECE SET					
FU1022	1 contact + 1 USB	120 V~	1,875 W	150 J	2	120
Type of packaging: Bliste	er					









FU0589 · Indicator light



· Hinge that allows adjusting to different angles

GROUNDED MULTI-CONTACTS

- Made of self-extinguishing ABS - Frecuencia 60 Hz



Code	Product	Outlet	Voltage	Power	Current	Inner	Master
FU0177	Square multi contact	6 contacts	120 V~	1,875 W	15 A	10	60
FU0589	Multi contact with indicator light	3 contacts	120 V~	1,875 W	15 A	20	120
FU0180	Multi-contact with hinge	3 contacts	120 V~	1,875 W	15 A	20	120







FU0595
Reinforced for heavy-duty



FU0573
Reinforced for heavy-duty



FU0178

CDOLINDED	MULTI-CONTACTS	
GKUUNDED	MULII-CONTACTS	

u	HOUNDEL	WIDETI-CONTACTS -	viade di rubber - Frecuencia 60) HZ				
	Code	Product	Outlet	Voltage	Power	Current	Inner	Master
	FU0595	Grounded triple multi-contact	3 contacts	120 V~	1,875 W	15 A	20	120
	FU0573	T-shaped triple connector	3 contacts	120 V~	1,875 W	15 A	20	120
	FU0178	Grounded triple multi contact bar	3 contacts	120 V~	1,875 W	15 A	20	120









FU0179



FP0055



FP0054

MULTI-CONTACT TRIPLE POLARIZED SQUARE

	NOT THE ELIPERATED OF	X O / III L				
Code	Color	Voltage	Power	Current	Inner	Master
FU0179	White	120 V~	1,875 W	15 A	20	120
FP0055	White	120 V~	1,875 W	15 A	50	400
FD0054	Brown	120 V~	1 875 W	15 A	50	400





NOM

ELECTRICAL APPLIANCES | EXTENSIONS



- Made of polyvinylCable type: SJT 16 AWG x 2 C
- 3 polarized outlets
- With design to connect grounded pins 120 V \sim 1,651 W
- Maximum temperature: 60 ° C



- Made of polyvinyl
- · Cable type: SPT-2 16 AWG x 2 C
- · 3 contacts
- $\cdot~$ With design to connect grounded pins $\cdot~$ 120 V \sim 1,651 W
- · Flat head plug
- Temperature 60° C
 For indoor use

HEAVY DUTY ORANGE EXTENSION CORD 2 X 16 GAUGE

Code	Length	Current	Inner	Master
*FP0159	4 m	13 A	10	60
FP0160	6 m	13 A	10	40
FP0161	8 m	13 A	5	30
FP0162	10 m	13 A	5	20
FP0163	15 m	13 A	5	15
FP0156	20 m	13 A	4	12
FP0157	30 m	13 A	4	8



WHITE EXTENSION CORD, 2 X 16

Code	Length	Current	Inner	Master				
*FP0060	2 m	13 A	10	100				
*FP0061	3 m	13 A	10	100				
*FP0062	4 m	13 A	10	80				
FP0063	5 m	13 A	10	80				
FP0064	6 m	13 A	10	50				
FP0065	8 m	13 A	10	50				
*FP0066	10 m	13 A	10	40				
Type of packaging: Case								





Cable type: SJT - 14 AWG x 3 C

100% copper conductor



Do not exceed the recommended load (A)

REINFORCED YELLOW EXTENSION, 3 X 14 GAUGE

- Double polyvinyl insulation	- 1 grounded socket	- Maximum temperature 60° C
-------------------------------	---------------------	-----------------------------

FU1216 5 m 120 V ~ 1,651 W 13 A 4 20 FU1217 10 m 120 V ~ 1,651 W 13 A 2 10 FU1218 15 m 120 V ~ 1,651 W 13 A 2 8 FU1219 30 m 120 V ~ 1,651 W 13 A 1 6 EXTENSION HEAVY-DUTY YELLOW 3 X 16 GAUGE FU0269 5 m 120 V ~ 1,905 W 15 A 5 25 FU0270 10 m 120 V ~ 1,905 W 15 A 4 16 FU0271 15 m 120 V ~ 1,905 W 15 A 3 12 FU1352 30 m 120 V ~ 1,905 W 10 A 1 6 Type of packaging: Case	Oode	Lengui	Ollaracteristics	Ourient	IIIIIGI	Master
FU1218 15 m 120 V ~ 1,651 W 13 A 2 8 FU1219 30 m 120 V ~ 1,651 W 13 A 1 6 EXTENSION HEAVY-DUTY YELLOW 3 X 16 GAUGE FU0269 5 m 120 V ~ 1,905 W 15 A 5 25 FU0270 10 m 120 V ~ 1,905 W 15 A 4 16 FU0271 15 m 120 V ~ 1,905 W 15 A 3 12 FU1352 30 m 120 V ~ 1,905 W 10 A 1 6	FU1216	5 m	120 V ~ 1,651 W	13 A	4	20
FU1219 30 m 120 V ~ 1,651 W 13 A 1 6 EXTENSION HEAVY-DUTY YELLOW 3 X 16 GAUGE FU0269 5 m 120 V ~ 1,905 W 15 A 5 25 FU0270 10 m 120 V ~ 1,905 W 15 A 4 16 FU0271 15 m 120 V ~ 1,905 W 15 A 3 12 FU1352 30 m 120 V ~ 1,905 W 10 A 1 6	FU1217	10 m	120 V ~ 1,651 W	13 A	2	10
EXTENSION HEAVY-DUTY YELLOW 3 X 16 GAUGE FU0269 5 m 120 V ~ 1,905 W 15 A 5 25 FU0270 10 m 120 V ~ 1,905 W 15 A 4 16 FU0271 15 m 120 V ~ 1,905 W 15 A 3 12 FU1352 30 m 120 V ~ 1,905 W 10 A 1 6	FU1218	15 m	120 V ~ 1,651 W	13 A	2	8
FU0269 5 m 120 V ~ 1,905 W 15 A 5 25 FU0270 10 m 120 V ~ 1,905 W 15 A 4 16 FU0271 15 m 120 V ~ 1,905 W 15 A 3 12 FU1352 30 m 120 V ~ 1,905 W 10 A 1 6	FU1219	30 m	120 V ~ 1,651 W	13 A	1	6
FU0270 10 m 120 V ~ 1,905 W 15 A 4 16 FU0271 15 m 120 V ~ 1,905 W 15 A 3 12 FU1352 30 m 120 V ~ 1,905 W 10 A 1 6	EXTENSION HEAV	Y-DUTY YELLOW 3 X 16	GAUGE			
FU0271 15 m 120 V ~ 1,905 W 15 A 3 12 FU1352 30 m 120 V ~ 1,905 W 10 A 1 6	FU0269	5 m	120 V ~ 1,905 W	15 A	5	25
FU1352 30 m 120 V ~ 1,905 W 10 A 1 6	FU0270	10 m	120 V ~ 1,905 W	15 A	4	16
	FU0271	15 m	120 V ~ 1,905 W	15 A	3	12
Type of packaging: Case	FU1352	30 m	120 V ~ 1,905 W	10 A	1	6
	Type of packaging: Cas	e				

Characteristics







- · Cable type: SJT 16 AWG x 3C
- · 100% copper conductor
- $\cdot\,\,$ Three Angle Outlet 3-Prong Power Extension Cord

FU0211 / FU0212



- · Cable type: SJT 16 AWG x 3 C
- 100% copper conductor
- Protects against current spikes



Do not exceed the recommended load (A)



EXTENSION WITH MULTICONTACTO 3 X 16 GAUGE - Made of polyvinyi - Maximum temperature. 00 0									
Code	Outlet	Length	Characteristics	Current	Inner	Master			
FU0211	3 contacts	8 m	120 V ~ 1,900 W	15 A	2	20			
FU0212	3 contacts	15 m	120 V ~ 1,900 W	15 A	1	16			
6 METERS EXTENSION									
FU1067	6 contacts	6 m	120 V~ 1625 W	13 A	1	6			




Type of packaging: Cover (Box FU1067)

ELECTRICAL APPLIENCES | WORK LIGHT | CABLES



- Cable type: SJT 16 AWG x 3C
- 100% copper conductor
- For energy-efficient and incandescent bulb
- Heavy-duty cable with double coating Includes ground contact





For energy-efficient and incandescent bulb

E27 Base



Cable type: SJT 18 AWG x 2C 100% copper conductor

Bypass switch Includes 1 13 W fluorescent tube Life: 8,000 hours

FU0170 FU0172 FU0377

WORK LIGHT	- Plastic handle	- For exterior and interior use	- Frecuencia 60 Hz

Code	Product	Characteristics	Length	Current	Inner	Master
FU0170	Metal basket	120 V ~ 75 W	15 m	15 A	2	12
FU0172	Plastic basket	120 V ~ 70 W	15 m	15 A	3	12
FU0377	Fluorescent	120 V ~ 13 W	1.8 m	0.1 A	2	16
Spare parts (FU0170)						
FU0371		Plastic handle			10	40
FU0372		Metal basket			10	100
Type of packaging:	Box					















- Maximum operating voltage: 600 V
 Working temperature: 75° C / 90° C
- · Copper conductor
- For indoor or outdoor useLow voltage cable
- · 100 m rolls presentation

THHW CABLE

Code	Color	AWG	Caliber	External diameter	Approx. weight per roll	Inner	Master
FU1060	Black	8		5.98 mm	10.5 kg	1	1
FU1061	White	8		5.98 mm	10.5 kg	1	1
FU1062	Red	8		5.98 mm	10.5 kg	1	1
FU1063	Green	8		5.98 mm	10.5 kg	1	1
FU1046	Black	10		4.45 mm	6.14 kg	1	1
FU1047	White	10		4.45 mm	6.14 kg	1	1
FU1048	Red	10		4.45 mm	6.14 kg	1	1
FU1064	Green	10		4.45 mm	6.14 kg	1	1
FU1049	Black	12		3.85 mm	4.12 kg	1	1
FU1050	White	12		3.85 mm	4.12 kg	1	1
FU1051	Red	12		3.85 mm	4.12 kg	1	1
FU1065	Green	12		3.85 mm	4.12 kg	1	1
FU1052	Black	14		3.37 mm	2.90 kg	1	1
FU1053	White	14		3.37 mm	2.90 kg	1	1
FU1054	Red	14		3.37 mm	2.90 kg	1	1
FU1066	Green	14		3.37 mm	2.90 kg	1	1
Type of packaging: Box							
















FU1070 · Working temperature: 105°C

HEAVY-DUTY CORD	- Resistance to tension: 600 V ~	100m Roll	- Copper conductor
,			

Code	External diameter	Characteristics	Current	Approx. weight per roll	Threads	Inner	Master
FU1073	7.32 mm	2X18 AWG	10 A	6.84 kg	16	1	1
FU1072	7.60 mm	2X16 AWG	13 A	7.89 kg	26	1	1
FU1075	13.70 mm	3X14 AWG	15 A	14.12 kg	41	1	1
FU1074	15.60 mm	3X12 AWG	20 A	18.96 kg	65	1	1
TYPE 3 ELECTROI	DE CABLE						
FU1070	11.77 mm	Type 3; 2 AWG	-	45.28 kg	665	1	1



NOM

Type of packaging: Box

CONDUCTORS | CAPS | GUIDES





- · Duplex cord with white jacket
- Voltage resistance: 300 V~
- Work temperature: 60° C
 100 m roll presentation

FLEXIBLE CORD

Code	External diameter	Characteristics	Approx. Weight per roll	Inner	Master	
FU1055	9.10 mm	SPT-3 10 AWG	16.55 kg	1	1	
FU1056	7.50 mm	SPT-3 12 AWG	10.27 kg	1	1	
FU1057	7.15 mm	SPT-2 14 AWG	4.40 kg	1	1	
FU1058	5.50 mm	SPT-2 16 AWG	4.00 kg	1	1	
FU1059	2.80 mm	SPT-1 18 AWG	3.18 kg	1	1	
Type of packaging: Roll						











FU0766



FU0767

CABLE FOR SPEAKERS - PVC jacket - Gauge: 22 AWG - 100 m roll

Code	Product	Characteristics	Inner	Master			
FU0767	Polarized speaker wire	Polarized	4	12			
FU0766	Bi-color speaker cable	Bi-color	4	12			
Type of packaging: Roll							





- Polypropylene reel Rectangular steel cable (3.24 x 1.53 mm)
- Ergonomic handle







Brass tips

1/8 "diameter round cable

STEEL FISH TAPE

Code	Length	Inner	Master		
FU0238	50 m (15')	5	20		
FU0239	30 m (100')	3	12		
Type of packaging: Card					



Code	Length	Inner	Master
FU1359	15 m	10	80
FU1360	30 m	5	60
Type of packaging: Bag			



CONDUCTORS | CAPS | ELECTRICAL TAPES







FU1599

FU1601 - FU1603

TWIST-ON WIRE CONNECTORS - Made of nylon

Code	AWG Caliber	Characteristics	Color	Pieces per bag	Inner	Master
FU1599	#18 - #12	With internal thread	Yellow	10	20	120
FU1600	#14 - #10	With internal thread	Red	5	20	160
FU1601	#22 - #16	Without cap	Transparent	100	10	160
FU1602	#16 - #14	Without cap	Transparent	100	10	160
FU1603	#12 - #10	Without cap	Transparent	100	10	80
Tipo de empaque: Bolsa						



*Price per bag













SIMPLE WIRE CONNECTORS

- Made of nylon - Thread with metal insert

Code	AWG Caliber	Color	Pieces per bag	Inner	Master	
FU0479	#22 - #18	Grey	50	20	160	
FU0480	#18 - #16	Blue	25	20	160	
FU0481	#16 - #14	Orange	20	20	160	
FU0482	#14 - #12	Yellow	10	20	80	
FU0483	#12 - #10	Red	5	20	80	
Tipo de empaque: Bolsa						



*Price per bag



- Made of PVC
- Acrylic base adhesive Width: 19 mm
- Thickness: 0.18 mm + 10%
- Resists up to 80 $^{\circ}\mathrm{C}$
- Insulation capacity: 600 V ~
- Elongation: 180%







- · Made of PVC
- · Thickness: 0.13 mm
- Width: 18 mm
 Resists up to 80 °C
 Insulation capacity: 600 V ~
- · Acrylic base adhesive
- · Elongation: 160%



ELECTRICAL TAPE

Code	Color	Length	Inner	Master				
*FU0700	Black	18 m	10	150				
FU0379	White	18 m	10	150				
FU0380	Red	18 m	10	150				
FU0381	Blue	18 m	10	150				
FU0382	Yellow	18 m	10	150				
FU0383	Green	18 m	10	150				
FU0069	Black	8 m	24	250				
FU0378	Black	18 m	12	144				
Type of packaging: Shrinkable / FU0378 Blister								



Code	Color	Length	Inner	Master
FP0019	Black	8 m	10	200
*FP0018	Black	15 m	10	200
FP0021	Black	15 m	24	144

Type of packaging: Shrinkable / FP0021 Blister



- Thickness: 0.13 mm Width: 18 mm
- Resists up to 80 °C Insulation capacity: 600 V ~
- Acrylic base adhesive
 Elongation: 160%



COLORED ELECTRICAL TAPE, 6 PACK						
Code	Colors	Length	Inner	Master		
ED0020	Red white vellow green black and blue	6 m	10	100		






CONDUCTORS | CABLE TIE





- Made of high resistance nylon
 Temperature range: -20 ° C to 85 ° C
- For exterior, commercial, industrial and construction use
 White color









- Temperature range: -20 °C a 80°C
 - **LIGHT USE**

*PRICE PER BAG

Code	Length	Pressure lb / kg	Pieces per bag	Length / width milimeters	Inner	Master
		W	HITE			
FU0260	10 cm / 4"	18 lb / 8 kg	100	102 / 2.5 mm	12	384
FU0261	15 cm / 6"	40 lb / 18 kg	50	152 / 3.5 mm	12	144
FU0262	20 cm / 8"	50 lb / 23 kg	50	203 / 4.5 mm	12	192
FU1205	25 cm / 10"	50 lb / 23 kg	50	254 / 4.5 mm	12	192
FU0263	30 cm / 12"	50 lb / 23 kg	50	305 / 4.5 mm	12	192
FU0264	35 cm / 14"	50 lb / 23 kg	50	356 / 4.5 mm	12	108
FU0788	46 cm / 18"	50 lb / 23 kg	25	457 / 4.5 mm	15	120
FU0789	51 cm / 20"	50 lb / 23 kg	25	508 / 4.5 mm	15	120
FU1207	41 cm / 16"	50 lb / 23 kg	50	406 / 4.5 mm	12	108
BLACK			ACK			
FU0278	10 cm / 4"	18 lb / 8 kg	100	102 / 2.5 mm	12	384
FU0279	15 cm / 6"	40 lb / 18 kg	50	152 / 3.5 mm	12	144
FU0280	20 cm / 8"	50 lb / 23 kg	50	203 / 4.5 mm	12	192
FU1206	25 cm / 10"	50 lb / 23 kg	50	254 / 4.5 mm	12	192
FU0281	30 cm / 12"	50 lb / 23 kg	50	305 / 4.5 mm	12	192
FU0282	35 cm / 14"	50 lb / 23 kg	50	356 / 4.5 mm	12	108
FU0791	46 cm / 18"	50 lb / 23 kg	25	457 / 4.5 mm	15	120
FU0792	51 cm / 20"	50 lb / 23 kg	25	508 / 4.5 mm	15	120
FU1208	41 cm / 16"	50 lb / 23 kg	50	406 / 4.5 mm	12	108

HIGH RESISTANCE PLASTIC CABLE TIE

*PRICE PER BAG

IIIGII NE	SISTANUL	LASTIC CAD				
Code	Length	Pressure lb / kg	Pieces per bag	Length / width milimeters	Inner	Master
FU1390	20cm / 8"	120 lb / 54 kg	10	7.6 / 200mm	12	72
FU1391	30cm / 12"	120 lb / 54 kg	10	7.6 / 300mm	12	72
FU1392	35cm / 14"	120 lb / 54 kg	10	7.6 / 350mm	12	72
FU1393	46cm / 18"	120 lb / 54 kg	10	7.6 / 450mm	12	72
FU1394	56cm / 22"	120 lb / 54 kg	10	7.6 / 550mm	12	72
FU1395	76cm / 30"	120 lb / 54 kg	10	7.6 / 750mm	12	72
FU1396	46cm / 18"	175 lb / 80 kg	10	9.0 / 450mm	12	48
FU1397	61cm / 24"	175 lb / 80 kg	10	9.0 / 610mm	12	48
FU1398	71cm / 28"	175 lb / 80 kg	10	9.0 / 710mm	12	48
FU1399	91cm / 36"	175 lb / 80 kg	10	9.0 / 920mm	12	48
FU1400	122cm / 48"	175 lb / 80 kg	10	9 0 / 1220mm	12	48

Type of packaging: Bag



- Made of ABS



Type of packaging: Bag

_						
	CONTENT					
	Cable timenteasure-	Pieces	Color			
	4.8 mm x 12"	(50 pzs)	White			
	4.8 mm x 8"	(300 pzs)	White			
	2.5 mm x 4"	(100 pzs)	White			
	2.5 mm x 4"	(50 pzs)	Red			
	2.5 mm x 4"	(50 pzs)	Black			
	2.5 mm x 4"	(50 pzs)	Blue			
	2.5 mm v 4"	(50 pzs)	Yellow			

- · 4.8mm cable tie support a tension of 50 lb / 23 kg
- · 2.5mm cable tie support a tension of 18 lb / 8 kg

ASSORTED PLASTIC STRAPS 650 PIECES

Code	Characteristics	Temperature range:	Inner	Master
FP0009	650 pieces	- 20 °C a 80 °C	1	12

MULTIMETER



Characteristics			
200mV-1000V			
200mV-750V			
200mA-20A			
2mA-20A			
200Ω-200ΜΩ			
0 °C-1000°C			
32 °F-1832 °F			
200pF - 200uF			
2kHz - 200kHz			

- Diode and continuity testNPN or PNP (0-1000B) transistor test Impact resistant protective cover
 - Includes 1 battery (9V)
- · 3 1/2" LCD screen with lighting



MULTÍMETRO DIGITAL PROFESIONAL

Code	Current	Inner	Master
FU1248	15 A	1	20
Type of packagin	g: Box		





Characteristics			
DC voltage	2V-1000V		
AC voltage	2V-750V		
DC current	20mA-10A		
AC current	20mA-10A		
Resistance	200Ω-20ΜΩ		
Temperature °C	-20 °C-1000°C		
Temperature F°	0 °F-1832 °F		
Cylinder capacity	3CYL/ 4CYL/ 5CYL/ 6CYL/ 8CYL		

- Diode and continuity test
- NPN or PNP (0-1000B) transistor test
- Impact resistant protective cover Includes 2 (1.5V) batteries
- 3 1/2" LCD screen with lighting

AUTO-RANGING PROFESSIONAL DIGITAL MULTIMETER

AOTO-HAMAINA I NOI EGGIONAE DIAMAE MOETIMETEN				
Code	Current	Inner	Master	
FU1247	15 A	1	20	







Characteristics			
DC voltage	400mV-750V		
AC voltage	400mV-750V		
AC current	2A-600A		
Resistance	400Ω-40ΜΩ		
Temperature °C	-20 °C-1000°C		
Temperature F°	0 °F-1832 °F		

- Diode and continuity test
 NPN or PNP (0-1000B) transistor test
- Impact resistant protective cover
- Includes 3 (1.5V) batteries 3 1/2 "LCD screen with LED lighting Built-in flashlight design



PROFESSIONAL DIGITAL CLAMP METER

THOI ESSIONAL DIGITAL SEAMI METER					
Code	Characteristics	Inner	Master		
FU1246	Clamp	1	30		
Type of packagir	ng: Box				





Characteristics			
DC voltage	200 mV - 1000 V~		
AC voltage	200 V~ - 750 V~		
AC current	20 A - 1000 A		
Resistance	(Ω): 2 KΩ - 2 mΩ		
Temperature °C	0 - 750 °C		
Temperature F°	32 °F-1382 °F		

- 3 1/2 digit LCD screen Screen freezing botton Measures DC and AC temperature resistance
- Polarity indicator

Works with 9 V~ batteries



DIGITAL CLAMP METER

Code	Characteristics	Inner	Master
FP0076	9 V~	2	20



MULTIMETERS | CURRENT TESTERS



- · 3 1/2 digit LCD screen
- · Low battery indicator
- · Polarity indicator
- · Measures VDC, VAC, resistance, diodes, transistor, continuity

*Battery powered

Characteristics			
DC voltage	2 V - 500 V		
AC voltage	2 V - 500 V		
DC current	200 mA		
Resistance	(Ω): 200 ΚΩ - 2000 ΚΩ		





- · 3 1/2 digital screen
- · Transistor tester
- Measures VDC, VAC, resistance, diodes,
- transistor, continuity
- · Polarity indicator

*9 V~ battery powered

Characteristics			
DC voltage	200 mV - 1000 V		
AC voltage	200 V - 750 V~		
DC current	200 μA - 10A		
Resistance	200 Ω - 2000 ΚΩ		



DOCKET SIZE DIGITAL MULTIMETED

POCKET-SIZE DIGITAL MOLTIMETER				
Code	Characteristics	Inner	Master	
FP0078	12 V~	4	60	

Type of packaging: Blister



Code	Characteristics	Inner	Master
*FP0077	9 V~	5	60
Type of packaging: Blister			



- · LED indicator with AC/DC individual reading
- Voltage check 150 V 300 V -
 - 500 V (DC)
- 120 V 240 V -380 V (AC)

SPECIFICATIONS		
DC voltage	150 - 500 V	
AC voltage	110 - 380 V~	





- Digital voltage tester with AC/DC DC individual reading
 · Screwdriver-type tip
- For checking voltage at home, office or work shop

SPECIFICATIONS	
Voltage	12 - 250 V~
Voltage type AC/DC	





120 V - 500 V VOLTAGE TESTER

Code	Characteristics	Inner	Master
FU0225	AC/DC	6	120
Type of packaging: Blister			



DIGITAL VOLTAGE TESTER

Code	Characteristics	Inner	Master
FU0224	Digital	15	300
Type of packaging: Blister			



FU0226

- · Polarity tester (+) (-) DC voltage
- · For measuring 6 12 24 V~

SPECIFICATIONS		
DC voltage	6 - 24 V	
AC voltage	6 - 24 V~	
Voltage type	DC	



FU0220

· Insulated circuit tester with steel tip terminals

SPECIFICATIONS		
DC voltage	110 - 460 V	
AC voltage	110 - 460 V~	
Frequency	60 Hz	



FU0219

- · Insulated circuit tester with steel tip terminals
- · 4 halogen visual indicators
- · For industrial use

SPECIFICATIONS	
DC voltage	80 - 500 V
AC voltage	80 - 500 V~
Frequency	60 Hz



CURRENT TESTER

CONNENT LEGIEN				
Code	Product	Characteristics	Inner	Master
FU0226	Direct	AC/DC	6	120
FU0220	Professional	AC / DC	12	200
FU0219	Single	AC / DC	12	240





VOLTAGE AND CIRCUIT TESTER





- 1 spark tester with screwdriver
 1 110V 220V tester with AC screwdriver
- · 1 6V -24V tester for DC

SPECIFICATIONS		
AC voltage	100 - 500 V~	
DC voltage	6 - 12 - 24 V~	




AUTOMOTIVE CIRCUIT TESTER, 3 PIECES

Code	Characteristics	Inner	Master
FU0228	3 pieces / automotive	12	144
Type of packaging: Blister			





NOM



FU0231

Auto-ranging

Screwdriver type 140 mm

Screwdriver type 190 mm

FU0221

FU0222

FU0223

Type of packaging: Blister

SOLDERING GUNS	Chrome steel tip	Galvanized steel tube	Fingertip trigger	On indicator light	Cable length: 95

12

30

30

OLDERING G	UNS Chrome steel to	ip Galvanized steel tube	Fingertip trigger On indicator light	Cable length: 95cm - Frecuen	cia 60 Hz	
Code	Type of use	Voltage	Power	Maximum temperature	Inner	Master
FU0231	Heavy-duty	120 V~	100 W	500 °C	2	24
FU0232	Medium	120 V~	35 W	420 °C	6	36

250

240

240

Type of packaging: FU0231 Box / FU0232 Blister









- · Type of packaging: Box
- · Receives local, analog and digital HD channels
- · Broadband amplifier for better image and sound reception
- · 3 m coaxial cable

SPECIFICATIONS			
Signal VHF / UHF			
Impedance	75 Ohms		
Frequency	VHF: 168-230 MHz UHF: 470-860 MHz		
High-gain	VHF: 10-12 dB UHF: 22 dB		
Feed	AC 120 V~		



90° HD ANTENNA WITH AMPLIFIER

Code	Characteristics	Inner	Master
FU1151	90° HD antenna	2	20
Type of packaging: E	OX .		







- · Broadband amplifier for better image and sound reception
- Includes antenna support
- 45 cm cable adapter

SPECIFICATIONS					
FU1044 FU1045					
Signal	VHF / UHF	VHF / UHF			
Impedance	75 Ohms	75 Ohms			
Frequency	VHF: 160-230MHz UHF: 470-862 MHz	VHF: 47-230MHz UHF: 470-862 MHz			
High-gain	VHF: 1-2 dBi / 16-17 dBi UHF: 4-5 dBi / 19-20 dBi	VHF: 1-2 dBi / 17-18 dBi UHF: 4-5 dBi / 19-20 dBi			
Cable coaxial Coaxial cable	1.5 C - 2 V~ x 1.45 m	RG-59 x 1.45 m			
Feed	-	AC120V~			
Voltage	-	DC6V 100mA			

INDO	OR FI	AT HD	ANTEN	ΙΝΔ

- Receives local HD, analog and digital channels 5	Slim desigr
--	-------------

THE CONTROL OF THE CO			
Code Characteristics		Inner	Master
FU1044	FU1044 9" Antenna		20
FU1045	FU1045 13" antenna with amplifier		20



VIDEO AND TELEPHONY | ANTENNAS



- Big size for better reception
- Damp resistant structure
- 360° rotation
- Analog and VHF / UHF channel reception in (HD)
- Receiver with button to rotate the antenna
- Remote control with a reach of up to 8 m
- Control uses 2 "AAA" batteries, not included



Includes: Coaxial cable antenna - receiver (12 m) Coaxial cable receiver - television (1 m)

SPECIFICATIONS			
Signal	VHF / UHF		
Impedance	75 Ohms		
Frequency	VHF: 160-230MHz UHF: 470-862 MHz		
High-gain	VHF: 1-2 dBi / 16-17 dBi UHF: 4-5 dBi / 19-20 dBi		
Cable coaxial Coaxial cable	1.5 C - 2 V~		
Receptor	120 V~ 60 Hz 3W		



ROTATTING ANTENNA WITH REMOTE CONTROL

Code	Characteristics	Inner	Master
FU0622	Roatating HD	3	6
Type of packaging: Box			





- Damp resistant structure
- 360° rotattion with remote control Reception of VHF / UHF and HD channels
- Receiver with button to rotate the antenna Remote control with a reach of up to 8 m
- · Remote control uses 2 "AAA" batteries.
- not included



Includes: Coaxial cable antenna - receiver (10 m) Coaxial cable receiver - television (1 m)

SPECIFICATIONS			
Signal	VHF / UHF		
Impedance	75 Ohms		
Frequency	VHF: 160-230MHz UHF: 470-862 MHz		
High-gain	VHF: 1-2 dBi / 16-17 dBi UHF: 4-5 dBi / 19-20 dBi		
Cable coaxial Coaxial cable	1.5 C - 2 V~		
Receptor	120 V~ 60Hz 3W		



ROTATTING HD ANTENNA WITH REMOTE CONTROL

Code	Characteristics	Inner	Master
FU0903	Roatating HD	2	6Type oBoxpackaging:





- Place the aerial antenna on your roof and enjoy a better signal · For analog (VHF) channels and digital
- signals (UHF)

SPECIFICATIONS		
Signal	VHF / UHF	
Impedance	75 Ohms	
Frequency	47 MHz - 960 MHz	
High-gain	VHF: (channels 2 to 13) UHF: (channels 14 to 83)	



AERIAL ANTENNA

ALITIAL AITTEITIA			
Code	Characteristics	Inner	Master
FU0859	4 modules	4	16
Type of packaging: Box			





- · Concave dish antenna, optimizes UHF / VHF / FM
- · It has a pair of metal antennas with 4 positions and control of twelve options for signal reception
- For analog channels (VHF)
- and digital signals (UHF)
- Includes: 90 cm Coaxial cable (75 Ohms impedance) and 85 cm flat cable (300 Ohms impedance)



ANTENNA Code

FU0843



Includes: coaxial cable of 85 cm (75 Ohms impedance) For analog VHF channels

Master

20

200

FU0621

20





Cable coaxial Flat cable Coaxial cable		
Product	Characteristics	Inner
Indoor antenna (Radar)	Universal antenna, coaxial / flat cable	1

Coaxial cable







VIDEO AND TELEPHONY | ANTENNAS | CABLES



· Includes: coaxial cable of 95 cm

(75 Ohms of impedance) For analog channels (VHF)



FU0575

(75 Ohms impedance) Flat Cable of 92 cm (300 Ohms impedance) For analog channels (VHF) and digital signals (UHF)

Includes: 95 cm Coaxial cable



Cable coaxial Coaxial cable

ANTENNA

- 180° oppening

Code	Product	Characteristics	Inner	Master
FU0574	Indoor antenna with base	With base and coaxial cable	20	70
FU0575	Indoor antenna with base and double loop	With base, double loop and coaxial / flat cable	20	70
Type of packaging: E	Bag			















FU0624

FU0914

FU0623

FU0915

COAXIAL CABLE - Impedance 75 Ohms - Cable caliber: 20 AWG

Code	Class	Characteristics	Length	Number of threads	Inner	Master
FU0624	RG-6/U	For television and high definition	100 m	64	1	5
FU0914	RG-6/U	For television and high definition	500 m	64	1	1
FU0623	RG-59/U	For broad band transmissions and antennas	100 m	48	1	5
FU0915	RG-59/U	For broad band transmissions and antennas	500 m	48	1	1



Type of packaging: Roll / Reel



FU0631



FU0630



FU0632

· Sealed box separation

- Corrosion-resistant finish
- For indoor and outdoor use
- · For VHF, UHF, and FM signals
- · Screws included

SPLITTER

SPETTEN			
Code	Characteristics	Inner	Master
FU0630	2 outlets	25	1000
FU0631	3 outlets	25	500
FU0632	4 outlets	25	500
Type of packaging: Bag			







FU0636

- Resistance and flexibility
- For different signal input interconnection
 VHF, FM signal
- · 5 900 MHz
- · 75 300 ohms

FU0635



ACCESSORIES

Code	Product	Inner	Master
FU0634	Impedance transformer, outdoor use	100	1000
FU0636	Impedance transformer, Indoor use	100	1000
FU0635	Antenna adapter	100	1000

VIDEO AND TELEPHONY | ACCESSORIES | TV WALL MOUNTS



· For coaxial cable · F type



- · For TV antenna, satellite TV and other video systems connections · F type
 - Loose barrel



- · For TV antenna, satellite TV and other video systems connections
- F type
- I oose barrel

FU0625 / FU0626 FU0629

FU0627 / FU0628

CONNECTOR

Code	Product	For cable	Inner	Master
FU0629	F - Connctor coupler	RG6	100	5000
FU0625	Crimp-on F-Connector (Bell like)	RG59	100	10000
FU0626	Crimp-on F-Connector (Bell like)	RG6	100	10000
FU0627	Twist-on F-Connector	RG59	100	5000
FU0628	Twist-on F-Connector	RG6	100	5000









FU1004

FU1003

TV WALL MOUNTS · Made of steel - Weight capacity 50 kg Includes pegs, pulleys and installation accessories

	III O O II I O	3 - 1 - 3 - 1 - 3 - 1 - 3				
Code	Product	Movement	TV capacity	VESA compatible	Inner	Master
FU1005	Double arm TV wall mount	\$700° telimg movemennt +19° - 19°,	22" to 47"	100, 200, 300, 400	1	2
FU1003	Fixed or angular movement	Angular: 0° - 10°	22" to 65"	100, 200, 300,400, 600	1	2
FU1004	Fixed. No movement	No movement	22" to 65"	400 and 600	1	4




Type of packaging: Box



- · Higher resistance and flexibility
- 4-line plug with color code For telephone lines
- Includes plugs



- 4-line plug with color codeFor telephone lines
- Includes plugs











TELEPHONE LINE CORD

Code	Length	Inner	Master		
FU0645	2.1 m	20	400		
FU0646	4.5 m	20	200		
FU0647	7.5 m	20	200		
Type of packaging: Bag					

SPIRAL CABLE FOR HANDSET

Code	Color	Length	Inner	Master
FU0648	Ivory	2.1 m	20	200
FU0649	Ivory	4.5 m	20	200
FU0650	White	2.1 m	20	200
FU0651	White	4.5 m	20	200
	В			

Type of packaging: Bag



· Converts two RCA terminals into a stereo male terminal





· Plastic body 5-900 MHz

MALE STEDEO CARLE TO 2 DCA MALES

Type of packaging: Bag

MALE STEREO CABLE TO 2 RCA MALES					
Code	Length	Inner	Master		
FU0642	1.8 m	20	500		

MALE	CONNECTO	₹ TO 2	FEMALE	ADAPTER
------	----------	--------	--------	---------

Code	Characteristics	Inner	Master
FU0637	5-900 MHz	100	1000



VIDEO AND TELEPHONY | ACCESSORIES | NAIL-IN



- · 3 male plug connectors to 3 male plugs
- · Color code
- Resistance and flexibility

AUDIO / VIDEO RCA CABLE 6 MALE CONNECTORS









- Made of polyethylene
- For cable installation
- Includes steel nail





NAIL-IN CABLE CLIP, CURVED

Code	Color	Measurement	Pieces x bag	Inner	Master
FU0470	White	5 mm	100	20	160
FU0471	White	6 mm	100	20	160
FU0472	White	8 mm	100	20	160
FU0473	White	10 mm	100	10	80
FU0474	White	12 mm	50	10	80
FU0475	White	16 mm	50	10	80
FU0713	Black	6 mm	100	20	160





- Made of polyethylene
 For cable installation
- · Includes steel nail
- · Bag with 100 pieces



NAIL-IN FLAT CABLE CLIP. WHITE

Code	Measurement	Inner	Master
FU0476	5 mm	20	160
FU0477	8 mm	20	160
FU0478	10 mm	10	80

Type of packaging: 100-pieces bag



- · Made of plastic
- Heavy-dutyTemperature range: -40°C a 65°C
- Includes steel nail



- Temperature range: -40°C a 65°C
- Includes 2 steel nails



*Price per bag

HEAVY-DUTY NAIL-IN CABLE CLIP

Code	Measurement	Pieces per bag	Inner	Master
FU1604	5 mm	100	20	160
FU1605	6 mm	100	20	160
FU1606	7 mm	100	20	160
FU1607	8 mm	100	10	80

Type of packaging: Bag



DOUBLE NAIL-IN CABLE CLIP

	0 0			
Code	Measurement	Pieces per bag	Inner	Master
FU1608	32 mm	100	2	12
FU1609	40 mm	50	2	16

Type of packaging: Bag



- Program up to 8 eventer per day
- Program: Monday to friday Mon, Wed, Fri / Sat, Sun, etc.
- LCD screen with hours and minutes
- 12/24 hour mode option
- Daylight saving time available


Before using the timer charge it for 12 or 24 hours. If it does not turn on, press rear button with a sharp object.




- Up to 48 intervals
- Can be used to plug fans, evaporators, christmas lights, night lights, and lamps with timer.



- Can be used to plug fans, evaporators, christmas lights, nigh lights, and lamps with timer.
 - *Price per blister





Code	Product	Characteristics	Voltage	Max power	Current	Inner	Master
FU1015	Digital 24 hours, 7 days	1 min intervals	120 V~	1,270 W	10 A	6	36
FU0716	24 hours analoge	15 min intervals	120 V~	1,100 W	15 A	4	48
FU1014	24 hours analog, 2-pieces set	30 min intervals	120 V~	1,905 W	15 A	6	36

Type of packaging: Blister



NOM

TIMER

HOME | SHOWERS | AIR EXTRACTORS | GRILLS



- · 4 temperatures Cold: 0 W consumption Warm: 1,600 W Hot: 3,200 W consumption Very hot: 4,800 W
- Minimum operating pressure: 10kPa



- 3 temperatures: Cold: 0 W consumption Warm: 2,000 W Hot: 4,800 W
- Minimum operating pressure: 10kPa
- Water saving model



FU1115 / FU0937

*Do not connect your shower head directly to your electrical system. It must be connected separately.

ELECTRICAL SHOWER HEAD,

- Made of high resistance thermoplastic - Use 10 AWG cable for installation - Minimum operating pressure: 10kPa - Frecuencia 60 Hz

Made of polypropylene

NOM







Type of packaging: Bag



FU0771 - FU0773





Practical and easy to use Cable length: #2, #3: 50 cm #4 - #9: 70 cm



Fι	J1	6	10	-	F	U	1	6	1	3
----	----	---	----	---	---	---	---	---	---	---

- Sealed connection gas pipeline for better hermetic locking be installed on walls, windows and ceilings	It can

EXHAUST FAN	N	- Sealed connection gas pipeline for better hermetic locking It can be installed on walls, windows and ceilings				Frequency 60 Hz
Code	Size	Frame size for installation	Power	Air flow	Inner	Master
FU0771	4"	-	13 W	85 m³/hr	2	10
FU0772	5"	-	15 W	130 ^{m3} / hr	2	10
FU0773	6"	-	25 W	230 ^{m3} / hr	2	10
AIR EXTRACT	OR					
FU1610	6"	17 cm	23 W	270 m³/hr	1	12
FU1611	8"	24 cm	28 W	510 m ³ /hr	1	12
FU1612	10"	28.5 cm	36 W	830 m³/hr	1	8
FU1613	12"	34 cm	43 W	1,100 m3/hr	1	6
Type of packaging	: Box					



SHOWER	RHEADS	;	Voltage 120 V~		uency) Hz
Code	Measure- ment	Power	Capacity	Inner	Master
FP0017	#2	400 W	5 Its	20	200
FP0016	#3	480 W	8 Its	20	200
FP0015	#4	800 W	15 Its	10	200
FP0012	#5	900 W	18 lts	10	100
*FP0010	#6	1000 W	20 Its	10	100
*FP0011	#7	1200 W	25 Its	10	100
FP0014	#8	1500 W	30 Its	10	100
FP0013	#9	2000 W	35 Its	10	100

Type of packaging: Bag



FU9531



FU9530



LECTI	RIC E	BURNEF	- Pola

ELECTRIC BURINER	- Polarized plug			
Code	Characteristics	Power	Inner	Master
FU9531	2 burners	1,450 W	2	10
FU9530	1 burner	650 W	4	24

Adjustable thermostat in each burner





NOM

HOME | RINGER



SPECIFICATIONS				
Voltage	4.5 V			
Frequency	315 Hz			
Current	0.85 A			
Control battery (included)	A23 of 12 V			



FU1010

SPECIFICATIONS				
Voltage 4.5 V				
Frequency	305 Hz			
Control battery (included)	A23 of 12 V			

FU1013

WIRELESS DOORBELL - Made of ABS - 25 melodies - Distance of reach 100 m - Waterproof button - The bell uses 3 AA batteries (not included)

Code	Product	Sound level	Inner	Master	
FU1013	2 controls, 1 battery-powered bell	70 - 90 db	2	48	
FU1010	1 control, 1 lamp with batteries	70 - 90 db	2	48	
Type of packaging: Blister					

NOM SYCE





SPECIFICATIONS				
oltage 12	20 V~			
equency 6	0 Hz			
urrent 10	0 mA			
ontrol battery 4.	.5 V~			
urrent 10	0 mA			



· Bell uses 3 "AA" batteries (not included) Voltage 4.5 V

305 Hz

A23 of 12 V

Frequency

Control battery (included)

FU1011

FU0134

WIRELESS DOORBELL	- Made of ABS	- 25 melodies	- Distance of reach 100 m	- Waterproof button
WIDELESS DUUDDELL	- IVIAUE OI ADO	- 23 ITIEIUUIES	- Distance of reach 100 m	- waterproof button

		·		
Code	Product	Sound level	Inner	Master
FU1012	1 control, 1 lamp with plug	70 - 90 db	2	48
FU1011	1 control, 1 lamp with batteries	70 - 90 db	2	48



Type of packaging: Blister

Type of packaging: Box



FU0332

FU0132





0.85 A
eı





NOM





			V	oltage Frequency	Current
BELL TYPE DOMES	TIC DOORBFI I Chrome-plated b	ell Plastic base	1	20 V~ 60 Hz	0,30 A
DELETTI E DOMEO	TIO DOOTIDEEL				
Code	Measurement	Sound level	Inner	M	aster
FU0796	63.5 mm (2 1/2")	90 db	4		80
FU0132	101.6 mm (4")	90 db	4		32
FU0133	152.4 mm (6")	95 db	2		16
FU0134	203.2 mm (8")	95 db	2		16
FU0135	254 mm (10")	100 db	2		16
Type of packaging: Box					

FU0133



FU0135

FU0796



- Metal base with rubber wheels for easy movement
- Ideal for wineries, garages, workshops, hardware stores, etc.
- 2 speeds High impact resistant frame Metal blades





Voltage	Frequency	Weigth
120 V~	60 Hz	16.7 kg

30" INDUSTRIAL DRUM FAN

Code	Power	RPM	CFM	Inner	Master
FU0985	340 W	1,060	9,800	1	1
Type of packaging: E	Box				



- $\cdot\,$ Metal base with rubber wheels for easy movement
- Ideal for wineries, garages, workshops, hardware stores, etc.
- 2 speedsHigh impact resistant frameMetal blades






Weigth 12.8 kg

Frequenc 60 Hz

Voltage 120 V~

24" INDUSTRIAL DRUM FAN

Code	Power	RPM	CFM	Inner	Master
FU0984	265 W	1100	8,500	1	1
Type of packaging: I	Вох				





- Base for wall mounting
- Ideal for warehouses, garages, workshops, hardware stores, etc.
- 3 speeds High impact resistant frame Metal blades






Voltage	Frequency	Weigth
120 V~	60 Hz	8 kg

20" INDUSTRIAL	FAN WALL		-roto ilustrativa	120 V~	60 Hz 8 kg
Code	Power	RPM	CFM	Inner	Master
FU1433	160W	1,550	5,100	1	1

HOME | FANS



- $\cdot\,\,$ Three positions of use: pedestal, floor and wall
- Light and easy to handle3 speeds
- Metal blades
- · It has an oscillation system



Voltage	Frequency
120 V~	60 Hz

3 IN 1 FAN 18"

Code	Power	RPM	Inner	Master
*FU9718	80 W	1,400	1	1
Type of packaging:	Box			



NOM



 Base: 3.25 kg for greater stability
 Metal cover and designed to have a long life · 120 V ~ 60 Hz

- 12 V ~ 60 H2
 2 speeds
 Safety grilles against high impact
 Metal blades
 It has an oscillation system





NOM

Frequency	Weigth
60 Hz	16.4 kg

24" INDUSTRIAL DRUM FAN

Code	Power	RPM	CFM	Inner	Master
FU0986	215 W	1100	6,350	1	1
Type of packaging: Box					





- · Made of polypropylene
- · 5 speed control For wall mounting

FU1432

FU8401

56" HEAVY-DUTY CEILING FAN						
Code	Power	RPM	Inner	Master		
FU8401	95 W	280 - 160 rpm	1	1		
5-SPEED CONTROL FOR FAN						
FU1432	-	-	4	50		







MIXERS

SHOWERS

CASINGS

HOSES

ANGULAR WRENCHES


VALVES



MIXER FOR ABS 4" BAR **FAUCET**

- · Made of ABS
- Ceramic cartridge Aperture: 1/4" turn
- Weight: 220g
- Chrome finish
- Includes aereator
- Ideal for coastal areas or high humidity





MIXER FOR 4" ABS STRAIGHT FAUCET

- Made of ABS
- Ceramic cartridge Aperture: 1/4" turn
- Weight: 220g
- Chrome finish
- Includes aereator
- Ideal for coastal areas or high humidity



Code	Handles	Inner	Master
YE0001	Gerber faucets	4	20
Spare parts			
YE0016	Cartridge of ABS (2 PCS)	1	250
250Type of packaging: Box (YE) / Bag (YE0003)			

MIXER FOR 4" CURVED **FAUCET**



- Ceramic cartridge Aperture: 1/4" turn
- Weight: 220g
- Chrome finish Includes aereator
- Ideal for coastal areas
- or high humidity.



Master

Esencial YARDEN



YE0002 Gerber faucets 20 Spare parts YE0016 Cartridge of ABS (2 PCS)

Type of packaging: Box (YE0003) / Bag (YE0016)

MIXER FOR 8" ABS GOOSENECK FAUCET

Type of packaging: Box (YE0003) / Bag (YE0016)

- · Made of ABS
- Ceramic cartridge
- Aperture: 1/4" turn
- Weight: 290g Chrome finish
- Includes aereator
- Ideal for coastal areas or high humidity





Esencial YARDEN

Type of packaging: Box (YE) / Bag (YE0003)

Esencial YARDEN ANTISEDIMENT SHOWER HEAD **TELEPHONE TYPE 2 1/2"**



- Includes zinc arm and flange
- · Chrome finish
- · 1.5 m hose



Code	L
YE0015	
Type of packaging: Box	



Works with	Inner	Master
Low pressure	2	24

ANTISEDIMENT 21/2"

- Shower head made of ABS
- Includes plastic arm and flange · Chrome finish





Code	Works with	Inner	Master
YE0014	Low pressure	4	40

Type of packaging: Box

WATER-EFFICIENT SHOWER 2 1/2"

- Shower head made of ABS
- Includes plastic arm and flange

Type of packaging: Bag



Code	Works with	Inner	Maste
VE0012	Low and modium prossure	4	40

WATER-EFFICIENT SHOWER YARDEN 2"



- · Shower head made of ABS · Includes plastic arm and flange
- · Chrome finish





Code	Works with	Inner	Master
YE0013	Low and medium pressure	10	40

Type of packaging: Bag



MIXER FOR 4" **BAR FAUCET**

- Brass body
- Stainless steel base plate and spout
- Zinc handles
- Ceramic cartridge
- Aperture: 1/4" turn
- Weight: 480g
- Chrome finish
- Includes aereator



YARDEN



	Code	Handles	Inner	Master
	YD0009	Lever	2	20
Spare parts				
	YD0168	Brass cartridge (2 Pcs)	1	250
Type of packaging: Box (YD0009) / Bag (YD0168)				

MIXER FOR 4" STRAIGHT

- **BATHROOM FAUCET** Brass body
- Stainless steel base
- plate and spout
- Zinc handles
- Ceramic cartridge Aperture: 1/4" turn
- . Weight: 525g
- Chrome finish
- Includes aereator



100			
Code	Handles	Inner	Master
YD0003	Lever	2	20
YD0168	Brass cartridge (2 Pcs)	1	250
	• • • •		

Type of packaging: Box (YD0003) / Bag (YD0168)


Modus MIXER FOR 4" GOOSENECK YARDEN

- Brass body
- **BATHROOM FAUCET** Stainless steel base plate and spout
- Zinc handles
- Ceramic cartridge
- Aperture: 1/4" turn Weight: 460g
- Chrome finish
- Includes aereator

YD0168







Inner

Master

20

250

MIXER FOR 4" **BAR FAUCET**

- Brass body
- Stainless steel base plate and spout
- Zinc handles
- Ceramic cartridge
- Aperture: 1/4" turn
- Weight: 460g
- Chrome finish
- Includes aereator



Code	Handles	Inner	Master
YD0007	Gerber faucets	2	20
	Spare parts		
YD0168	Brass cartridge (2 Pcs)	1	250

Type of packaging: Box (YD0007) / Bag (YD0168)

MIXER FOR 4" STRAIGHT BATHROOM FAUCET

- Brass body
- Stainless steel base
- plate and spout
- Zinc handles
- Ceramic cartridge
- Aperture: 1/4" turn
- Weight: 515g Chrome finish
- Includes aereator



Code	Handles	Inner	Master
YD0001	Gerber faucets	2	20
	Spare parts		
YD0168	Brass cartridge (2 Pcs)	1	250

Type of packaging: Box (YD0001) / Bag (YD0168)

MIXER FOR 4" GOOSENECK BATHROOM FAUCET

- Brass body
- Stainless steel base plate and spout
- Zinc handles
- Ceramic cartridge
- Aperture: 1/4" turn
- Weight: 420g
- Chrome finish





Code	Handles	Inner	Master
YD0004	Gerber faucets	2	20
	Spare parts		
YD0168	Brass cartridge (2 Pcs)	1	250

Type of packaging: Box (YD0004) / Bag (YD0168)

MIXER FOR 4" **BAR FAUCET**

- Brass body
- Stainless steel base plate and spout
- Acrylic handles
- Ceramic cartridge
- Aperture: 1/4" turn
- Weight: 460g
- · Chrome finish
- Includes aereator





Code	Handles	Inner	Master
YD0008	Gerber faucets	2	20
	Spare parts		
YD0168	Brass cartridge (2 Pcs)	1	250

Type of packaging: Box (YD0008) / Bag (YD0168)

MIXER FOR 4" STRAIGHT BATHROOM FAUCET

· Brass body

YARDEN

YARDEN

- Stainless steel base
- plate and spout
- Acrylic handles
- Ceramic cartridge
- Aperture: 1/4" turn
- Weight: 515g
- Chrome finish
- Includes aereator



YARDEN

YARDEN

			n
			- 8
37	•	5	. 80
70	40	2	- 88

and the second	,		
Code	Handles	Inner	Master
YD0002	Gerber faucets	2	20
	Spare parts		
YD0168	Brass cartridge (2 Pcs)	1	250

Type of packaging: Box (YD0002) / Bag (YD0168)

MIXER FOR 4" GOOSENECK **BATHROOM FAUCET**



- · Stainless steel base plate and spout
- Acrylic handles
- Ceramic cartridge
- Aperture: 1/4" turn Weight: 440g
- Chrome finish
- Includes aereator





Code	Handles	Inner	Master
YD0005	Gerber faucets	2	20
	Spare parts		
YD0168	Brass cartridge (2 Pcs)	1	250

Type of packaging: Box (YD0005) / Bag (YD0168)

MIXERS | INDIVIDUAL FAUCETS

YARDEN

YARDEN

MIXER FOR 8" COBRA KITCHEN FAUCET

- · Brass body
- · Stainless steel base
- plate and spout
- Zinc handles Ceramic cartridge
- Aperture: 1/4" turn
- Weight: 570g
- Chrome finish Includes aereator



Code	Handles	Inner	Master
YD0012	Lever	2	12
	Spare parts		
YD0168	Brass cartridge (2 Pcs)	1	250

Type of packaging: Box (YD0012) / Bag (YD0168)

MIXER FOR 8" COBRA KITCHEN FAUCET

- · Brass body
- Stainless steel base
- plate and spout Zinc handles
- Ceramic cartridge
- Aperture: 1/4" turn
- Weight: 570g
- Chrome finish



-				
Code	Handles	Inner	Master	
YD0010	Gerber faucets	2	12	
	Spare parts			
YD0168	Brass cartridge (2 Pcs)	1	250	
E (

Type of packaging: Box (YD0010) / Bag (YD0168)

MIXER FOR 8" COBRA KITCHEN FAUCET

· Brass body

Modus

YARDEN

- · Stainless steel base plate and spout
- Acrylic handles
- Ceramic cartridge
- Aperture: 1/4" turn
- Weight: 570g
- Chrome finish Includes aereator



Code	Handles	Inner	Master
YD0011	Gerber faucets	2	12
	Spare parts		
YD0168	Brass cartridge (2 Pcs)	1	250

Modus

Modus YARDEN

YARDEN

Type of packaging: Box (YD0011) / Bag (YD0168)

MIXER FOR 8" GOOSENECK KITCHEN FAUCET

- · Brass body
- Stainless steel base plate and spout
- Zinc handles
- Ceramic cartridge Aperture: 1/4" turn
- Weight: 550g
- Chrome finish Includes aereator



Code	Handles	Inner	Master	
YD0015	Lever	2	24	
Spare parts				
YD0168	Brass cartridge (2 Pcs)	1	250	

Type of packaging: Box (YD0015) / Bag (YD0168)

Modus YARDEN MIXER FOR 8" GOOSENECK KITCHEN FAUCET


- Brass body
- Stainless steel base plate and s
- Zinc handles
- Ceramic cartridge
- Aperture: 1/4" turn
- Weight: 550g
- Chrome finish Includes aereator




4.00			
Code	Handles	Inner	Master
YD0013	Gerber faucets	2	24
	Spare parts		
YD0168	Brass cartridge (2 Pcs)	1	250

Type of packaging: Box (YD0013) / Bag (YD0168)

MIXER FOR 8" GOOSENECK KITCHEN FAUCET





- Acrylic handles
- Ceramic cartridge
- Aperture: 1/4" turn
- Weight: 550g
- Chrome finish





Type of packaging: Box (YD0014) / Bag (YD0168)

SINGLE HANDLE FOR SHORT YARDEN **GOOSENECK KITCHEN FAUCET**

- Brass body
- Zinc handles
- Ceramic cartridge
- Aperture: 1/4" turn Weight: 365a
- Chrome finish





Type of packaging: Box (YD0018) / Bag (YD0168)

- Modus **SET OF SINGLE HANDLE** YARDEN **BATHROOM FAUCETS**
- Brass body
- Acrylic handles
- Ceramic cartridge Aperture: 1/4" turn
- Weight: 225 g
- Chrome finish





Code	Handles	Inner	Master
YD0017	Gerber faucets	2	10
	Spare parts		
YD0168	Brass cartridge (2 Pcs)	1	250

Type of packaging: Box (YD0017) / Bag (YD0168)

SINGLE HANDLE FOR STRAIGHT KITCHEN FAUCET

- Brass body
- Zinc handles
- Ceramic cartridge
- Aperture: 1/4" turn Weight: 245 a
- Chrome finish





Code	Handles	Inner	Master	
YD0019	Gerber faucets	4	24	
Spare parts				
YD0168	Brass cartridge (2 Pcs)	1	250	
Type of packaging: Box (YD0019) / Bag (YD0168)				

SET OF ACRYLIC HANDLES FOR BATHROOM / KITCHEN SINK

- Made of acrylic
- Screws included





Code	Handles	Inner	Master	
YD0023	Gerber faucets	4	24	
Type of packaging: Box				

SET OF SINGLE HANDLE **BATHROOM FAUCETS**



· Brass body Zinc handles

YARDEN

- Ceramic cartridge
- Aperture: 1/4" turn
- Weight: 215 a Chrome finish





Code	Handles	Inner	Master		
YD0016	Gerber faucets	2	10		
Spare parts					
YD0168 Brass cartridge (2 Pcs) 1 250					
Type of packaging: Box (YD0016) / Bag (YD0168)					

LEVER HANDLE SET FOR BATHROOM / KITCHEN SINK

- · Made of zinc
- Screws included
- · Chrome finish





Code	Handles	Inner	Master
VD0024	Lever	4	24

Type of packaging: Box

SHOWER HEADS

2

24

YARDEN

YARDEN

SET OF METTALIC HANDLES FOR BATHROOM / KITCHEN SINK

- · Made of zinc
- Screws included
- Chrome finish

SET OF ABS HANDLES FOR BATHROOM / KITCHEN SINK

- · Made of ABS
- Screws included
- Chrome finish





Code	Handles	Inner	Master		
YD0021	Gerber faucets	4	24		
Type of packaging: Box					

YARDEN

TELEPHONE TYPE SHOWER YARDEN HEAD 3"



- · Shower head made of ABS
- · Includes stainless steal
- arm and flange Chrome finish
- · 1.5 m Hose



Medium and high pressure

Type of packaging: Box	Type	of pac	kaging:	Box
------------------------	------	--------	---------	-----

YD0142

ROUND SHOWER HEAD 6"

Handles

Gerber faucets

· Shower head made of ABS

Type of packaging: Box

- Includes stainless steel arm and plastic flange
- · Chrome finish

YD0022



*Arm not included

Master

24

Inner

4

Code	Works with	Inner	Master		
YD0144	low, medium and high pressure	2	24		
Type of packaging: Box					

SQUARE SHOWER HEAD 8"

- · Shower head made of ABS
- Includes stainless steal arm and flange
- · Chrome finish




Code	Works with	Inner	Master
YD0143	low, medium and high pressure	2	24
Type of packaging:	Вох		

8" ROUND SHOWER

- · Shower head made of stainless steel and ABS
- Arm not included
- Stainless steel flange · Chrome finish

Use YD0152 arm





YARDEN **8" SQUARE SHOWER HEAD**

Modus

YARDEN

- · Shower head made of stainless steel and ABS
- Arm not included
- Stainless steel flange
- · Chrome finish

*Arm not included

Use YD0152 arm





Code	Works with	Inner	Master
YD0146	low, medium and high pressure	4	32
Type of packaging: Bo	ox		

2" ADJUSTABLE SHOWER

- Shower head Made of Zinc
- Includes zinc arm and stainless steel flange
- Chrome finish





Code	Works with	Inner	Master
YD0149	Low and medium pressure	2	40

Type of packaging: Box

3" 5-FUNCTION SHOWER HEAD

- Shower head made of ABS
- Includes stainless steal arm and flange
- Chrome finish





Code	Works with	Inner	Master
YD0141	Medium and high pressure	4	40

Type of packaging: Box

Modus

YARDEN

HANDLES | WALL-IN MIXERS

SQUARE SHOWER HEAD 2"

- · Shower head made of zinc
- Includes stainless steal arm and flange



DISH LIKE SHOWER HEAD 3 1/2"

- · Shower head Made of Zinc
- Includes stainless steal arm and flange
- Chrome finish



Code	Works with	Inner	Master
YD0147	Low and medium pressure	4	40

Type of packaging: Box

Works with

Low and medium pressure

Type of packaging: Box

YD0148

ARM AND FLANGE L TYPE

- · Measurement: 35 cm

· Arm and flange made of stainless steel



Code	Finish	Inner	Master
YD0152	Chromed	5	100
Type of packag	ging: Bag		

ARM WITH FLANGE FOR SHOWER

· Arm and flange made of stainless steel



ARM WITH FLANGE FOR SHOWER

Arm and flange made of ABS



Code	Finish	Inner	Master
YD0150	Chromed	10	200
Type of packag	ing: Bag		

SHOWER IN-WALL MIXER, **COMPRESSION**

- · Made of brass
- Zinc handles and flange



Code	Inlet	Inner	Master		
YD0133	1/2" thread	2	12		
Spare parts					
YD0181	Brass cartridge (2 pcs)	1	100		
Type of packaging: Box (YD0133) / Bag (YD0181)					

1/4 SHOWER IN-WALL VALVE BODY

Inner

Master

40

- · Made of brass
- · Zinc handles and flange



Code	Inlet	Inner	Master
YD0134	1/2" thread	2	12
Spare parts			
YD0182	Brass cartridge (2 pcs)	1	100
Type of packaging: Box (YD0134) / Bag (YD0182)			

FAUCET SET FOR WALL-IN VALVES, THREADED

- · Made of brass
- Acrylic handles and Zinc flanges
- · Compression closure

Code	Inlet	Inner	Master
YD0138	1/2"	2	50
Spare parts			
YD0183	Brass cartridge (2 pcs)	1	100

Type of packaging: Box (YD0138) / Bag (YD0183)

FAUCET SET FOR WALL-IN VALVES, THREADED

- · Made of brass
- Gerber Faucets and Zinc flanges



	No.		
Code	Inlet	Inner	Master
YD0136	1/2"	2	50
	Spare parts		
YD0183	Brass cartridge (2 pcs)	1	100

Type of packaging: Box (YD0136) / Bag (YD0183)

FAUCET SET FOR WALL-IN VALVES, THREADED

- · Made of brass
- · Compression closure



Code	Inlet	Inner	Master
YD0140	1/2"	2	50
	Spare parts		
YD0183	Brass cartridge (2 pcs)	1	100

Type of packaging: Box (YD0140) / Bag (YD0183)

WALL-IN FAUCETS | SINKS

FACUCET SET FOR WALL-IN VALVES, WELDABLE

- · Made of brass
- · Acrylic Handles and zinc flanges



Code	Inlet	Inner	Master
YD0137	1/2"	2	50
Spare parts			
YD0183	Brass cartridge (2 pcs)	1	100

Type of packaging: Box (YD0137) / Bag (YD0183)

FACUCET SET FOR WALL-IN. WELDABLE

- Made of brass
- Gerber Faucets and zing flange



Code	Inlet	Inner	Master
YD0135	1/2"	2	50
Spare parts			
YD0183	Brass cartridge (2 pcs)	1	100

Type of packaging: Box (YD0135) / Bag (YD0183)

FACUCET SET FOR WALL-IN VALVES. WELDABLE

Made of brass



Code	Inlet	Inner	Master
YD0139	1/2"	2	50
Spare parts			
YD0183 Brass cartridge (2 pcs) 1 100			
Type of packaging: Box (YD0139) / Bag (YD0183)			

RECESSED SINK 100 X 50 CM

- · Made of stainless steel
- Satin finish
- Caliber 24
- Weight: 3.45 kg
- Length: 100 cm
- · Width: 50 cm
- Depth: 15 cm
- Does not require cover to be installed, it is placed on a cabinet or
- fixed to the wall.



			sink
Code	Characteristic	Inner	Master
YD0125	Right drainer	1	5
YD0126	Left drainer	1	5
Type of packaging: Box	C		

DOUBLE RECESSED SINK 84 X 56 CM

- · Made of stainless steel
- Satin finish
- Caliber 24
- Weight: 3.6 kg
- Length: 84 cm
- Width: 56 cm
- Depth: 15 cm
- Easy installation. placed on the cover

YD0122

Type of packaging: Box



Flange	Kitchen sink	Flange
Inner	M	aster
5		5

RECESSED SINK 84 X 56 CM

- · Made of stainless steel
- Satin finish
- Caliber 24
- Weight: 3.1 kg
- Length: 84 cm
- Width: 56 cm
- Depth: 15 cm
- Easy installation, it is placed on the cover



	Flan	ge (Kitchen sir	Flange
Code	Characteristic	Inner	Master
YD0123	Right drainer	5	5
YD0124	Left drainer	5	5
Type of packaging: Box			

BAR TYPE RECESSED SINK 53 X 50 CM

- Made of stainless steel
- Satin finish
- Caliber 24
- Weight: 2.5 kg Length: 53 cm
- Width: 50 cm
- Depth: 15 cm
- Easy installation, it is placed on the cover



	Flange	Ritchen sink	Flange
Code	Characteristic	Inner	Master
YD0127	Single sink	5	5
Type of packag	ing: Box		

YARDEN SINK EXHIBITOR

· Structure made with PTR for sink support

Characteristic

Double sink

- Steel sheet Electrostatic paint color black
- Digital printing on self-adhesive vinyl labeled on styrene
- Measurements:
- Height: 170 cm Width: 90 cm Depth: 70 cm



*Product not included

Code	Capacity
YD0190	3 types of sinks

STAINLESS STEEL BASKET TRAP

- Stainless steel basket trap
- Brass pipe Detachable strainer
- Measurement: 1 1/2"





Type of packaging: Box

PLASTIC BASKET TRAP

- Polypropylene basket trap
- ABS tube
- Detachable strainer
- Measurement: 1 1/2"







Type of packaging: Box

KITCHEN DRAIN PIPE WITHOUT TRAP

- · Made of brass
- · Chrome finish





TRAPS | SINK PIPES

KITCHEN SINK DRIAN WITH BASKET TRAP

- · Made of polypropylene
- · Con tapa para limpieza

FLEXIBLE KITCHEN DRAIN PIPE WITH TRAP





Measurement

1 1/2"

Type of packaging: Bag

P TYPE FLEXIBLE PIPE FOR KITCHEN

Measurement

1 1/2"

Master

24

Inner

Type of packaging: Bag

YD0067

SINK

· Made of polypropylene



KITCHEN DRAIN EXTENSION

Made of copper



Code	Measurement	Length	Inner	Master
YD0065	1 1/2"	15 cm	5	50
YD0066	1 1/2"	20 cm	5	50
Type of packaging: Bulk				

PIPE · Made of polypropylene

DOUBLE KITCHEN SINK



KITCHEN SINK PIPE EXTENSION

· Made of PVC



Code	Measurement	Length	Inner	Master
YD0191	1 1/2"	15 cm	25	150
YD0192	1 1/2"	20 cm	25	150
Type of packaging: Bulk				

SINK TRAP, WITH PLUG AND **CHAIN**

- Made of brass
- Chrome finish






Code	Measurement	Inner	Master	
YD0061	1 1/4"	5	20	

Type of packaging: Box

KITCHEN SINK PIPE

- · Made of polypropylene
- · Chrome finish

YD0072



Master

24

Inner

Type of packaging: Bag

DRAIN PIPE WITH TRAP

- · Made of brass
- · Chrome finish
- · Includes plug and chain



Code	Measurement	Inner	Master		
YD0057	1 1/4"	2	20		
Type of packaging: Box					

BATHROOM DRAIN PIPE WITHOUT TRAP

- · Made of brass
- · Chrome finish





Code	Measurement	Inner	Master
YD0059	1 1/4"	2	20

Type of packaging: Box

DRAIN SYSTEM FOR BATHROOM FAUCET · Made of brass

- · Chrome finish · Turnover plug





Code	Measurement	Inner	Master
YD0062	1 1/4"	2	20

Type of packaging: Box

SINK PIPE | STRAINER | COLANDER

BATHROOM DRAIN PIPE WITHOUT TRAP

- · Made of brass
- · Chrome finish



Code	Measurement	IIIIei
YD0058	1 1/4"	2

Type of packaging: Box

BATHROOM SINK PIPE EXTENSION

- · Made of brass
- · Chrome finish



Code	Measurement	Length	Inner	Master
YD0063	1 1/4"	15 cm	10	50
YD0064	1 1/4"	20 cm	10	50
Type of packaging: Bulk				

Mettalic lever for WC

- · Steel rod
- · Compatible with most WC



Code	Finish	Inner	Master	
YD0177	Chromed	20	200	
Type of packaging: Bag				

TOILET BOWL WAX RING

- · Seal leaks
- · Prevents odor leaks



Code	Characteristics	Inner	Master
YD0162	Without guide	12	100
YD0161	With guide	12	48

Type of packaging: Box

FLEXIBLE BATHROOM DRAIN PIPE 'P' TYPE

· Made of polypropylene



BATHROOM SINK PIPE EXTENSION

· Made of PVC

Master

20




Code	Measurement	Length	Inner	Master
YD0193	1 1/4"	15 cm	25	200
YD0194	1 1/4"	20 cm	25	200
Type of packaging: Bulk				

TOILET FLAPPER

- · Made of PVC
- Plastic chain and steel hook
 - stainless



Code	Material	Inner	Master		
YD0185	Rubber	20	20		
Type of packaging: Bag					



		Closed model			
Code	Type	Color	Inner	Master	
YD0163	Open	White	5	15	
YD0164	Open	Off-white	5	15	
YD0165	Closed	White	5	15	
Type of packaging: Bag					

BATHROOM DRAN PIPE, CHRORME-COATED

· Made of polypropylene



FLEXIBLE DRAIN PIPE

· Made of polypropylene



TOILET SCREW SET

- · Made of bronce
- For toilet tank installation



Code	Length	Inner	Master	
YD0184	2"	20	200	
YD0179	2"	20	200	
Type of packaging: Bag				

4" X 4" SQUARE METTALIC STRAINER

- · Sink strainer made of zinc · Stainless steel strainer
- Output diameter: 49mm
- Weight: 250g





Code	Strainer	Inner	Master
YD0130	Folding	5	50

Type of packaging: Box

HOSES | ANGULAR FAUCET

SINK METALLIC ROUND STRAINER 3 1/2"

- · Sink strainer made of zinc
- Stainless steel strainer
- Output diameter: 44mm
- Weight: 250g



Code	Strainer	Inner	Master	
YD0128	Fixed	5	100	
Type of packaging: Box				

5" UNIVERSAL ROUND COLANDER

- Colander made of ABS
- Chrome plastic grid
- Output diameter: 50, 75 and 100 mm
- Weight: 250g



Code	Strainer	Inner	Master	
YD0132	Fixed	5	50	
Type of packaging: Bag				

BRAIDED FLEXIBLE ALUMINUM HOSE FOR KITCHEN AND BATHROOM SINK

- · EPDM internal hose
- Brass spike
- Maximum pressure: 145 PSI
- Maximum temperature: 80 °C



FLEXIBLE HOSE BRAIDED ALUMINUM FOR WC

- · EPDM internal hose
- Metallic pin
- Maximum pressure: 90 PSI
- Maximum temperature: 60 °C



SINK METALLIC ROUND STRAINER 3 1/2"

- · Sink strainer made of zinc
- Stainless steel strainer
- Output diameter: 45mm
- Weight: 250g



Code	Strainer	Inner	Master
YD0129	Fixed	5	100

Type of packaging: Box

REINFORCED HOSE FOR GAS

- Made of PVC
- Tricapa
- Connectors nos included
- 50 m roll



Code	Measurement	Maximum pressure	Wall thickness	Inner	Master
YD0153	3/8"	21 kg / cm ²	2.7 mm	1	1
Type of	packaging:	Roll			

*Price per roll

FLEXIBLE BRAIDED HOSE ALUMINUM FOR WC

- EPDM internal hose
- Brass spike
- Maximum pressure: 145 PSI
- Maximum temperature: 80 °C



YD0029	7/8" x 7/8"	35 cm	10	150
YD0028	1/2" x 7/8"	50 cm	10	150
Type of packaging: Hanger				

COMPRESSION ANGLE FAUCET 1/2 " X 1/2 " WITHOUT TRAP

Made of brass

YARDEN

- NPT thread
- Nickel-plated finish
- ABS handle





Code	Maximum pressure	Inner	Master
YD0186	150 PSI	6	120
Type of pac	kaging: Bulk		

5" ABS COLANDER WITH LATERAL OUTPUT

- · Colander made of ABS
- Chrome plastic grid
- Output diameter: 50mm
- Weight: 250g



Code	Strainer	Inner	Master	
YD0131	Fixed	5	50	
Type of packaging: Bulk				

BRAIDED ALUMINUM FLEXIBLE HOSE FOR BOILER

- EPDM internal hose
- Brass spike
- Maximum pressure: 145 PSI





FLEXIBLE FAUCET HOSE BRAIDED FLEXIBLE ALUMINUM FAUCET HOSE



YARDEN

- EPDM internal hose
- Metallic pin
- Maximum pressure: 90 PSI
- Maximum temperature: 60 °C



Code	Measurement	Length	Use	Inner	Master
YE0005	1/2" x 1/2"	40 cm	Bathroom sink	10	150
YE0006	1/2" x 1/2"	55 cm	Kitchen sink	10	150
Type o	f packaging: I	Hanger			

COMPRESSION ANGLE FAUCET 1/2 " X 1/2 " **BARREL TYPE**

- Made of brass
- NPT thread
- Nickel-plated finish
- ABS handle





Code	Maximum pressure	Inner	Master
YD0187	150 PSI	6	120

Type of packaging: Bulk

ANGLE FAUCET 1/4 TURN 1/2 " X 1/2 " WITHOUT TRAP

- Made of brass
- NPT thread
- Chrome finish
- ABS handle





Code	Maximum pressure	Inner	Master		
YD0188	150 PSI	6	120		
Type of packaging: Bulk					

THREADED GATE VALVE

- · Made of brass
- · Maximum pressure: 150PSI
- For water, oil and gas WOG (water, oil, gas)



Code	Measurement	Inner	Master
YD0084	1/2"	3	10
YD0085	3/4"	3	6
YD0086	1"	3	4

Type of packaging: Bag

WELDED GATE VALVE

- · Made of brass
- Maximum pressure: 150PSI
- For water, oil and gas WOG (water, oil, gas)



Code	Measurement	Inner	Master
YD0087	1/2"	3	10
YD0088	3/4"	3	6
YD0089	1"	3	4

Type of packaging: Bag

SPRING RETENTION VALVE

- · Made of brass
- Maximum pressure: 200PSI
- For water, oil and gas WOG (water, oil, gas)



Code	Measurement	Inner	Master
YD0105	1/2"	4	80
YD0106	3/4"	4	80
YD0107	1"	4	80

Type of packaging: Bag

ANGLE FAUCET 1/4 TURN 1/2 " X 1/2 " **BARREL TYPE**

- Made of brass
- NPT thread
- Chrome finish
- ABS handle



See angled faucets in the section Wolfox Page 159

Code	Maximum pressure	Inner	Master
YD0189	150 PSI	6	120

Type of packaging: Bulk

THREADED WELDED BALL VALVE

- Made of brass
- Maximum pressure: 200PSI
- For water, oil and gas WOG (water, oil, gas)



Code	Measurement	Inner	Master
YD0096	1/2"	10	100
YD0097	3/4"	8	80
YD0098	1"	6	60

Type of packaging: Bag

WELDED BALL VALVE

- · Made of brass
- Maximum pressure: 200PSI
- For water, oil and gas WOG (water, oil, gas)



Code	Measurement	Inner	Master	
YD0099	1/2"	10	100	
YD0100	3/4"	8	80	
YD0101	1"	6	60	
Type of packaging: Bag				

SWING RETENTION VALVE

- Made of brass
- Maximum pressure: 200PSI For water, oil and gas WOG
- (water, oil, gas)



Code	Measurement	Inner	Master
YD0102	1/2"	2	100
YD0103	3/4"	2	80
YD0104	1"	2	60

Type of packaging: Bag

FLOAT VALVE

- · Made of brass
- Maximum pressure: 200PSI



Code	Measurement	Weigth	Inner	Master
YD0109	1/2"	172 g	10	100
YD0108	3/4"	235 g	8	80

Type of packaging: Bulk

THREADED GLOBE VALVE

- · Made of brass
- Maximum pressure: 200PSI
 For water, oil and gas WOG (water, oil, gas)



Code	Measurement	Inner	Master
YD0078	1/2"	10	100
YD0079	3/4"	6	60
YD0080	1"	4	40

Type of packaging: Bag

WELDED GLOBE VALVE

- · Made of brass
- Maximum pressure: 200PSI
- For water, oil and gas WOG (water, oil, gas)



Code	Measurement	Inner	Master
YD0081	1/2"	10	100
YD0082	3/4"	6	60
YD0083	1"	4	40

Type of packaging: Bag

FOOT VALVE (PICHANCHA)

- · Made of brass
- · Maximum pressure: 200PSI



Code	Measurement	Inner	Master
YD0110	1/2"	4	100
YD0111	3/4"	4	80
YD0112	1"	4	60
YD0113	1 1/4"	4	48
YD0114	1 1/2"	4	36
YD0115	2"	4	24

Type of packaging: Bag

GARDEN FAUCET

PVC THREADED BALL VALVE

- · Body and ball made of PVC ABS handle
- Maximum pressure: 150PSI



Code	Measurement	Inner	Master
YD0116	1/2"	24	240
YD0117	3/4"	20	200
YD0118	1"	8	128

Type of packaging: Bulk

3/4" OUTDOOR VALVE

- · Made of brass
- Weight: 160g
- Inlet: 3/4", 6 threadsOutlet: 3/4", 5 threads





Code	Measurement	Inner	Master		
YD0052	3/4"	12	120		
Type of packaging: Bulk					

1/2" OUTDOOR NON-THREADED VALVE

- · Made of brass
- Weight: 135g
- Inlet: 1/2", 6 threads



Code	Measurement	Inner	Master		
YD0055	1/2"	6	120		
Type of packaging: Bulk					

1/2" OUTDOOR VALVE

- Made of brass





See garden valves Wolfox and TOOLCRAFT in page 93

Code	Measurement	Inner	Master
*YE0008	1/2"	12	120

Type of packaging: Bulk

PVC BALL VALVE

- · Body and ball made of PVC
- ABS handle
- Maximum pressure: 150PSI



Code	Measurement	Inner	Master		
YD0119	1/2"	24	240		
YD0120	3/4"	20	200		
YD0121	1"	8	128		
T (1 : D !!					

Type of packaging: Bulk

1/2" OUTDOOR VALVE

- · Made of brass
- Weight: 140g Inlet: 1/2", 6 threads Outlet: 3/4", 5 threads





Code	Measurement	Inner	Master	
YD0053	1/2"	12	120	
Type of packaging: Bulk				

1/2" OUTDOOR VALVE IN **BLISTER**

- Made of brass
- Weight: 100g
- Inlet: 1/2", 6 threads Outlet: 3/4", 4 threads





YE0009





Type of packaging: Blister

1/2" OUTDOOR VALVE

- Made of polypropylene
- Weight: 43g
- Inlet: 1/2", 6 threads Outlet: 3/4", 5 threads





Code	Measurement	Inner	Master
YE0011	1/2"	24	200

Type of packaging: Bulk

GAS VALVE

- · Made of brass
- · Maximum pressure: 200 PSI
- · 1/4 turn closure
- · Threaded NPT input
- · Flore output



Code	Inlet	Output	Inner	Master
YD0154	1/2"	5/16"	10	100
YD0155	1/2"	3/8"	10	100

Type of packaging: Bag

1/2" CHROMED OUTDOOR FAUCET

- · Made of brass
- Weight: 130g
- · Inlet: 1/2", 6 threads · Outlet: 3/4", 4 threads





Code	Measurement	Inner	Master		
YD0054	1/2"	6	120		
Type of packaging: Bulk					

1/2" BALL VALVE FOR OUTDOOR FAUCET

- · Made of brass
- Weight: 130g
- · Inlet: 1/2", 6 threads · Outlet: 3/4", 4 threads





Code	Measurement	Inner	Master		
YD0056	1/2"	12	120		
Type of packaging: Bulk					

1/2" BALL VALVE FOR OUTDOOR FAUCET

- · Made of zinc

- Weight: 110g
 Inlet: 1/2", 6 threads
 Outlet: 3/4", 4 threads







Type of packaging: Bulk





HINGES

PADLOCKS

LATCHES

LOCKS

PINS

RAILS

HINGES

SQUARE HINGE, BRIGHT BRASS

- Made of steel.
- Fixed pin with flat tip
- For metal and wooden doors
- Each hinge includes 6 screws for installation

SQUARE HINGE, ANTIQUE BRASS

- Made of steel.
- Fixed pin with flat tip
- For metal and wooden doors
- Each hinge includes 6 screws for installation

SQUARE HINGE, MATTE CHROME

- Made of steel.
- Fixed pin with flat tip
- For metal and wooden doors
- Each hinge includes 6 screws for installation



Greater

Thickness

	'	IIIIARE.	THORIC	-33
		s included	Price	e per piece
Code	Measurement	Thickness	Inner	Master
PF0104	2" x 2"	1.5 mm	20	100
PF0105	2 1/2" x 2 1/2"	1.7 mm	20	100
PF0106	3" x 3"	1.95 mm	20	100
PF0107	3 1/2" x 3 1/2"	2.2 mm	20	100
PF0108	4" x 4"	2.5 mm	20	100

Type of packaging: Bulk



Greater

	• •	IIII	THIC	KIIESS
	Flat head Scree	ws included	Pric	e per piece
Code	Measurement	Thickness	Inner	Master
PF0109	2" x 2"	1.5 mm	20	100
PF0110	2 1/2" x 2 1/2"	1.7 mm	20	100
PF0111	3" x 3"	1.95 mm	20	100
PF0112	3 1/2" x 3 1/2"	2.2 mm	20	100
PF0113	4" x 4"	2.5 mm	20	100
Type of pa	ckaging: Bulk			



Greater


Thickness

Price per piece Screws included Measurement Thickness Master PF0114 2" x 2" 100 1.5 mm 20 PF0115 2 1/2" x 2 1/2" 100 1.7 mm 20 *PF0116 3" x 3" 1.95 mm 20 100 PF0117 3 1/2" x 3 1/2" 2.2 mm 20 100 PF0118 4" x 4" 2.5 mm 20 100

Type of packaging: Bulk

SQUARE HINGE

- Made of steel.
- Fixed pin with flat tip
- For metal and wooden doors





_					
	Measure- ment	Finish	Thick- ness	Inner	Master
PF0119	3" x 3"	Matte chrome	1.95 mm	20	100
PF0120	3" x 3"	Bright brass	1.95 mm	20	100
PF0121	3" x 3"	Antique brass	1.95 mm	20	100

Type of packaging: Blister

SQUARE HINGE, FIXED PIN

- Made of steel.
- Fixed pin with flat tip
- For wooden doors
- Each hinge includes 6 screws fo installation



	Flat head	I Screws includ	led	Price pe	er piece
	Measure- ment	Finish	Thick- ness	Inner	Master
PF0122	3" x 3"	Matte chrome	1. 55 mm	20	200
PF0123	3" x 3"	Bright brass	1. 55 mm	20	200
PF0124	3" x 3"	Antique brass	1. 55 mm	20	200

Type of packaging: Bulk

CHROME HINGE, LOOSE PIN

- Made of steel.
- Loose pin with flat head
- For wooden doors
- Each hinge includes 6 screws fo installation



	Flat head	Screws include	ed	Price pe	r piece	
Code	Measure- ment	Finish	Thick- ness	Inner	Master	
*PF0125	3" x 3"	Matte chrome	1. 55 mm	20	200	
PF0126	3" x 3"	Bright brass	1. 55 mm	20	200	
PF0127	3" x 3"	Antique brass	1. 55 mm	20	200	

Type of packaging: Bulk

DOUBLE ACTION DOOR HINGE

- Steel body
- Adjustable springe regulate opening and closing force
- Allows the door to open in both directions
- Load capacity: 30 kg
- For door thickness: 1 1/4" to 1 3/4"





Code	Finish	Inner	Master
PF0239	Bright chrome	2	12
PF0240	Bright brass	2	12

Type of packaging: Box

TWO-DIMENSIONAL HINGE

- Made of steel
- Screws for installation included



PF0278

Bag



Type of packaging: Bag

COMBINATION LUGGAGE PADLOCK

- Body and metal hook
- The combination can be customized (3 figures)



PF0174





Code	Measurement	Inner	Master
PF0173	25 mm	12	360
PF0174	35 mm	12	360

Type of packaging: Blister

BRASSSLIDINGBOLDPADLOCK

- Brass cylinder with 5 pins
- Cut-resistant steel hook
- 3 keys





LAMINATED PADLOCK

- Brass cylinder
- Cut-resistant steel hook 3 keys (PF0140 includes 4 keys)







J		Hook	Measurement	Inner	Master
	PF0136	Short	30 mm	12	96
	PF0137	Short	40 mm	12	72
	PF0138	Short	50 mm	6	60
			2-piece se	t	
	PF0139	Short	40 mm	6	48
			4-piece se	t	
	PF0140	Short	40 mm	4	24

Type of packaging: Blister

COMBINATION PADLOCK

- Cut-resistant steel body and hook
- Fixed combination of 3 figures





,			
	Measurement	Inner	Master
PF0172	50 mm	12	72

Type of packaging: Blister

IRON SLIDING BOLD PADLOCK TopForge



- Metallic cylinder
- Cut-resistant steel hook
- 3 keys



		Traditional key	3 keys Cut-res	sistant hook
	Measurement	Type of key	Inner	Master
PF0158	70 mm	Traditional	6	24
PF0159	70 mm	Tetra	6	24

Type of packaging: Blister

IRON PADLOCK

- Brass cylinder
- Cut-resistant steel hook 3 keys (2-piece set includes 4 keys) (4-piece set includes 6 keys)









Hook Measurement Inne Master PF0200 Short 30 mm 12 72 PF0201 Long 30 mm 12 72 *PF0141 72 Short 40 mm 12 PF0142 40 mm 12 72 Lona PF0143 Short 50 mm 6 72 PF0144 Long 50 mm 72 2-piece set Short 40 mm 36 PF0146 6 PF0147 Long 40 mm 36 PF0148 Short 50 mm 36 PF0149 50 mm Long 36 4-piece set PF0145 Short 36 40 mm

Type of packaging: Blister

BRASS COLOR IRON PADLOCK

- Metallic cylinder
- Cut-resistant steel hook
- 3 keys
- Antique brass finish





1	Ī.	key			
Code	Hook	Measurement	Inner	Master	
PF0176	Short	30 mm	12	48	
PF0177	Long	30 mm	12	48	
PF0178	Short	40 mm	12	48	
PF0179	Long	40 mm	12	36	
PF0180	Short	50 mm	12	36	
PF0181	Long	50 mm	12	36	
	2-piece set				
PF0175	Short	20 mm	12	48	

Type of packaging: Blister

BRASS PADLOCK

- · Brass cylinder
- Cut-resistant steel hook
- 3 keys (PF0128 and PF0129 include 4 keys)















	Hook	Measurement	Inner	Master		
PF0130	Short	30 mm	6	72		
PF0131	Long	30 mm	6	72		
*PF0132	Short	40 mm	6	72		
PF0133	Long	40 mm	6	72		
PF0134	Short	50 mm	6	36		
PF0135	Long	50 mm	6	36		
	2-piece set					
PF0128	Short	20 mm	4	16		
PF0129	Short	40 mm	4	16		

Type of packaging: Blister

IRON PADLOCK, IN BOX

- Brass cylinder
- Cut-resistant steel hook
- 3 keys









	Hook	Measurement	Inner	Master
PF0150	Short	30 mm	12	72
PF0151	Long	30 mm	12	72
PF0152	Short	40 mm	12	72
PF0153	Long	40 mm	12	72
PF0154	Short	50 mm	6	72
PF0155	Long	50 mm	6	72

Type of packaging: Box

GREY COLOR IRON PADLOCK

- Metallic cylinder
- Cut-resistant steel hook
- 3 keys
- Grey finish

















Traditional


	Hook	Measurement	Inner	Master	
PF0183	Short	30 mm	12	48	
PF0184	Long	30 mm	12	48	
PF0185	Short	40 mm	12	48	
PF0186	Long	40 mm	12	36	
PF0187	Short	50 mm	12	36	
PF0188	Long	50 mm	12	36	
	2-piece set				
PF0182	Short	20 mm	12	48	

Type of packaging: Blister

LOCKS

RIM DEADLOCK, SLIDING DOOR, CLASSIC





Code	Туре	Model	Inner	Master
PF0015	Classic	Right	2	24
PF0016	Classic	Left	2	24
	–			

Type of packaging: Box

RIM DEADLOCK, SLIDING DOOR, **EASY INSTALLATION**



	Туре	Model	Inner	Master
PF0013	Easy to install	Right	2	24
PF0014	Easy to install	Left	2	24

Type of packaging: Box

RIM DEADLOCK, SLIDING DOOR, **DEADBOLT**



	Type	Model	Inner	Master
PF0017	Deadbolt cylinder	Right	2	24
PF0018	Deadbolt cylinder	Left	2	24

Type of packaging: Box

RIM DEADLOCK, TETRA KEY





10 m	Easy to install	Classic	Tetra key	2 keys	
	Туре	Model	Inner	Master	
PF0011	Classic	Right	3	24	
PF0012	Classic	Left	3	24	
PF0005	Easy to install	Right	3	24	
DE0006	Facy to inetall	I oft	3	2/	

Type of packaging: Blister

RIM DEADLOCK, STANDARD KEY





RepForge	Easy to insta	S Classi	Traditio	R 2 keys
225 3	Lasy to mist	all Glaco.	key	
	Туре	Model	Inner	Master
PF0009	Classic	Right	3	24
PF0010	Classic	Left	3	24

Right

Left

3

24

24

PF0004	Easy to install
Type of pag	ckaging: Blister

PF0003

Easy to install

RIM DEADLOCK, STANDARD KEY





PF0007

PF0008

PF0001

PF0002







3

24

Z

2 keys

Left

Type of packaging: Box

RIM DEAD LOCK, TETRA KEY



district their	1			
Code	Type	Model	Inner	Master
PF0023	Free bar	Right	3	24
PF0024	Free bar	Left	3	24
PF0029	Fixed bar	Right	3	24
PF0030	Fixed bar	Left	3	24

Type of packaging: Blister

KEYED BOLT, TRADITIONAL KEY



Control of	e e		Traditional I	
	Type	Model	Inner	Master
PF0021	Free bar	Right	3	24
PF0022	Free bar	Left	3	24
PF0027	Fixed bar	Right	3	24
PF0028	Fixed bar	Left	3	24

Type of packaging: Blister

KEYED BOLT, TRADITIONAL KEY

Easy to install





-	- Control		ke	y
Code	Type	Model	Inner	Master
PF0019	Free bar	Right	3	24
PF0020	Free bar	Left	3	24
*PF0025	Fixed bar	Right	3	24
*PF0026	Fixed bar	Left	3	24
	–			

Type of packaging: Box

FIXED BAR LOCK, EXTERIOR CYLINDER

RIM BAR LOCK, DOUBLE CYLINDER, TRADITIONAL KEY

- Solid brass cylinder
- · It can be left and right
- · 2 brass keys







2 keys







Model Type Inner Master PF0032 Fixed bar Left/Right 2 12

Type of packaging: Box

TRADITIONAL KEY

Solid brass cylinder

· It can be left and right

· 2 brass keys

PF0031

BALL LOCK KNOB, CYLINDRICAL MECHANISM

- Cylindrical mechanism
 Brass cylinder
 2 keys included for entry / bedroom knobs



	Function	Knob (outside / inside)	Finish	Inner	Master
PF0033	Entry point	Key / plain	Bright brass	3	24
PF0036	Bedroom	Key / button	Bright brass	3	24
PF0039	Bathroom	Keyhole / button	Bright brass	3	24
PF0034	Entry point	Key / plain	Antique brass	3	24
PF0037	Bedroom	Key / button	Antique brass	3	24
PF0040	Bathroom	Keyhole / button	Antique brass	3	24
PF0035	Entry point	Key / plain	Matte chrome	3	24
*PF0038	Bedroom	Key / button	Matte chrome	3	24
*PF0041	Bathroom	Keyhole / button	Matte chrome	3	24

Packing type: Blister

BELL LOCK KNOB, CYLINDRICAL MECHANISM

- Cylindrical mechanism
 Brass cylinder
 2 keys included for entry / bedroom knobs



Code	Function	Knob (outside / inside)	Finish	Inner	Master
PF0042	Entry point	Key / plain	Bright brass	3	24
PF0045	Bedroom	Key / button	Bright brass	3	24
PF0048	Bathroom	Keyhole / button	Bright brass	3	24
PF0043	Entry point	Key / plain	Antique brass	3	24
PF0046	Bedroom	Key / button	Antique brass	3	24
PF0049	Bathroom	Keyhole / button	Antique brass	3	24
PF0044	Entry point	Key / plain	Matte chrome	3	24
PF0047	Bedroom	Key / button	Matte chrome	3	24
PF0050	Bathroom	Keyhole / button	Matte chrome	3	24

Packing type: Blister

OVAL LOCK KNOB, CYLINDRICAL MECHANISM

- Cylindrical mechanism
- Brass cylinder
 2 keys included for entry / bedroom knobs



Code	Function	Knob (outside / inside)	Finish	Inner	Master
PF0051	Entry point	Key / plain	Bright brass	3	24
PF0054	Bedroom	Key / button	Bright brass	3	24
PF0057	Bathroom	Keyhole / button	Bright brass	3	24
PF0052	Entry point	Key / plain	Antique brass	3	24
PF0055	Bedroom	Key / button	Antique brass	3	24
PF0058	Bathroom	Keyhole / button	Antique brass	3	24
PF0053	Entry point	Key / plain	Matte chrome	3	24
PF0056	Bedroom	Key / button	Matte chrome	3	24
PF0059	Bathroom	Keyhole / button	Matte chrome	3	24

Packing type: Blister

STRAIGHT HANDLE LOCK

- Tubular mechanism
- Brass cylinder
 3 keys included for entry / bedroom knobs



Code	Function	Knob (outside / inside)	Finish	Inner	Master
PF0060	Entry / Bedroom	Key / button	Bright brass	3	20
PF0061	Entry / Bedroom	Key / button	Antique brass	3	20
PF0062	Entry / Bedroom	Key / button	Matte chrome	3	20
PF0063	Bathroom	Keyhole / button	Bright brass	3	20
PF0064	Bathroom	Keyhole / button	Antique brass	3	20
PF0065	Bathroom	Keyhole / button	Matte chrome	3	20
Type of nee	kaning Pliater				

Type of packaging: Blister

CURVED HANDLE LOCK

- Tubular mechanism
- Brass cylinder
 3 keys included for entry / bedroom knobs

Code	Function	Knob (outside / inside)	Finish	Inner	Master
PF0066	Entry / Bedroom	Key / button	Bright brass	3	20
PF0067	Entry / Bedroom	Key / button	Antique brass	3	20
PF0068	Entry / Bedroom	Key / button	Matte chrome	3	20
PF0069	Bathroom	Keyhole / button	Bright brass	3	20
PF0070	Bathroom	Keyhole / button	Antique brass	3	20
PF0071	Bathroom	Keyhole / button	Matte chrome	3	20

Type of packaging: Blister

HARTFORT HANDLE LOCK

- Tubular mechanism
- Brass cylinder
 Entry / bedroom locks, includes 3 keys









Code	Function	Knob (outside / inside)	Finish	Inner	Master
PF0072	Entry / Bedroom	Key / button	Matte chrome	3	20
PF0073	Bathroom	Keyhole / button	Matte chrome	3	20

LOCKS | KNOBS

BALL DOOR KNOB, CYLINDRICAL MECHANISM

- Cylindrical mechanism
- Metallic cylinder
- 2 keys included for entry / bedroom





TopForge



Code	Function	Knob (outside / inside)	Finish	Inner	Master
PF0080	Entry / bedroom	Key / button	Bright brass	3	24
PF0083	Bathroom	Keyhole / button	Bright brass	3	24
PF0081	Entry / bedroom	Key / button	Antique brass	3	24
PF0084	Bathroom	Keyhole / button	Antique brass	3	24
PF0082	Entry / bedroom	Key / button	Matte chrome	3	24
PF0085	Bathroom	Keyhole / button	Matte chrome	3	24

Type of packaging: Box

DOUBLE CYLINDER LOCK

- Steel shield
- Brass cylinder
- · Includes 2 brass keys









TpForge

Traditional 2 keys

	Finish	Inner	Master
PF0077	Bright brass	3	24
PF0078	Antique brass	3	24
PF0079	Matte chrome	3	24

Type of packaging: Blister

TUBULAR MECHANISM · Tubular mechanism Metallic cylinder

BALL DOOR KNOB,

- 2 keys included for entry / bedroom





	Function	Knob (outside / inside)	Finish	Inner	Master
PF0086	Entry / bedroom	Key / button	Bright brass	3	24
PF0089	Bathroom	Keyhole / button	Bright brass	3	24
PF0087	Entry / bedroom	Key / button	Antique brass	3	24
PF0090	Bathroom	Keyhole / button	Antique brass	3	24
PF0088	Entry / bedroom	Key / button	Matte chrome	3	24
PF0091	Bathroom	Keyhole / button	Matte chrome	3	24

Type of packaging: Box

DEADBOLT CYLINDER LOCK

- Steel shield
- Brass cylinder
- · Includes 2 brass keys



Interior side of the lock







key

2 kevs

	Finish	Inner	Master
PF0074	Bright brass	3	24
PF0075	Antique brass	3	24
PF0076	Matte chrome	3	24

Type of packaging: Blister

DOUBLE CYLINDER LOCK

- · Steel shield
- Metallic cylinder







Finish

Bright brass

Antique brass

Matte chrome



Inner

3

3

3



Traditional



Master

24

24

24







- Steel shield Metallic cylinder
- 2 keys









TopForge

of the lock



8 Traditional Includes

key 2 keys

Code	Finish	Inner	Master
PF0092	Bright brass	3	24
PF0093	Antique brass	3	24
PF0094	Matte chrome	3	24

Type of packaging: Box

KNOB AND DEADBOLT SET **DOUBLE CYLINDER**

Steel knob and shield

PF0095

PF0096

PF0097

Type of packaging: Box

- Knob with cylindrical mechanism
- Metallic cylinder
- Both open with the same key
- Knob: exterior with key / interior with button













Interior side of the lock





Includes 2 keys

Master	
24	
24	
0.4	



	Finish	Inner	Master
PF0101	Bright brass	2	24
PF0102	Antique brass	2	24
DE0103	Matte chrome	2	24

TRIGGER LOCKS

KNOB AND DEADBOLT SET **DEADBOLT**

- · Steel knob and shield
- Knob with cylindrical mechanism
- Metallic cylinder
- Both open with the same key
- 2 keys Knob: exterior with key / interior with button









2

一 五			key 2 keys
Code	Finish	Inner	Master
PF0098	Bright brass	2	24
PF0099	Antique brass	2	24
PF0100	Matte chrome	2	24

Type of packaging: Box

VIENNA HANDLE SET DOOR LOCK DOUBLE CYLINDER



Code	Finish	Inner	Master
PF0194	Bright brass	1	6
PF0195	Antique brass	1	6
PF0196	Matte chrome	1	6

Type of packaging: Box

VALIANT HANDLE SET DOOR LOCK DOUBLE CYLINDER




	Finish	Inner	Master
PF0189	Bright brass	1	6
PF0190	Antique brass	1	6
PF0191	Matte chrome	1	6

Type of packaging: Box

ROYAL HANDLE SET DOOR LOCK DOUBLE CYLINDER

- Steel shield



Code	Finish	Inner	Master
PF0192	Bright brass	1	6
PF0193	Antique brass	1	6

Type of packaging: Box

MONACO HANDLE SET DOOR LOCK **DEADBOLT**

- · Steel shield
- Brass cylinder METALLIC BODY
- · Includes 3 brass keys Traditional key

Finish Inner Master PF0197 Bright brass 6 PF0198 Antique brass 6 PF0199 Matte chrome

Type of packaging: Box

Z

Includes 2 keys

PINS | HASPS | STOPS

DOOR CHAIN GUARD

- METALLIC BODY
- Spring button
- Screws for installation included





Code	Finish	Inner	Master
PF0205	Chrome	6	36
PF0206	Polished brass	6	36
PF0207	Antique brass	6	36

Type of packaging: Blister

HASPS

- Brass finish
- Screws for installation included



Code	Length	Inner	Master
PF0270	1 3/4"	12	120
PF0271	2 1/2"	12	120
PF0272	3 1/2"	12	120
PF0273	4 1/2"	12	120

Type of packaging: Blister

HASPS

- Zinc plated finish
- Screws for installation included



Code	Length	Inner	Master
PF0266	1 3/4"	12	48
PF0267	2 1/2"	12	48
PF0268	3 1/2"	12	48
PF0269	4 1/2"	12	48

Type of packaging: Blister

- **ELBOW DOOR STOP** METALLIC BODY
- Rubber bumper
- Protect doors and walls
- Screws for installation included



•			
	Finish	Inner	Master
PF0221	Chrome	6	36
PF0222	Polished brass	6	36

Type of packaging: Blister

SECURITY DOOR FASTENER



Code	Finish	Inner	Master
PF0202	Chrome	6	36
PF0203	Polished brass	6	36
PF0204	Antique brass	6	36

Type of packaging: Blister

SURFACE BOLT

- METALLIC BODY
- Threaded button
- Vertical and horizontal installation
- Screws for installation included







Polished brass

17.612				COIC WS III OILLICG
Code	Finish	Measurement	Inner	Master
PF0208	Chrome	2 1/2"	6	36
PF0209	Chrome	4 1/4"	6	36
PF0210	Chrome	5 1/2"	6	36
PF0211	Polished brass	2 1/2"	6	36
PF0212	Polished brass	4 1/4"	6	36

Type of packaging: Blister

DOOR SWEEP

- · Made of aluminum and PVC rubber
- For all types of doors Blocks out smoke, dust, light, etc.
- Screws for installation included





Code	Finish	Measurement	Inner	Master
PF0225	Aluminum	1 m	10	100
PF0226	Gold	1 m	10	100
PF0227	White	1 m	10	100
PF0228	Black	1 m	10	100

Type of packaging: Hanger

SOLID DOOR STOP

- METALLIC BODY
- Rubber bumper Protect walls and doors



-			
Code	Finish	Inner	Master
PF0223	Chrome	6	36
PF0224	Polished brass	6	36

Type of packaging: Blister

FLOOR DOOR STOP

- Metallic body
- Rubber bumper
- Protect walls and doors
- Screws for installation included



Ser.			
Code	Finish	Inner	Master
PF0219	Chrome	6	36
PF0220	Polished brass	6	36

Type of packaging: Blister

VIEWER | LOCKS | GUARDS

Type of packaging: Blister

- METALLIC BODY
- Anti-slip rubber



	Finish	Inner	Master			
PF0217	Chrome	6	36			
PF0218	Polished brass	6	36			
Time of poeksoning Dileton						

Type of packaging: Blister

LENS DOOR VIEWER

- Brass body
- Glass lens
- For 1 3/8" to 2 3/16" thickness door
- 180° degree visibility





22 /2			
	Finish	Inner	Master
PF0214	Bright brass	6	24
PF0215	Antique brass	6	24
PF0216	Matte chrome	6	24

Type of packaging: Blister

CLOSET DOOR LOCK

- · METALLIC BODY
- Metallic cylinder
- 2 steel keys
- Screws for installation included





Traditional Includes 2 keys

	Finish	Measurement	Inner	Master
PF0233	Chrome	29 mm	6	36
PF0234	Brass	29 mm	6	36
PF0235	Chrome	36 mm	6	36
PF0236	Brass	36 mm	6	36

Type of packaging: Box

SLIDING DOOR LOCK

- Solid brass deadbolt
- Zinc plate
- Metallic cylinder
- Pin system
- Push button mechanism
- 2 brass keys included
- Screws for installation included







	Finish	Inner	Master
PF0231	Chrome	6	72
PF0232	Brass	6	72
Type of packaging: Box			

DRAWER LOCK

- METALLIC BODY
- Metallic cylinder
- 2 brass keys included
- Screws for installation included



Chrome

		Includes 2 keys
Finish	Inner	Master

Type of packaging: Box

PF0229

PF0230

VERTICAL FURNITURE LOCK

- METALLIC BODY
- Vertical action lock
- Includes 2 brass keys









6	72
6	72

Type of packaging: Blister

LOCKING SLIDES SOFT CLOSE

· Made of steel

- Nickel-plated finish
- Bearing mechanism
- 3-section slider
- Soft spring closure Load capacity per slide set:
- 30 kg





Code	Measurement	Inner	Master
PF0255	40 cm (16")	5	15
PF0256	45 cm (18")	5	15
PF0257	50 cm (20")	5	15
PF0258	55 cm (22")	5	15

Type of packaging: Bag

LOCKING SLIDES

144

144

Made of steel

6

- Nickel-plated finish Bearing mechanism
- 3-section slider
- Load capacity per slide set:
- 30 kg



Code	Measurement	Inner	Master
PF0248	30 cm (12")	5	15
PF0249	35 cm (14")	5	15
PF0250	40 cm (16")	5	15
PF0251	45 cm (18")	5	15
PF0252	50 cm (20")	5	15
PF0253	55 cm (22")	5	15
PF0254	60 cm (24")	5	15

Type of packaging: Bag

LOCKING SLIDES 2 SECTIONS

- Made of steel
- Nickel-plated finish
- Bearing mechanism
- 2-section slider
- · Load capacity per slide set: 15 kg



Code	Measurement	Inner	Master
PF0259	30 cm (12")	10	15
PF0260	35 cm (14")	10	15
PF0261	40 cm (16")	10	15
PF0262	45 cm (18")	10	15
PF0263	50 cm (20")	10	15
PF0264	55 cm (22")	10	6
PF0265	60 cm (24")	5	15

Type of packaging: Bag

WHITE SLIDER

- Made of steel
- Epoxy paint
 Each slide consists of 2 pieces
- Screws for installation included
- Caliber 0.7 mm
- Load capacity per slide set: 15 kg



	Measurement	Inner	Master
PF0241	30 cm (12")	10	20
PF0242	35 cm (14")	10	20
PF0243	40 cm (16")	10	20
PF0244	45 cm (18")	10	20
PF0245	50 cm (20")	10	20
PF0246	55 cm (22")	10	20
PF0247	60 cm (24")	10	20

Type of packaging: Bag



TOOLCRAFT PUMP EXHIBITOR

- MANUFACTURED IN 5/8" mdf with liquid paint finish
- 2 pieces labeled with self-adhesive vinyl cap 60 cm x 25 cm 6 removable leveling parts
- Measurements:

Height: 160 cm Width: 60 cm Depth: 40 cm



TOOLCRAFT SMALL DRILL BITS EXHIBITOR

- · Made of 1/2" matt white laminated MDF and band that covers the edges in the same tone.

 · Measurements:

Height: 17 cm Width: 24 cm Depth: 22 cm



*Does not include product

	Does not include product
Code	Capacity
TC5441	12 models of drill bits

TOOLCRAFT BIG DRILL BITS EXHIBITOR

- · Made of 1/2" matt white laminated MDF and band that covers the edges in the same tone.
- Measurements Height: 30 cm Width: 42 cm Depth: 32 cm



*Does not include product

Code	Capacity
TC5437	24 models of drill bits

TOOLCRAFT WHEELBARROW EXHIBITOR

- Structure made of Rectangular Tubular Profile
- Electrostatic paint blue color Art: digital print on white vinyl labeled
- on styrene

 Measurements:

Height: 200 cm Width: 82 cm Depth: 70 cm



*Does not include product

Code	Capacity
TC5438	3 wheelbarrows

TOOLCRAFT SMALL SANDPAPER EXHIBITOR

- Main structure in 3 cal wire
- $\cdot\,$ 8 trays made of 8 cal wire with 24 cal sheet border
- Black electrostatic paint application.
- Digitally printed borders
- Measurements:

TC5436

Height: 65 cm Width: 46 cm Depth: 27 cm



*Does not include product

*Does not include product

Capacity

6 pumps

TOOLCRAFT SILICONES EXHIBITOR

- Made of wire cal 8 and 11 with black electrostatic paint application.
- Art made in styrene cal 40
- Measurements:

Height: 23 cm Width: 23 cm Depth: 10 cm



*Does not include product

TOOLCRAFT COUNTER EXHIBITOR FOR AEROSOL

- Structure made in wire and sheet with electrostatic painting finish
- 2-piece assemble
- thermoformed in styrene
- Measurements: Height: 56 cm Width: 30 cm Depth: 28.5 cm



*Does not include product

Code	Capacity
TC5434	20 cans

Code	Capacity
TC5439	8 types of sandpaper

Code	Capacity
TC5440	6 silicones

EXHIBITORS / PROMOTIONALS

TOOLCRAFT FLOOR AEROSOL **EXHIBITOR**

- Structure of Rectangular Tubular Profile with sheet and wire · Arts in digital printing labeled on steel sheet
- Electrostatic paint blue color
- Measurements: Height: 155 cm Width: 50.5 cm Depth: 42.5 cm



*Does not include product

Code	Capacity
TC5435	60 cans

EXHIBITOR YARDEN SINK

- Structure made with RTP for
- supporting sinks
- Steel sheet
- Black electrostatic paint.
- Digital printing on self-
- adhesive vinyl labeled on styrene.
- Measurements:

Height: 170 cm Width: 90 cm Depth: 70 cm



*Does not include product

On display

6 items

Code	Capacity
YD0190	3 types of sinks

YARDEN GENERAL SMALL EXHIBITOR

Made of MDF with matt white laminate Thermoformed shelves in 80 gauge PET

Printed in autoadherible vinyl

Measurements

Height: 80 cm

Width: 60 cm

Depth: 30 cm

Drain: YD0130

Code YD0202

Showers: YD0141, YD0149 Mixers: YD0001, YD0013 P-trap: YD0073

Installation mode: -Fixed to wall over 15 cm base (included)

YARDEN VALVES EXHIBITOR Made of MDF with matt white laminate Printed in autoadherible vinyl

Includes:

TOP FORGE EXHIBITOR **HANDLE** Made of MDF with laminate

- Printed in autoadherible vinyl Measurements Height: 52 cm Width: 18 cm

Depth: 16 cm

Includes locks: PF0036, PF0047, PF0061, PF0066



*Does not include product

Code	On display
PF0280	4 items
Type of packag	ging: Box

TOP FORGE DOOR RIM LATCH **EXHIBITOR**

- Made of MDF with laminate
- Printed in autoadherible vinyl
- Height: 52 cm Width: 18 cm Depth: 16 cm
- Includes lock: PF0190



*Does not include product

Code	On display
PF0281	1 item

TOP FORGE EXHIBIDOR DEADBOLT / LEVER HANDLE LOCK

- Made of MDF with laminate
- Printed in autoadherible vinyl
- Measurements Height: 21 cm Width: 34 cm Depth: 8 cm
- Includes locks: PF0003 y PF0021



*Does not include product

Code	On display
PF0282	2 items

YARDEN GENERAL BIG **EXHIBITOR**

- Made of MDF with matt white laminate Thermoformed shelves in 80 gauge PET
- Printed in autoadherible vinyl
- Measurements Height: 160 cm Width: 120 cm



Mixers: YE0001, YD0001, YD0005, YD0009, YD0012, YD0013

P-trap and Basin: YD0060, YD0061, YD0073, YD0074, YD0075

Drain: YD0128, YD0129, YD0130, YD0132

Installation mode: -Fixed to wall over 15 cm base (included)

On display YD0201 20 items



Code	On display
AD0503	25 items

PROMOTIONALS

BIG TOOLCRAFT EXHIBITOR GENERATOR / COMPRESSOR / MOTOR PUMP

- Made in 3/4 " RTP and metal sheet
- Measurements Height: 104 cm

Width: 80 cm Depth: 100 cm



Assemble with TC5533

*Does not include product

Code	On display
TC5536	1 o 2 pieces

SMALL TOOLCRAFT EXHIBITOR **GENERATOR / COMPRESSOR / MOTOR PUMP**

Made in 3/4 " RTP and metal sheet

Measurements

Height: 84 cm Width: 80 cm Depth: 68 cm





Assemble with TC5536

*Does not include product

Code	On display
TC5533	2 pieces

FULGORE PLASTIC PLATES EXHIBITOR

Made of MDF

Printed in autoadherible vinyl

Measurements

Height: 70 cm Width: 40 cm Depth: 10 cm

Includes: line line line



Code	On display
FU1682	3 lines

POWER TOOL TABLE EXHIBITION

- Manufactured in metal profile and wood
- Ability to display up to 20 tools
- Includes: Ruedas de hule de

uso rudo

Light box with graphics on both sides 6 shelves with height adjustment Header with grooved panel for product display Top shelves with anti-slip material

Measurements

Height: 180 cm Width: 85 cm Depth: 180 cm



*Does not include product

Code	On display
TC5534	1 - 20 tools

FULGORE BULB EXHIBITOR

- Made of steel sheet
- Printed in autoadherible vinyl
- Includes power cable with plug
- Measurements Height: 18 cm Width: 35 cm Depth: 18 cm



*Does not include product

Code	On display
FU1683	3 items

BOARDERS

- Adhesive border on selfadhesive vinvl paper
- Measurements 25 x 8 cm



PROM5130



PROM5131



HEADBOARD

- Measurements 90 x 25 cm
- Printed on trovicel









Code	Characteristics
PROM5130	FULGORE
PROM5131	TOOLCRAFT
PROM5132	YARDEN

_				_
Type	ot	packa	agıng	: Bo

Code	Characteristics	
PROM5147	YARDEN	
PROM5145	TOOLCRAFT	
PROM5146	WOLFOX	
PROM5144	FULGORE	

PROMOTIONALS

DOMINO



Characteristics

TOOLCRAFT

CYLINDER



Characteristics

TOOLCRAFT

BALL



Code	Characteristics
PROM3518	TOOLCRAFT

BULB TESTER

PROM4592



Code	Characteristics
PROM4595	TOOLCRAFT


NOTEBOOK

PROM4296



Code	Characteristics
PROM3948	TOOLCRAFT

TOOLCRAFT CATALOG



	2021	
Code	Characteristics	Price
PROM5206	TOOLCRAFT	\$55.00

POLO T-SHIRT TOOLCRAFT



Code	Size
PROM3931	S
PROM3932	M
PROM3933	L
PROM3934	XL

POLO T-SHIRT TOOLCRAFT

FULGORE



	_
Code	Size
PROM5153	S
PROM5154	M
PROM5155	L
PROM5156	ΧI

POLO T-SHIRT TOOLCRAFT



Code	Size
PROM5149	S
PROM5150	M
PROM5151	L
PROM5152	XL

PROMOTIONAL T-SHIRT **TOOLCRAFT**



Code	Size
PROM3919	S
PROM3920	M
PROM3921	L
DROM3022	YI



Code	Size
PROM5157	S
PROM5158	M
PROM5159	L
PROM5160	XL

T-SHIRT **PROMOTIONAL FULGORE**



Code	Size
PROM5161	S
PROM5162	M
PROM5163	L
PROM5164	XL

TOOLCRAFT°

CATALOG 2021









Top Forge

fulgére

Wolfox®

YARDEN

Rotter

www.toolcraft.mx>











SITIO WEI